Exhibits Preview



Why to visit EP Shanghai 2023



EP Shanghai 2023 The Largest and the leading **Electric Power & Electrical Expo in China**

Total exhibition scale expanding to 5 Halls, well attended by over 1,300 exhibitors/brands from worldwide, with over 60,000 sqm of exhibition space

"Smart Energy" & "New Energy Storage" Zone **Evolves with Innovative Solutions**

Spotlight on Energy Storage and Smart Energy Booming Markets, covers various aspects of the energy and power industry, including smart grids, new energy, solar energy storage, micro-grids, and 5G, to facilitate the Power Industry's Digital Transformation and Intelligent Evolution.

Most comprehensive - 5 Specialized Exhibits Zones **Cover the Entire Industrial Chain**

- One-Stop Power
- Energy Digitalization Transmission & Distribution . Integrated Energy
- Electric Power Automation
 Intelligent Manufacturing

ABB, Schneider, Siemens, and more leading brands confirmed participation

Over 1.300 renowned brands from worldwide will showcase their latest technology and solutions. Exhibitors including Schneider, Acrel, Changyuan, will be attending the "New Products Gallery" for their new products release.

New Product Gallery

The new product launch covered smart grid/power IoT applications, intelligent power monitoring, and integrated energy solutions. The participating companies include:

- 1. Schneider Electric
- 2. Changyuan Technology Group Ltd.
- 3. Acrel Co., Ltd
- 4. People Electric Co., Ltd
- 5. CET Electric Technology Inc
- 6. Yantai Fisend Bimetal Co., Ltd
- 7. Yijiahe Technology Co., Ltd.
- 8. Xian Xd Switchgear Electric Co., Ltd.

Major Renowned Exhibitors in EP Shanghai 2023

US Pavilion、German Pavilion、Trade Association

Annual Feast of the Industry



Established in 1986, EP is organized by the China Electricity Council and State Grid Corporation of China



❷纬景储能 Shenling 😚 CRIMSEA 🚔 『ひいい �ロムT YIY-元电号 シ注意动態 ЦNI-T 😌 🐲 📕 いいけい 💥
したのでは、 このでは、 この
www.EPChinaShow.com www.onlineepchinashow.com

Business Matching



One-click to meet our huge partnership network

Schneider murge MR ABB CHNT SEEMAX

Acrel CYGKE Rocoi

Provided the high-quality business platform for "Business Matching"



Enriched the network resources of suppliers



Customized service with no charge

Created unlimited business opportunities through fast, convenient and accurate matchmaking before, during and after the exhibition



EP Online Platform

Online Overview New Products, Electric Power Equipment, and Technology Interconnected in Anywhere and Anytime

Receive the updated show information, products and exhibitors list





Pre-registration for the concurrent forum / seminar





www.EPChinaShow.com www.onlineepchinashow.com





ZHUHAI COMKING ELECTRIC CO., LTD. #

CK-NL-200 STANDARD ENERGY STORAGE CONTAINER

Overview The CK-NL-200 standard energy storage container is mainly composed of standard module (PACK), energy storage converter (PCS), energy management system (EMS), battery management system (BMS), fire protection system and other parts. It can be used in industrial and commercial occasions, with functions such as power grid optimization, peak and valley smoothing, emergency backup, etc., and the container covers a small area, has a high degree of centralization, and is easy to control and maintain the system.

JIANGSU WAEN NEW MATERIAL TECHNOLOGY CO., LTD

Waen®UV301 is a single component UV cured adhesive. The UV wavelength can quickly cure at 200-400nm, making it easy to use and operate, greatly improving production efficiency. Mainly used for the protection and fixation of electronic components.

WAEN ELECTRONIC ADHESIVE WAEN ® UV301



GACIA ELECTRICAL APPLIANCE CO., LTD

SMART IOT CIRCUIT BREAKER

AICB2 intelligent Internet of Things Circuit Breaker integrates multiple functions, with short-circuit, overload, under-voltage, leakage, temperature and other multiple protection, support high-precision full power data acquisition, remote/local leakage selfdetection, regular regular leakage self-check and support self-check not open, remote open and close control, local/remote mode switching and other functions.



Note:

Energy Storage Related Technologies/Products,

* Energy Storage Supporting Products. Data collection as of September 8, 2023.

(Booth No:1K71)

(Booth No:4S04)

(Booth No:4B21)



TIANJIN XINGDA ELECTRIC TECHNOLOGY CO., LTD

(Booth No:2T50)

DIN EN TRANSFORMER BUSHING

DIN porcelain bushings is a type of porcelain bushings manufactured according to the German Industrial Standard (DIN). EN porcelain bushings is a type of porcelain bushings manufactured according to the European Standard (EN). DIN and EN porcelain bushings have good corrosion resistance and wear resistance, which can effectively prevent transformers from external impacts, vibrations, and physical damage. In addition, DIN/EN porcelain bushings also have good dustproof and waterproof performance, which can ensure the normal operation of transformers under harsh environmental conditions. Our company produces DIN/EN high and low voltage transformer bushings. Support design and development, welcome to contact.



JIANGNAN YIFAN MOTOR CO., LTD *

(Booth No:2S01)

ELECTRIC CHASSIS VEHICLE SERIES MOTOR&C-GIS INFLATABLE CABINET SERIES MOTOR

Electric Chassis Vehicle Series Motor&C-GIS Inflatable Cabinet Series Motor.





CARGILL INVESTMENT (CHINA) CO., LTD

CARGILL FR3® NATURAL EASTER DIELECTRIC FLUID

(Booth No:2C15)

Cargill FR3® Natural Easter Dielectric Fluid: This is a type of insulation liquid for distribution and power transformers, using pure natural plant seeds as raw materials. It has the characteristics of high ignition point, non-toxicity, and rapid biodegradation, and has become a leader in the market for traditional mineral oil substitutes and ester insulation liquids. FR3 fluid outperforms mineral oil in overall cost savings, grid resiliency, transformer performance, fire safety, and environmental benefits. There have been no reports of fires in applications involving over 3 million transformers so far. Cargill FR3 ® Intended to contribute to the environmental protection concept of carbon neutrality and leverage its advantages to achieve the "dual carbon" goal.

CHANGZHOU OPLUS SMART TECHNOLOGY CO.,LTD

(Booth No:3L06)

NFC E-LOCK

NFC smart lock is truly a passive green and environmentally friendly high-tech smart lock. No need to install batteries, real passive; You don't need any keys, the mobile phone is the key; When the mobile phone is close, you can unlock or close the lock, and upload the lock status, GPS positioning, operator and other positioning information to the cloud platform in real time. The powerful app and background management function has many functions such as authorization, distribution and statistics, so that all lock status and personnel operation can be seen at a glance, eliminating the tedious manual management of a large number of mechanical, Bluetooth and other keys It also saves complicated work such as replacing batteries.

LEONHARD (SHANGHAI) ELECRICITY CO., LTD.

(Booth No:1S41)

SIC APF

Compared with silicon carbide, with wide forbidden width and large breakdown field strength, silicon carbide has high pressure resistance; the drift area is small, improved power density; less conduction resistance, lower energy consumption and higher thermal conductivity and switching frequency.





LIAONING SHENPENG ELECTRIC POWER TECHNOLOGY CO.,LTD

COMPOSITE CASING TERMINATION (ASSEMBLY)

Made of fiberglass reinforced casing and extruded silicone rubber umbrella skirt on the outer layer, the upper end cap and chassis are made of corrosionresistant alloy material. Mechanical connectors for the torque control end bolts are connected to the cable conductors and sealed with oil filler and heat shrink tubing. Silicone rubber stress cones provide electrical stress control. The stress cone and the inner wall of the cable and composite sleeve are filled with insulating oil. Different cable fixing and sealing devices are used depending on the cable sheath and armor construction. Support insulators are provided for separate earthing and cross interconnection.



MEGGER CHINA CO., LTD

(Booth No:2E87)

(Booth No:4K33)

MEGGER TRAX MULTIFUNCTION TRANSFORMER AND SUBSTATION TEST SYSTEM

TRAX is a multi-function test system for transformer substation testing. The test system replaces numerous individual testing devices which makes testing with TRAX a time saving and cost effective alternative to conventional measurements using separate instruments. TRAX is a unique test system for testing power, distribution and instrument transformers, as well as a variety of other substation components.





JINAN HENGFENG ELECTRIC POWER EQUIPMENT CO. LTD

CAPACITANCE AND TAN DELTA TESTER

Hengfeng capacitance and tan delta tester measures the capacitance and dielectric loss factor (tg) of high voltage electric equipment. Accuracy:Cx:±(1%rdg+1pF) tg(1%rdg+0.00040) Anti-interference index:Frequency conversion anti-interference, in 200% interference can still achieve the above accuracy Capacitance range:internal high voltage:3pF~80000pF/12kV 60pF~1.2uF/0.5kV resolution:Max.0.001pF,4 dgt 1. 7" high resolution color touch screen. 3. Multiple automatic double vairable frequency, which can effectively resist the frequency interference of test site and ensure the accuracy and stablity of test results. 3. UST+GST+CVT+ GSTg+ CVT ratio + polarity+phase difference+4 channels 4. 4-channel function, measuring four test object in a single test 5. Reserve the interface for external standard capacitor and external transformer 6. Internal memory with time/date stamp 7. Internalthermal printer 8. USB port for export test data to USB flash drive.



(Booth No:2T45)



YUFENG ELECTRIC CO.,LTD

CHASSIS

(Booth No:1H61)

The chassis truck is mainly used to carry circuit breakers, transformers and other components in the withdrawable switchgear, push them in and out, and serve as an auxiliary operation for connecting the components to the busbar. When the chassis car cooperates with the internal mechanism of the circuit breaker and other interlocking mechanisms of the central cabinet, it can meet the "five-proof" interlocking requirements in GB3906.



SHANGHAI MINGLVE MANAGEMENT CONSULTING CO.,LTD.

(Booth No:4G33)

MEGAMERGER.CH'S TWO MAJOR SERVICES AND FIVE CORE BUSINESSES IN THE ENERGY & ELECTRICITY SECTOR.

Two Major Services: Supporting the construction of new electric power system and the digital transformation of the electricity sector; assisting in the market-oriented reform of the electricity sector and the development of green energy for carbon peak and carbon neutrality. Five Core Businesses: Digital Intelligence Transformation: Top-level design, digital business operations, and upgrades in organization and technology for enterprise digital transformation. Marketing Services: Excellent power supply service system construction, transformation planning of new service halls, and efficiency enhancement through integrated channel fusion. Human Resources: Digital organizational change and efficiency optimization, and cultivation and development of digital talent echelons. Integrated Energy: Development planning and market expansion for integrated energy business, and digital operations for integrated energy. Brand Culture: Service brand planning and creation, and brand marketing .



ACREL CO., LTD. *

ENERGY INTERNET OF THINGS

In response to the requirements of the National Energy Administration for promoting the development of digital and intelligent energy, the Acrel EloT energy IoT cloud platform is based on the IoT data center and implements unified upstream and downstream data standards. Users only need to purchase Acrel IoT sensors, select a gateway, install and scan the code themselves to obtain the required data services, achieving on-site hardware debugging free and effectively reducing project operation and maintenance costs. The main functions involve commercial prepayment, electricity safety, energy consumption analysis, charging piles, photovoltaic monitoring, intelligent lighting, power configuration, air conditioning control, photovoltaic monitoring, etc., achieving business collaboration, scene integration, energy interconnection, and the integration of the energy Internet of Things ecosystem.

能源互联网云平台 Energy Internet Cloud Platform **1** 100 246 to agente a transference constituer a transference 1 節 10200 --B -----1 Ana . dettel Tend Hills 10.400 m Þ. 1 1

(Booth No:1B21)

(Booth No:3E03)

GMC-INSTRUMENTS(TIANJIN) CO., LTD.

MULTIFUNCTIONAL POWER QUALITY ANALYZER "LINAX PQ3000" The LINAX PQ3000 combines the characteristics of a normative power quality measurement device with functions for energy consumption and condition monitoring. The modern, multi-lingual design allows operating and parameterizing the device via website or the high-resolution color TFT display (800x480px). The

integrated webserver provides remote acquisition,

visualization and analysis of measured data. No

additional software is required.





KAMINO(SHENZHEN)TECHNOLOGY CO.,LTD (Booth No:3J17) NANOCRYSTALLINE CUTTING CORE Focus on research and development and test many years, using the mature annealing process, high performance, using imported curing glue water, improve the core hardness, and use of special antirust technology, greatly improve the nanocrystalline/silicon steel core rust resistance, nanocrystalline/silicon steel core rust resistance leading domestic and abroad, with the improved cutting process, keep the maximize the performance of the core before cutting.

JIANGSU XINYA HIGH VOLTAGE TESTING EQUIPMENT CO.,LTD

This system is mainly used for 35kV and below voltage level of oil immersion or dry power transformer frequency, induction, empty load, load and temperature rise test, the main components include induction regulator, air load test system, precision current/voltage transformer, temperature inspector, DC resistance tester, test transformer and so on.All pilot projects are completed by computer control, operation, operation and recording.

EQUIPMENT CO.,LTD TRANSFORMER COMPREHENSIVE TEST SYSTEM



(Booth No:3K21)



SHANGHAI SUHUI ELECTRIC CO.,LTD. LATCHING RELAY

(Booth No:3K05)

Shanghai Suhui Electric Co., Ltd. is a scientific and technological enterprise specializing in R & D, manufacturing, sales and integration of magnetic latching relay, current transformer and shunt. Products are widely used in smart meters, smart home, reactive power compensation, communication, energy and other related fields. The company has a complete set of quality assurance system, has passed ISO9001, ios14001 certification, some products through Germany TUV, the United States UL and China CQC certification, so the products meet the requirements of the European Union Rosh. Experienced R & D personnel, professional automatic production testing equipment, clean and dust-free production workshop have laid a solid foundation for customers to provide high-quality products. In the increasingly competitive international market in the future, Suhui Electric will, as always, serve customers all over the world with excellent quality, competitive price, punctual delivery cycle and professional after-sales service. We are willing to work hand in hand with you for common development.





SHENZHEN TIEON ENERGY TECHNOLOGY CO., LTD

(Booth No:3G06)

INTELLISYS SERIES SPC 2.0 INTELLIGENT LOW VOLTAGE DISTRIBUTION SYSTEM

1. Modular design: feeder unit is composed of standard modules, integrating sensing function and display function; It is applicable to switches of mainstream brands at home and abroad to realize design standardization; 2. Wireless acquisition: electronic application technology is adopted to realize wireless data acquisition of temperature and full power; 3. Insulation fastening technology: insulation nail fastening technology is adopted for primary connection, which is both reliable for fixed connection and convenient for live draw out operation and maintenance; 4. Saving energy consumption of equipment: through infrared induction design, the display system is controlled to turn on and off, saving electric energy and extending the service life of the display system.



BEIJING XINCHUANG CHUNSHU RECTIFIER CO., LTD. *

(Booth No:3K45)

POWER SEMICONDUCTORS

Power Semiconductors: Thyristor (Phase control, Fast,GTO, Light triggered, Pulse), Rectifier diode, Power Module, Disc IGBT/IEGT. Rotating Excitation Rectifier Series: Rotating diode, Assemblies, Rotary disc and matching rectifier device Power Unit (customizable): Rectifier bridge, Pulse high power generator, Pulse power supply Heat Sinks (customizable): Moulding/Heat pipe/Water cooling heat sinks





ZHEJIANG MANCHANG ELECTRIC CO., LTD

(Booth No:3K65)

MAIN PRODUCTION: DUAL POWER SUPPLY, CPS, FIRE DETECTOR, SELF RESETTING OVERVOLTAGE

AND UNDERVOLTAGE, SURGE PROTECTOR, MOLDED CASE CIRCUIT BREAKER, INT

Low voltage electrical appliances refer to electrical products that play the role of on-off, protection, control or regulation in circuits with AC rated voltage of 1200V and below and DC rated voltage of 1500 and below. Application classification: control appliance, power distribution appliance, protection appliance, command appliance, executive appliance, etc.



THERCAM INC

INFRARED THERMAL CAMERA

The TherCam SV-H6D Advanced Thermal Imaging Camera offers exceptional resolution and sensitivity for condition monitoring, electrical and mechanical inspection, and building inspection. This handheld advanced thermal imaging camera is equipped with a 640 x 480 thermal resolution detector to measure extreme temperatures while producing crisp and clear imagery accurately. Inspectors can survey highvoltage, hazardous targets safely and quickly and diagnose electrical and mechanical failures. The SV-H6Ds interchangeable lenses also offer complete coverage of near and distant targets, with the laser distance meter ensuring the focus needed for accurate temperature measurement. With the advantages of accurate temperature measurement, precise imaging, ease of use, and portability, the SV-H6D can support the rapid evaluations of industrial environments. High and low-temperature capabilities, one-click capture, and video functions are also convenient for field operators who need to record

(Booth No:3S24)





XIAMEN MINGHAN ELECTRIC CO., LTD. # SMARTSWITCH POWER DISTRIBUTION SYSTEM

SmartSwitch system is intelligent power distribution system integrating core capabilities of networking, computing, storage and application, together with digital MV switchgear & LV switchgear.It effectively realizes remote status monitoring , programmed controlling, and intelligent management, etc. Smartswitch offers functions of full power monitoring, system running status monitoring , energy-saving management, position status management, equipment life cycle management, environmental monitoring and network communication Information and data application etc.



MERSEN ZHEJIANG CO., LTD. *

NH1L-G 1140V FUSE

NH1L-G series of products through a unique structural design, AC and DC universal, with high voltage, high breaking capacity, resistance to inrush and impact current and other characteristics. The fuse adopts a multi-row narrowly designed to withstand high voltage. The fuse is filled with high-purity quartz sand, which can be forced to cut off the high-energy fault current instantaneous and effectively reduce the short-circuit current on the line and the impact of the equipment, no spraying arc, suitable for high-voltage, no flying arc, and other severe occasions. Severe occasions. The product has a variety of optional installation methods and can be equipped with base or screw mounting, which is space-saving.



Note: # Energy Storage Related Technologies/Products, * Energy Storage Supporting Products. Data collection as of September 8, 2023.

(Booth No:1T01C)

(Booth No:1D41)



MERSEN SHANGHAI CO., LTD.

(Booth No:1T01A)

CURRENT-LIMITING FUSES AND ACCESSORIES, FUSE BLOCKS AND HOLDERS, POWER DISTRIBUTION BLOCKS, LOW VOLTAGE DISCONNECT SWITCHES, HIGH POWER SWITCHES, ERCU, FUSEBOX, CCD, SURGE PROTECTIVE DEVICES, HEATSINKS, LAMINATED BUS BARS

Mersen Electrical Power provides a comprehensive line of current-limiting fuses (low voltage, general purpose, medium voltage, semiconductor, miniature and glass, and special purpose) and accessories, fuse blocks and holders, power distribution blocks, low voltage disconnect switches, high power switches,ERCU,Fusebox,CCD, surge protective devices, heatsinks, laminated bus bars, and more. For more information, call 021-67602388 or visit www.mersen.com.



SHANDONG LIJIAN CNC EQUIPMENT CO., LTD

(Booth No:2A01)

BASBAR MACHINERY

The main function is to cut and punch copper and aluminum busbars (round holes, long round holes, square holes, special-shaped holes), flat bending, vertical bending, embossing and other different processing. Products are widely used in high and low voltage switch cabinets, box-type substations, transformers, bus ducts, communication equipment, air conditioning and refrigeration, sheet metal, chassis cabinets and other industries.





CHINA BLUESTAR CHENGRAND CO., LTD.

(Booth No:1T31)

(Booth No:1H45)

ELECTRICAL INSULATION SILICONE RUBBER

GRESIL®GX-56 series, with good electrical insulation properties, flame retardant properties, mechanical properties and excellent processing performance. Have reports of UV aging, fire R22/R23, 1A4.5 resistance to tracking, hydrophobicity, flame retardancy, etc. from a third-party authority

STAUBLI (HANGZHOU) MECHATRONIC CO., LTD.

MULTILAM FLEXO ML-CUX

(1)Two-component contact element, very good
electrical and mechanical properties combined with
high mating and sliding cycels. (2)High rated and short
circuit current carrying capacity, facilitates small-sized
designs with only one ML-CUX. (3)Large operating
range, high flexibility and compensation of large
tolerances, angular and radial misalignment.
(4)Flexible with high self-retaining force, simple and
fast assembly in rectangular mounting groove. (5)Very
high lifespan with consistent performance
characteristics, lower TCO. (6)100% tested product
properties, guaranteed performance and reliability.



DEKRA ASIA PACIFIC *

(Booth No:1H03)

DEKRA ONE-STOP SOLUTION IN GLOBAL MARKET FOR POWER TRANSMISSION & DISTRIBUTION EQUIPMENT

As one of the worlds leading expert organizations, DEKRA has extensive experience and expertise in the low-, medium-, and high-voltage testing fields, and has provided a large number of manufacturers and power companies with testing and certification services and facilitate them in expanding into global markets. DEKRA has professional testing labs with multiple accreditations such as ISO/IEC 17065, ISO/IEC 17025 and ISO/IEC 17020. DEKRA has continued to expand its testing capabilities in low-, medium-, and high-voltage fields. In 2009, DEKRA bought out KEMA Quality and in 2017 acquired VEIKI-VNL, a world famous medium- and high-voltage testing lab based in Budapest, Hungary and a member of the Short-Circuit Testing Liaison (STL). In addition, DEKRA is a testing agency certified by Dutch Accreditation Council (RVA).



ACCUENERGY (CHINA) INC. *

ACUECS ENERGY INTEGRATED MANAGEMENT CLOUD PLATFORM

AcuECS energy integrated management and control cloud platform can closely connect users' energy supply systems, energy networks, energy consuming equipment and management personnel, eliminate information islands and achieve information integration, and build an integrated management and control platform integrating online energy consumption monitoring, energy billing management, power distribution operation monitoring, electrical safety monitoring, energy consuming equipment management and control, new energy monitoring, operation and maintenance management, and carbon emission monitoring and management.



SUZHOU INDUSTRIAL PARK SURONG ELECTRIC CO.,LTD *

(Booth No:1J21A)

(Booth No:2C23)

HYBRID-STATIC VAR GENERATOR

Hybrid static var generator is a device for reactive power compensation, power factor correction. It can compensate each kvar. This device is consist of SVG and TSC type static var compensator and human-computer interface. It can adjust active and passive compensation rate according to actual situation. Use RS485 to communication between LCD screen and core parts.

SHENZHEN LISTEN TECHNOLOGY CO., LTD

SPECIAL SILICONE RUBBER, SPECIAL EPDM RUBBER

Special Silicone Rubber: This series has excellent physical chemistry properties, as well as semi conductive, conductive, heat conductive, flame retardant, high temperature resistant properties, widely used in communication base station cable accessories, printer duplicator Cots, drones, anti-static products. Special EPDM RUBBER: This series of products with excellent physical properties and semi-conductive, flame retardant, insulation and other properties, has been widely used in communications connector protection, cable connectors, automotive accessories, printers and other products.

(Booth No:1T15)



CHENGDU SHENGBANG SHUANGHE TECHNOLOGY CO., LTD.

(Booth No:1K41)

SEPERABLE CONNECTOR/PLUG-IN TERMINAL

Separable connector is suitable for 40.5 kV and below inflatable ring network cabinet, air insulated switchgear cabinet, cable distribution box and other electric control equipment, be used to connect the power cable and outer cone type bushing. Outer bushing is applicable for EN50181 standard and type C and F of DIN47637 standard and etc. The internal plug-in terminal is suitable for 27.5KV railway system and 40.5kV and below power system inflatable ring cabinet, GS switch cabinet, transformer and other power control equipment. Matching outer cone type bushing and inner cone type bushing.

CHANGZHOU YIHENG ELECTRIC TECHNOLOGY CO., LTD.

(Booth No:1S43)

ENVIRONMENTAL PROTECTION ENGINEERING PLASTICS FIXING AND SEALING POLE POST, INSULATING CYLINDER AND INSULATING PULL ROD

1.12kV/24kV/40.5kVPrimary circuit conducting parts of vacuum circuit breaker with different current levels and insulation partsengineering Plastics fixing and sealing pole post, insulating cylinder and insulating pull Rod. 2.12kV~40.5kV CGIS three-position primary isolated partial conductive parts and insulators with different current levels, It is specially used for SF6 insulating medium and clean air insulated gas cabinet, engineering Plastics fixing and sealing pole post, insulating cylinder and insulating pull Rod.





NINGBO TONYLUM NEW MATERIAL **TECHNOLOGY CO.,LTD.**

EXPLOSION-PROOF SHELL

The product is suitable for waterproofing, fireproofing, explosion-proof and direct burial withstand voltage protection of the cold and hot shrinkable intermediate joint of cross-linked polyethylene insulated power cable with a nominal cross-section of 50-630mm2. The product is made of SMC (or stainless steel, aluminummagnesium alloy), which has tough physical properties, can avoid power damage by external forces, and can effectively prevent the shock wave and flame generated by the explosion in the power intermediate joint, so as to prevent the occurrence of secondary disasters.




BEIJING QINGCHANG POWER TECHNOLOGY CO., LTD

(Booth No:1F21)

(Booth No:2T15)

The QCX series of eco-friendly GIS product adopts environmental protection gas instead of SF6 gas to insulate, and has plenty of advantages which are: small in occupied area, components are insulated and not interfered by the environment, high operation reliability, convenient operation, long maintenance period, less maintenance workload, quick installation, low operation cost, no electromagnet interference, etc. Moreover, this product could be used in rail transit, clean-energy power station and so on.





TEAMCHAIN ELECTRICAL EQUIPMENT CO., LTD.

(Booth No:2S22)

MGC MOSER GLASER TRANSFOMRER BUSHING, WALL BUSHING AND BUSBARS

Moser Glaser Ltd MGC Moser Glaser Ltd, founded in Basel in 1914, is a pioneer in the field of solid insulation. The RIP technology (resin impregnated paper) was developed by MGC in the late 1950s and has been sold under the brand name DURESCA® for busbars and later also for bushings. Swiss Quality Combined with Global Experience Due to this longstanding expertise we have extensive know-how with more than 60 years of field experience. Given our core skill in RIP, we are focusing on the two business segments busbars and bushings. We manufacture all products at our factory located in Kaiseraugst, Switzerland. Thanks to the size of our company with all departments under a single roof, we can offer a high level of responsiveness. As an independent producer of DURESCA® busbars and bushings, MGC Moser Glaser is the ideal and valued partner for our global customers.



RIP or RIS IEC / IEEE 69 to 550kV





Note: # Energy Storage Related Technologies/Products, * Energy Storage Supporting Products. Data collection as of September 8, 2023.



HT ITALIA S.R.L CHINA OFFICE *

(Booth No:2T23)

GSC60 ONE INSTRUMENT FOR ALL ELECTRICAL SAFETY TESTS AND POWER QUALITY ANALYSIS

One instrument for all electrical safety tests and Power Quality analysis GSC60 was designed with the aim of making safety of electrical installations visible and valuable, easily and quickly. Thanks to the new HTOS system the unit displays a message OK - NOT OK after completing the test. The user interface, totally updated under HTOS, permits to set and carry out measurements in few steps. You can store all recorded data and create folders and subfolders for each kind of test adding comments and notes by means of virtual keyboard.GSC60 is also a threephase power and energy consumption analyzer boasting, as unique feature, its FREE APP HTAnalysis compatible with iOS and Android.Test results can be transferred through Wi-Fi onto smartphone or tablet enclosing a picture, a video or a voice note to each measurement. You can transfer everything onto HT Cloud and make data available in real time for your colleagues all over the world.






LOVATO ELECTRIC

METERING INSTRUMENTS AND CTS

Wide screen color LCD; The large size of the colour LCD (4.3") allows for the optimal view of measures and parameters in a clear, simple and intuitive way. The standard cutout dimensions (92x92mm) ensures a perfect compatibility with the usual front panel solutions. 10 Languages: The language shown can be selected from a large number of choices: English, French, German, Italian, Spanish, Portuguese, Polish, Russian, Czech, Chinese. Programmable LEDs:3 front LEDs are programmable and let the user know the status of the device at any time: alarms programmed by the user, status of digital inputs or outputs, emission of pulses indicating energy consumption, communication in progress. High accuracy level for measurements; NFC configurationy; it is possible to configure and modify parameters (even when the device is not powered) through LOVATO App. PLC logic; Programming with "contacts" (Ladder) is simple and intuitive thanks to the use of configuration software.

(Booth No:2S05)





SICHUAN ZHIHUILIAN ELECTRICAL SYSTEM CO., LTD.

(Booth No:1K101)

BUSBARS

Located in Southwest Airport Economic Development Zone, Shuangliu, Chengdu, we focus on the production of reliable and safe busbars. We have advanced automated prodution lines, producing busbars ranging from 100A to 6300A. High efficency, low cost, and fast delivery are our advantages. We promise we will never make fake busbars.



STABILUS JIANGSU LTD.

ACE SHOCK ABSORBER / GAS SPRING

ACE: Your partner for industrial shock absorbers,gas springs and vibration control.We are your Specialists for Industrial Damping Technology. ACE is the worlds globally recognized specialist in the field of industrial damping technology with agencies in 45 countries on all continents. ACE has also been represented in Germany since 1978. Here 25 engineers work every day on the further development of the product range.



(Booth No:1G07)

Industrial Gas Springs (push type), Industrial Gas Springs (pull type), Hydraulic Dampers, Hydraulic Feed Controls, Door Dampers, Rotary Dampers 气弹簧, 波氏阳尼器, 旋转阳尼器, 稳速器

Rubber-Metal Isolators, Vibration-Isolating Pads, Low Frequency Pneumatic Levelling Mounts 隔振空脚, 气浮式低频隔膜

Safety Shock Absorbers, Safety Dampers, Clamping Elements 安全型缆沖器, 导轨模器元件



VACUUM INTERRUPTER

HUBEI HANGUANG TECHNOLOGY CO.,LTD

(Booth No:2C56)

HUBEI HANGUANG TECHNOLOGY CO., LTD Founded in 1968, with over 40 years of experience in manufacturing electric vacuum devices, it is a key enterprise of electron vacuum devices industrial, The high-tech enterprises in Hubei Province. The registered capital is RMB 150 million.Company is capable of developing and producing vacuum electronic devices, electricity electrical equipments and special electronic equipment, owning precision machining, special ceramics manufacture and other systems supporting production capacity, many times undertaken national development and production. Company has Hubei province academician expert workstation, Hubei province level enterprise technology center and Engineering Technology Research Center, military and civilian goods quality management system passed the "GJB9001B-2009" and "ISO9001-2008" standard.Company production of vacuum interrupter products are mainly used for vacuum circuit breaker, vacuum recloser, vacuum load breaking switch, vacuum contactor.





NANYANG JINNIU ELECTRIC CO.,LTD

(Booth No:2S23)

METAL OXIDE VARISTOR, SURGE ARRESTER, DROP OUT FUSE, INSULATOR

We are manufacture for metal oxide varistors, surge arresters, composite isulator, dropout fuse and so on. As a key parts varistor manufacturer, we can produce from 3kV - 500kV surge arrester according to IEC 60099-4, IEEE and GB standard, both of distribution class and Station class with polymer housing and porcelain housing. Also we have got the KEMA type test for 10kA 3-36kV distribution type, and XIHARI type test report for 110kV & 220kV station type with our own varistors.Just contact if you have any more questions.



YUYAO JERA LINE FITTING CO., LTD

(Booth No:5G41)

 LOW VOLTAGE INSULATION PIERCING CONNECTOR ZOP-57

 Product information: Low voltage piercing connector

 ZOP-57 (25-150/25-95mm2), either called Insulation

 piercing clamp is developed to branch the insulated

 service electrical line from main electrical line, without

 cutting the sheath of main cable. Its widely used in

 nowadays electrical line constructions. Key Features:

 1. UV-resistant and waterproof materials 2.

 Convenient to install without cutting the jacket 3.

 Outdoor usage for construction applications like

 buildings, street lights. 4. Captive and flexible end

 cups 5. Manufacture according to the standard:

 EN50483-4:2009 6. IPC supplier/factory direct price



ZHEJIANG JOHAR TECHNOLOGY CO,.LTD. * (Booth No:1J40) POWER SYSTEM PASSIVE WIRELESS TEMPERATURE MONITORING SYSTEM Johar developed a passive wireless power temperature monitoring system based on UHF RFID sensors. It is battery free, long life cycle, stable, 光纤通道、PLC宽带载波、无线 直接接入控制系统 maintenance-free, and wireless. It can monitor the temperature of the key nodes of power equipment in 体二次室内导轨安装 灵活配置能力,可同时追控多合开关柜或环 real time without affecting the insulation and safety of 教念刻才 干线教授学生 苏门湖市许成! power system. The sensor has a wide measurement range (- 40 ~ +150 °C), small sensing error (less than ± 1 °C); the overall flame-retardant grade is = ul94v0; and it can resist up to +220 °C.

JIANGXI YIFA ELECTRIC POWER TECHNOLOGY SHARES CO., LTD#

(Booth No:1H22)

three-phase oil immersed transformer A power transformer is a static electrical device that is used to change a certain value of AC voltage (current) into another or several different values of voltage (current) of the same frequency. Transformer is used to transform AC voltage, current and transmission of AC power a static electrical equipment. It is based on the principle of electromagnetic induction to achieve electrical energy transfer. Transformers can be divided into power transformers, test transformers, instrument transformers and special purpose transformers: power transformers are power transmission and distribution

THREE-PHASE OIL IMMERSED TRANSFORMER




into power transformers, test transformers, instrument transformers and special purpose transformers: power transformers are power transmission and distribution, power users distribution of the necessary equipment; Test transformer A device for performing voltage resistance (boost) tests on electrical equipment; Instrument transformers for electrical measurement and relay protection of distribution systems (PT, CT).



AKEFA ELECTRIC CO., LTD.

(Booth No:1H12)

AKF-G12-630-20 Environmental Protection Cabinet circuit breaker switch is a new type of ring-net cabinet type (environmental protection cabinet) developed by ARKOFA electric independently, the product is easy to install, less maintenance, long life, small size, price concessions, safe and reliable and other advantages. The product adopts upper circuit breaker lower isolation and upper isolation lower circuit breaker, which meet the technical requirements of GB1984-89. GB/T1984-2003 AC high voltage circuit breaker.



BEIENE INTELLIGENT EQUIPMENT (SHANDONG) CO., LTD

(Booth No:2G31)

INTELLIGENT 3D BUSBAR PUNCHING AND SHEARING MACHINE Fully automatic busbar punching and shearing machine, integrated with many our unique technologies, awarded with national Inventing patent. Machine has option of 7 stations and 9 stations, cutting can be Guillotine type or Punch Cutting type . Can read 2D and 3D drawings directly, machine is shipped in whole-assembled conditions and can be opearational on arrival and support remote diagnosis and service . Minium processing busbar can be 10x3mm and Max 210x16mm !

SHENGZHONGYI POWER TECHNOLOGY CO., LTD

(Booth No:1F63)

550 CABINET WIDE HIGH VOLTAGE DISTRIBUTION CABINET ACCESSORIES

550 cabinet wide high voltage switch cabinet is to adapt to the use of land resources, effective and rational use of energy cabinet. The products are suitable for power distribution engineering, prefabricated cabin and offshore wind turbine in high price cities of first tier cities.



KNICK (SHANGHAI) ELECTRONIC MEASUREMENT TRADING CO., LTD

VARITRANS P27000

The Multimeter among the signal conditioners. With 480 switchable calibrated ranges and broad-range power supply. The broad-range power supply for all common supply voltages from 20 to 253 V AC/DC offers maximum flexibility. To make setting the required input and output ranges simple and user friendly, we offer a free software tool called VariSoft to support the user. VariSoft shows you the correct DIP switch position when you enter the required input and output ranges and it has an integrated print option for easy documentation.



HANGZHOU DEEP ROBOTICS TECHNOLOGY CO., LTD

(Booth No:3F65)

(Booth No:1G05)

JUEYING X20

Designed and built based on the user feedback from real-world application scenarios and DEEP Robotics deep understanding of industry applications, Jueying X20 features strong load capacity and scalability, autonomous charging, all-scenario coverage, great computing power, and perceptual precision while operating flawlessly in adverse weather conditions.





FRANKLIN ELECTRIC GRID SOLUTIONS *

OPTIMIZER3 CIRCUIT BREAKER MONITOR

The INCON® Optimizer3 Circuit Breaker Monitor delivers advanced automated reporting of all critical circuit breaker diagnostics to ensure uptime and facilitate predictive maintenance. The early small-scale problem detection and automated system performance evaluation capabilities of the Optimizer3 help improve the efficiency, service life, and reliability of electric utility systems. The Optimizer3 is ideal for highvoltage, live or dead-tank, oil, vacuum or gas circuit breakers and can be magnetically wall-mounted without having to drill.



(Booth No:2C13)

(Booth No:3E43)

ZHUHAI GOPOWER SMART GRID CO., LTD

SF6 LOAD BREAK SWITCH

FWX-24/630-20 LBS installed on the pole is suitable for rated voltage 12/24/40.5kV, rated current 630A50/60Hz Distribution network breakingThe load current or overload current in a power system that automatically isolates the faulty sections of the distribution line. Switch with the latest technology electronic controller, manual operation, electric operation and remote operation. The electronic controller is installed in the stainless steel box and can be used under various climatic conditions. In addition, cable and wireless modems can be installed in the box to realize remote monitoring and control. Simple installation and arrangement on the pole is convenient, quick and low construction cost.



Note: # Energy Storage Related Technologies/Products,

* Energy Storage Supporting Products. Data collection as of September 8, 2023.



WUXI HUANYU ELECTRIC CO., LTD.

CHASSIS CABINET. PRECISION SHEET METAL

The company was founded in 1996, to system integration, AC and DC power supply screen started. Established in 2003, Intensive farming, cabinet, precision sheet metal industry. The company adopts ERP management, PLM product life cycle management, with MES Workshop Manufacturing Execution Capability. From raw material storage to finished products out of the whole process control and traceability, fundamentally solve product quality, efficiency and effective plan implementation. At the same time has Germany tongkuai laser cutting machine, bending machine, OTC welding robot and other high-precision equipment. The company obtained ISO9001:2008 Quality System, CUL, CE, ROHS, EN ISO3834-2 welding quality certification, EN15085-2 CL1 welding system certification. Protection Level IP54, IP55, IP66, etc. .

HANGZHOU SUPER ELECTRONIC TECHNOLOGY CO.,LTD

(Booth No:2G51)

(Booth No:2F11)

SPS061V3 SELF-POWERED WIRELESS TEMPERATURE SENSOR SPS061V3 Self-powered Wireless Temperature Sensor is mainly applied in temperature measurement of electrical junction which inside high and low voltage switchgear. With 11 years of practical application and seven times technical upgrading, the sensor has been in the leading level in comprehensive aspects like product stability, anti-interference ability, practicability, lifetime, volume and so on, successfully applied in

thousands of Industrial scene in China.



CHANGCHUN HUICHENG APPLIED CHEMISTRY NEW MATERIALS CO.,LTD.

(Booth No:1S63)

INSULATING MATERIALS, FIREPROOF MATERIALS, SEALING MATERIALS, WATERPROOF MATERIALS, ANTI-CORROSION MATERIALS

Changchun Huicheng Applied Chemistry New Materials co.,Ltd.is located in Changchun High-tech Industrial Development Zone. It is a national high-tech enterprise integrating R&D, production and sales. The company has always focused on the R&D and production of series of polymer materials such as insulation, sealing, waterproofing, fire protection, anti-corrosion, shock absorption and noise reduction, for the fields of aerospace and military industry, electric power, communications, automobiles, rail transit, construction, petrochemical and mining energy Provide comprehensive protection solutions.



BEIJING LONGCOL TRANSLATION CO., LTD.

PROFESSIONAL TRANSLATION

CUSTOMIZED INTERPRETATION

(Booth No:1K51) DISPATCHING

TRANSLATION VIDEO DUBBING TRANSLATION

[LONGCOL] is a comprehensive organization specialized in translation, international consulting and training. supporting more than 320 languages worldwide. [LONGCOL], as a professional leading language service provider in the globalization development process of power industry, has facilitated China power industry to go abroad and establish communication and exchange with over 70 countries and regions over years. [LONGCOL] is a professional multilingual translation service agency in the world. LONGCOL has a translator team with more than 10 years of professional translation experience, consisting of 19,800 language experts, professional proofreaders, senior translators and project managers. Hence, LONGCOL is capable of providing language services to over 1,000 customers.



HEFEI HEMEI ELECTRONIC TECHNOLOGY CO., LTD

(Booth No:1K66)

PERMALLOY CUTTING MAGNETIC RING, AMORPHOUS CUTTING MAGNETIC RING, CURRENT TRANSFORMER, HIGH-PRECISION CURRENT SENSOR, CURRENT CONVERTER

The company mainly produces permalloy cutting magnetic ring, amorphous cutting magnetic ring, current transformer, high-precision current sensor, current converter






SHANGHAI ILIAN IOT CO., LTD.

RMU (RING MAIN UNIT) PLUG RFID TEMPERATURE TAG

RMU plug RFID tag is specifically developed for RMU temperature detection. With the customized RFID temperature detection tag embedded inside and fixed in the cabinet, RMU temperature can be detected and monitored constantly and continuously through the RFID plug tag, which collected by RFID reader that installed also in the cabinet. The wireless, fully passive temperature detection solution is small and easy to install. RFID technology has strong anti-EMC interference capability with stable, accurate temperature data. And its inside ID (RFID) helps fast to locate the alerting facilities and solve the problem. It is an ideal solution of remote temperature monitoring and maintenance for various RMU electrical facilities.



ZHONGKE ELECTRIC POWER EQUIPMENT GROUP CO., LTD.

(Booth No:1K08)

Booth No:2T43)

ZVP-12 INDOOR HIGH-VOLTAGE VACUUM CIRCUIT BREAKER

ZVP-12 indoor high-voltage vacuum circuit breaker is the latest generation of the serialized 12kV VCB developed by our company. It can be widely used for the control and protection of power distribution system in power grid, power plants, substations and other fields. With full specifications, this product covers the whole 12kV series with the breaking current of 50kA and below, which can meet various operation demands in different conditions. It has advantages like structure modularization, small closing work, high safety and long mechanical life. This product meets requirements of relevant standards, such as GB 1984-2014 "AC High-voltage Circuit Breaker" and IE62271-100. Its performance reaches the grade of M2-E2-C2. The mechanical service life is 20,000 to 60,000 times. It can be operated normally in the temperature ranging from -45C to 75C and at the altitude of 5000 meters and below.



BEIJING PASSION TECHNOLOGY CO., LTD ULTRA HIGH PRECISION CURRENT TRANSDUCER

Over ten years we have been dedicated to providing the electric parameters isolation-measurement solutions for the users.Our company has perfect production system, perfect research and development system, perfect quality assurance system and high quality sales&customer-service team. PAS series product has a complete range of models, including electric current transducer based on fluxgate principle, current transducer based on HALL effect, voltage transducer based on HALL effect, current transmitter, voltage transmitter, power transmitter, leakage current transmitter, switch-output transmitter and intelligent electric transmitter , etc.. We have already provided many high quality and reliable products customized by users requirement and have won the much praise. Especially Model Type:HPIT-C25-1000S, φ 25mm hole, Primary Nominal Current:1000A, the Accuracy can be to 0.001%. Feed back element in high performance gradient amplifiers for MRI and so on.



WENZHOU DERREK ELECTRIC CO., LTD

(Booth No:1L01)

(Booth No:2S33)

YX3210 STAIRCASE LIGHT TIME SWITCH

This product is used for lighting or lighting control system. When the switch is triggered, the control contact is closed, the lighting is on and the delay begins; when the specified time is up, the control contact is disconnected and the lighting is off. Mounted on 35MM DIN rail.



HANGZHOU HIGH VOLTAGE TECHNOLOGY CO., LTD

CT8009CIRCUIT BREAKER TESTER

Suitable for mechanical and electrical characteristics testing of various vacuum switches, oil switches, SF6 switches, isolation switches, and GIS composite appliances both domestically and internationally. Equipped with testing interfaces for three analog travel sensors and three digital travel sensors. Can test the opening and closing time, bounce, stroke, and speed waveform of high-voltage switches. Equipped with functions such as ordinary metal contact testing, resistive contact testing, graphite contact switch testing, and dual terminal grounding testing.

(Booth No:2L43)

(Booth No:2K51)

HAWKEEP(SHANDONG) PHOTOELECTRICITY TECHNOLOGY CO., LTD.

LASER RANGE FINDER

This HAWKEEP SP series rangefinder is easy to operate and portable, with multiple measurement modes such as distance measurement, height measurement, angle measurement, and two-point measurement. It can enable power grid operators to quickly and accurately obtain relevant distance data, greatly improving the efficiency of power grid work. Functional features (13 items): Linear distance Horizontal distance Vertical height angle velocity measurement Two point height measurement (height difference) Flagpole mode (Golf mode) Scanning function (continuous measurement) CL closest distance measurement (longest distance locking) Fog adaptive mode





BEIJING MICROPOWER TECHNOLOGY CO., LTD.

(Booth No:2J41)

THREE-PHASE FIVE-COLUMN ANTI-RESONANCE VOLTAGE TRANSFORMER

This product is a three-phase five-column antiresonance voltage transformer, which can effectively prevent ferromagnetic resonance from burning the transformer. This product can still operate normally for a long time when the system has a 100% ground fault, while protecting the winding to generate voltage to make the relay operate; It is suitable for voltage measurement and relay protection in power systems with AC 50Hz and rated voltage of 10kV.



JINGDEZHEN JINGGUANG GINSON ELECTRIC CO., LTD.

(Booth No:2K27)

VACUUM INTERRUPTERS

Vacuum Interrupter is the core component of medium and high voltage power switch. It's main function is to quickly extinguish the arc and inhibit the current after the medium and high voltage circuit cuts off the power supply through the excellent insulation of vacuum in the pipe, so as to avoid accidents and accidents. It is mainly used in power transmission and distribution control system, as well as metallurgy, mining, petroleum, chemical industry, railway, broadcasting, communication Industrial high frequency heating and other power distribution systems. All products of the company meet the requirements of national standards or IEC standards. The unique silver tungsten carbide contact technology and double holding technology for electric holding and permanent magnet holding of vacuum contactor are in a leading position in China.





ZHEJIANG YIYOU ELECTRIC CO., LTD.

(Booth No:2K52)

CONTACT BOXES, WALL BUSHINGS, SENSORS, INSULATORS, VS1 INSULATION BARRELS

The company specializes in the production of 10KV-35KV contact boxes, wall bushings, sensors, insulators, VS1 insulation barrels, European-style cable plugs, lightning arresters, DFW cable branch boxes and American cables.

(Booth No:2K05)

支电气有限公司 (电力科技有限公司

ZHEJIANG EFENCN ELECTRICAL CO...LTD **FUSE-LINKS**

Brief EFEN electrical was established in 1994 (formerly R&C electrical), located at the yandang mountain, the Chinese electrical appliances.After twenty years wind and rain, adhering to the pioneering and innovative ideas, actively introduce and absorb international advanced production technology, enterprise progress, developed into a research and development, production, sales for the integration of modern enterprise. EFEN electric has its own scientific research team, at the same time, actively cooperate with universities, national experimental station, continuously improve product quality, to provide urban and rural power grid lines and transformer protection safety switch and one-stop solution. EFEN electric follow the ISO9000 international quality management system, the configuration complete testing equipment, continuously provide high quality products, in order to ensure the safety of power grid. EFEN electric for the purpose of quality first, diligently cultivated in the field




SHAANXI QINYU ELECTRIC CO., LTD.

(Booth No:1K65)

1800V DC CIRCUIT BREAKER

In close cooperation with universities and scientific research institutions, Shaanxi Qinyu has developed and produced QRD series DC circuit breakers to realize the localization of key switchgear technology of DC traction system. For the mainstream imported and domestic circuit breakers in the market, we have obvious advantages in technical parameters and price, and cooperate with many domestic customers to complete type test and cabinet adaptation, And has been successfully put into operation.



THOUSAND HUNDRED INDUSTRIAL CO., LTD(HEAD OFFICE)/ THOUSAND INDUSTRIAL CO.,LTD.(MANUFACTURER)

(Booth No:2J32)

CURRENT TRANSFORMER /HALL CURRENT SENSOR

Thousand Hundred Industrial Co., Ltd,, established in 1993, focuses on innovation and improving the products technology. With the SMART METER and the extension of Energy Saving System, Our Current Transformer are constantly on the lookout for new technologies and researching new ways to improve our products and increase our marketing ability by meeting the needs of the customers. Thousand Hundred Industrial Co., Ltd,, strives for Mini Precision Current Transformers (CT), DC-Immune Current Transformers(CT),Zero-Phase Current Transformer (ZCT), Potential Transformers (PT),Split Core Current Transformers(CT24),Toroidal Transformers, Current Transducers, High Frequency- Current Senses(CS),and Hall- Effect Current Sensors ,To provide a products solution and a complete after service Thousand Hundred Industrial Co., Ltd,, , has spent more ten millions to build our Taiwan laboratory.This laboratory has been equipped with the latest machines and equipment. This is Taiwan's first CTs laboratory to be UL approved laboratory certified.



SHENZHEN LONGSYS ELECTRONICS CO., LTD. (Booth No:3G41) INDUSTRIAL/INDUSTRIAL WIDE-TEMPERATURE/AUTOMOTIVE EMMC IATF 16949 compliant The mean time between failures (MTBF) exceeds 20 million hours. The automotive FORESEE eMMC is AEC-Q100 qualified. The high reliability and Industrial eMMC long service life ensure working around the clock for extended periods. Capacity: 4GB/8GB/16GB/32GB/64GB/128GB Flash memory medium: pSLC/ MLC/ 3D NAND Applications: Car multimedia entertainment, Dash cam, Streaming rearview mirror, Industrial automation, Industrial IPCs, Communication base stations, Smart TVs, Wi-Fi routers, Commercial display devices

ANHUI MASCOTOP ELECTRONIC CO., LTD CAPACITOR

Our main production are: CBB series metalized film capacitor(used in household appliances, motor, lighting lamp, etc.); CH85/86 series high voltage microwave-oven capacitor; Self-healing low voltage shunt capacitor; Intelligent power capacitor; Power electronic capacitor; CD60 type aluminum electrolytic capacitor for motor start; Other special capacitor, etc. Our company has passed ISO9001 quality system certification & ISO 14001 environment system certification and ISO45001 occupational health and safety management system certification. We own a strong strength of R&D center and an experienced engineering team. At the same time our products have passed CQC, UL, CE, TUV, VDE, CSA, ISI certification and obtained a number of national patents.



(Booth No:2L53)



QINGHE HENGCHENG RUBBER AND PLASTIC
TECHNICAL CO.,LTD(Booth No:2T53)ELECTRICAL CABINET SEAL STRIPThis product is mainly sealed by cabinet door,
dustproof, the size can be customized according to
customer requirements, please contact. Manager
Song 13730553726, Manager Li 13503286997Image: Customer first,
Customer first,
Customer duration of the size can be customized according to
customer requirements, please contact. Manager
Song 13730553726, Manager Li 13503286997Image: Customer first,
Customer first,
Custome

DONGGUAN GENVAN SILICONE TECHNOLOGY CO., LTD.

(Booth No:4E15)

ELECTRIC-POWER LSR

GENVAN keeps eyes on market changes, satisfies customer needs, insists on science and technology innovation. Relying on the professional technical research and development team, we have made continuous breakthroughs and obtained numbers of invention patents and utility model patents. The company has developed and produced various kinds of new products, including high transparent and high strength series, none post-curing series, electricpower series, medical grade series, self-lubricating series of low compression set, self-adhesive series, etc., a total of more than 100 of product model, which are widely used in baby care products, electronics and electric appliances, medical healthcare, automotive and machinery, kitchenware and household products and other fields





EA TECHNOLOGY

ULTRATEV® PLUS2

The UltraTEV ® Plus is the latest innovation being introduced to the award-winning UltraTEV™ range. This easy to use instrument incorporates additional sensing capabilities and real-time advances analytical features enabling you to distinguish between true PD, noise and other interference allowing you to make better decisions while saving time and money and enhance the safety of your staff and your network. You dont need to be a PD expert anymore The UltraTEV ® Plus has been designed to make asset inspection easy. Using expertly designed algorithms the UltraTEV ® Plus is able to help the operator understand the results, interpreting the data and displaying clear results on-screen so engineers know immediately the condition of the asset they are inspecting.



UNITED AIRCRAFT GROUP

TD220 COAXIAL UNMANNED HELICOPTER

TD220 coaxial unmanned helicopter is a general unmanned helicopter with a takeoff weight of 350 kg, which is highly automated, safe and reliable, and has strong mission expansion ability. The control technology of electronically controlled and subcontrolled rotor, intelligent and modular design, combined with advanced H control algorithm, realizes high precision, adaptive control and strong antidisturbance ability. At present, it is a leading small unmanned helicopter with heavy load, flight time, high ceiling, small size and strong environmental adaptability, and has strong industrial customization ability.



(Booth No:4E31)

(Booth No:2L50)



SHENZHEN CHITEK NEW ENERGY TECHNOLOGY CO., LTD	(Booth No:4J03)
APF/SVG STANDARD MODEL	
APF50-200A, SVG 35-133Kvar. General purpose.	

SHANGHAI BAOKAI ELECTRIC CO., LTD

PROGRAMMABLE INTELLIGENT MULTIFUNCTIONAL POWER METER

Power meter is designed for power system, industrial and mining enterprises, public facilities, intelligent building power monitoring needs. It can measure all the commonly used power parameters, including current, voltage, frequency, power factor active power, reactive power, active power, reactive power, etc., with switching input and output, power pulse output and RS485 communication interface, can achieve remote transmission of data. And optional analog output, harmonic content analysis, multiple rate power statistics, event recording and other functions; The products are widely used in energy management system, substation/distribution network automation, community power monitoring and so on.



(Booth No:3J31)



JIANGXI BAO'AN INDUSTRIAL CO., LTD *

CABINET TYPE HEPTAFLUOROPROPANE GAS FIRE EXTINGUISHING DEVICE

The gas fire extinguishing agent is stored and packaged into a fire extinguishing cabinet, which is beautiful, portable, movable, flexible and convenient to install. It is usually placed in the protection area to be protected. In case of fire, it does not need to go through the pipeline to directly spray fire extinguishing in the protection area. It has high fire extinguishing efficiency, fast speed, low toxicity, no damage to the equipment, and excellent performance of the fire extinguishing device. Its control part can be connected with the fire control center, or it can be separately equipped with a gas fire extinguishing controller to form a system, which brings convenience and convenience to users Flexible choice.

JIANGSU LAFAELT ELECTRIC CO., LTD

DYNAMIC VOLTAGE RESTORER

Vscol series dynamic voltage restorer (DVR) is currently recognized as an effective series compensation device for maintaining the stability of the supply voltage of sensitive loads. The device outputs a voltage with adjustable phase and amplitude to ensure that the voltage of the sensitive load is still within an acceptable range when disturbed by the system voltage. Lafaelt Electric Vscol series DVR has the remarkable characteristics of wide voltage compensation range, fast response speed, strong impact resistance, high equipment efficiency, long life, strong overload capacity, and cover small area.

(Booth No:1F05)

(Booth No:3G01)





SHENZHEN CHUANGYIN CO., LTD.

(Booth No:2F10)

INSTRUMENT TRANSFORMER & CABLE ACCESSORIES & COMPOSITE INSULATION SLEEVE OF TRANSFORMER

Chuangyin is a national high-tech enterprise which specializes in designing and manufacturing instrument transformer (low voltage &medium voltage) ,split core CT ,rogowski coil , cable accessories, terminations, busbar, Composite insulation sleeve of transformer . Through 18years developing, Chuangyin already got series certificates, such as ISO9001, 14001,18001CE, TUV UC2/UC3, SGS, KEMA, UL, etc. Customers are throughout more than 50 countries. Three production bases are available to meet your capacity requirements. Welcome to contact us.



DEGSON TECHNOLOGY CO.,LTD.

TERMINAL BLOCKS

DEGSON has a full range of high performance connector series used for device connection,including PCB Terminal Blocks ,Barrier Terminal Blocks and Pluggable connectors, Through-wall connectors used for internal and external connection of the device. With general screw connection technology and innovative spring connection technology, Degson can provide solutions for signal, data and power transmission for various applications.

(Booth No:2C41)





ROGOWSKI TECHNOLOGY (SHANGHAI) CO., LTD.

(Booth No:2C55)

Y-FCT FLEXIBLE ROGOWSKI COIL

Y-FCT is a flexible current transducer based on the Rogowski principle, particularly suitable for measurement in combination with portable devices. Y-FCT coils are available in different sizes and can be supplied according to customers' design, therefore they can be used in all those applications, in which traditional transducers are not fitting due to their size and/or weight. High linearity from 1A to 100kA Wide dynamic range Very useful with large size or awkward shaped conductors or in places with limited access No danger from open-circuited secondary Not damaged by large overloads Non-intrusive, no power drawn from the main Measurement uniformity at any position of the conductor inside the coil Excellent degree of rejection to the external current conductor



TINGXIANG ELECTRIC (SHANGHAI) CO., LTD

COOLING FAN, VENTILATION SHUTTER, TEMPERATURE CONTROL HEATER, CABINET LIGHTING,

FILTER FAN

Axial flow fan series: all sizes and parameters can be customized. All fans are made of imported ball bearings, which is more stable and has a longer service life. Vortex fan series: compact structure, convenient installation, stable and reliable operation, protection grade IP54, insulation grade for customers to choose and customize, products through EU certification and ROHS certification;



GUANGDONG EBG ELECTRONICS CO., LTD

(Booth No:1K31)

(Booth No:2E85)

RESISTORS

Guangdong EBG Limited EBG-Shenzhenwas found by Shenzhen Science .The major products are high precision metal film resistorshigh power and high voltage thick film resistorsas well as other high performance resistors.

Note:

Energy Storage Related Technologies/Products,

* Energy Storage Supporting Products. Data collection as of September 8, 2023.



CHENGDU TALY TECHNOLOGY CO., LTD. *

(Booth No:3D35)

(Booth No:1K12)

RTV ANTI-POLLUTION FLASHOVER SILICONE COATING AND FACTORY DIP COATING FILM

TALY innovatively invented the factory dip coating technology for insulators, as well as its mating equipment, TALY has realized dip coating technology key process automatic control. The appearance of dipped products is smooth and uniform, with consistent thickness, good adhesiveness and good homogeneity, and with no holiday, no sagging, and no accumulation. Product quality is stable and process is controllable. It is suitable for all kinds of glass (porcelain) cap and pin type suspension insulators and post insulators. Meanwhile, the color of RTV antipollution flashover silicone coating can be adjusted according to customer requirements. The operation process has no dust and pollution to the environment. The production process is more friendly and safe to the environment and human health.



SHIJIAZHUANG SUIN INSTRUMENT CO., LTD

POWER QUALITY ANALYZER

Waveform real-time display(4 voltages/4 currents) Half-period RMS measurement (voltage and current) intuitive operation variety of optional current clamps Measurement of harmonics can be up to 100 times. Transient capture Vector, Trend, Bar Graph and events table display Built-in 32G memory card WIFI communication is supported.





TYSIN TECHNOLOGY(KUNSHAN)CO.,LTD(Booth No:2T68)UHF RFID ON METAL FLEXIBLE TAGRFID flexible on-metal tagsSpecially attached to the
metal surface, reading distance of more than 9 meters.Image: Colspan="2">Image: Colspan="2" Image: Co

HONGXIU ELECTRICAL CO., LTD.

(Booth No:2J21)

SMART ELECTRICITY SAFETY GAS ENERGY EFFICIENCY MANAGEMENT BIG DATA PLATFORM SYSTEM

The smart electricity safety gas energy efficiency management big data platform system consists of intelligent sensing and control equipment such as intelligent circuit breakers of the Internet of Things, cloud platform and smart electricity and gas software framework. The Internet of Things technology is used to organically connect safe electricity consumption, safe gas consumption, intelligent operation and maintenance and energy efficiency management. For management personnel to provide large data analysis support, to provide users with safety protection, remote operations efficiency management support, through the online protection, real-time monitoring, APP, SMS alert, remote self-checking, threshold setting, closing the remote points, closing in, classification management, and other functions to achieve maximum personal property security, intelligence operations and saving energy and reducing consumption.





MINSAI ELECTRIC GROUP CO., LTD

(Booth No:2L08)

INDOOR AND OUTDOOR VACUUM CIRCUIT BREAKER, ZINC OXIDE LIGHTNING ARRESTER, CURRENT AND VOLTAGE TRANSFORMER, HIGH-VOLTAGE ISOLATION SWITCH, HIGH-VOLTAGE

Minsai Electric Group Co., Ltd. is one of the professional manufacturers in the domestic highvoltage transmission and distribution industry. The company takes Xiangyang Industrial Park in Liu City, the capital of China's electrical appliances, as its manufacturing base and rapidly expands the market with a combination of online and offline sales models. Now it has formed a diversified enterprise integrating R&D, production, The company is committed to serving China's power and distribution systems to provide safe and stable products and services. It mainly produces and sells electrical equipment such as vacuum circuit breakers, zinc oxide lightning arresters, fuses, transformers, isolation switches, load switches, cable accessories, cable branch boxes, wallthrough casing, ring network inflatable cabinets, etc. The company has a strong technical force, exquisite production technology, advanced testing equipment, and a perfect scientific management system. The company has passed the IS



NANTONG DALI FORGE EQUIPMENT CO., LTD

(Booth No:2K30)

The epoxy resin pressure gel molding machine is specially used to produce solid insulation parts switch, embedded pole, SF6 insulation cover, instrument transformers, bushing, cable accessories,etc.

EPOXY RESIN PRESSURE GEL MOLDING MACHINE





ZHEJIANG QLG ELECTRIC POWER FITTING CO., LTD

(Booth No:2H03)

POWER FITTING SERIES PRODUCT

Zhejiang QLG electric power fitting Co., Ltd, focus on the R&D, production and sales of power fitting, cable accessories and cable terminal lug, therewithin, with decades of development, the CU-AL series terminal lug is currently our main product. Given to the success in the series of products pre-mentioned, our company are in the leading position of the industry of power fitting nowadays.



SUZHOU KIANDE ELECTRIC CO.,LTD

AUTOMATIC BUSBAR ASSEMBLY LINE

Automatic assembly line is customized according to clients busbar type. It can achieve unmanned operation no matter the busbar is fixed by rivet or bolt. Currently the busbar type is mainly divided into two types: two-piece type and four-piece type. By automatic assembly and fixing, the automatic assembly machine will help to reduce manpower and improve the product quality and working efficiency. The working principle is to recognize the busbar type and adjust all the parameters in the machine automatically by scanning the bar code. By module interconnection among PLC, network, touch screen and IPC etc., automatic assembly machine can also achieve information communication with ERP, automatic inspection machine and other related machines.Besides that, automatic assembly machine has self-checking functions by self diagnosing each input and output signal to avoid failures. Furthermore, data statistics for machines OEE (comprehensive utilization rate) is helpful for future data analysis



SHENZHEN BACKPOWER TECH. CO.,LTD

 UHF RFID BT READER

 Multi-functional optional (UHF RFID + 1D / 2D + IrDA /

 laser meter reading + power safety certification

 module + charge bank + strong light flashlight + elastic

 buckle can be tightly fixed to most of the mobile

 phones), Laser function one key reading, many

 meter side by side can read that does not need to

 scan the bar code, read the RFID ID number, manually

 input the electricity meter number and other ways to

 select the electricity meter before reading the

 electricity meter, Long distance (3~18 meters) multi

 label read and write, 6Ah battery double endurance,

 Mobile phone random combination of one-handed

 operation, the metal body is good heat dissipation,

 durable

NANJING SAFETY ELECTRIC CO.,LTD * SFT-IAFF SYSTEM

SAFETY-IAFF SYSTEM is mainly composed of three parts: alarm and fire extinguishing system host, alarm and fire extinguishing controller and Automatic fire suppression device. It is a complete set of fire monitoring and control system with the performance requirements of abnormal early warning, fire alarm, Automatic fire suppression, system process display and fire fighting record management. SAFETY-IAFF SYSTEM provides electrical fire protection for the covered network area environment, real-time online monitoring, real-time perception, and collection of temperature and smoke sensing status in the network coverage area.



(Booth No:4M35)


(Booth No:4G50)



XINGTAI ENHANCED SEALS CO., LTD. SEALING STRIP

(Booth No:3S03)

It is self-clamping, and both playsa role in sealing, but also is to protect the sharp edges of the incision. The basement is made of soft rubber, embedded wire, and sealing part ismade from foam rubber. Material: EPDM or NBR basement: soft rubber. Seal: form rubber.



INTERTEK

ASTA

ASTA Testing For Transmission & Distribution Equipment.

(Booth No:2C17)

(Booth No:3E05)



SHANGHAI WEYER ELECTRIC CO., LTD.

TUBINGS AND TUBING CONNECTORS SERIES

Characteristics: Oil resistance, acid and alkali resistance, good chemical corrosion resistance, good mechanical strength, high cost performance, while meeting the latest automotive industry standards, glossy surface, passed RoHS Application: It is suitable for car wire harness, elevator industry and situations that need to be quickly threaded





SHENG YE ELECTRIC CO., LTD.

(Booth No:3G05)

POWER CAPACITOR, DETUNED REACTOR, PFC CONTROLLER, THYRISTOR SWITCH, AHF

Sheng Ye was found in 1996 with more than 24 years experience in manufacturing Low Voltage Power Capacitor, Filter Capacitor, Detuned Reactor, Thyristor Switch, PFC Controller, Active Harmonic Filter, Static Var Generator, Capacitor Bank, Power Electronics Capacitor and Motor Run Capacitor etc. Our products have been sold to more than 46 countries and areas, like America, Asia, Europe, Australia, Africa, Middle East, Southeast Asia and Belt and Road countries etc.

SHANGHAI XINYUAN INSTRUMENT FACTORY

(Booth No:3E01)

(Booth No:3G19)

SF6 DENSITY CONTROLLER

MSK remote type SF6 gas density monitor is widely used in high voltage circuit breaker, high voltage cable, high power transformer, high voltage mutual inductor and other SF6 electrical engineering equipment to monitor and control the density of SF6 gas in closed container. The MSK remote type SF6 gas density monitor has the functions of indication, contacts and temperature compensation etc., which realizes the data collection and remote monitoring of SF6 gas density. It is characterized by good synchronization of indication, contact and communication signals.



NCYT *

POWER COMMUNICATION MANAGER, POWER COMMUNICATION 4G GATEWAY

Intelligent gateway features, comprehensive protocol library, unique PLC function, perfect SDK development environment, high-quality and reliable





TONGXIANG YONGCHENG CABLE CO., LTD. COPPER STRAND

The bare copper cable which is drawn and annealed with oxygen-free copper rod .and then hanged is mainly divided into hard copper strand TJ, soft copper strand TJR,. Tin-plated copper strand is formed by wire drawing annealing of oxygen-freecopper rod and close combination of tin with copper layer by advanced tin platingprocess, and then twisted into cable by polishing and oxidation resistance process.Tinned copper strand has the advantages of weldability and oxidation resistance. Thereare mainly tinned copper strand TJX and soft copper strand TJRX.. Copper strand and tinned copper strand are mainly used in power transmission conductor, connecting wire conductor and grounding grid conductor. All properties are in accordance with national standards and EU electrician standards.



JIANGYIN SPARK ELECTRONIC TECHNOLOGY CO.LTD

(Booth No:3K11)

(Booth No:3K16)

 ROGOWSKI COIL, SPLIT CORE TRANSFORMER WITH UL2808 AND CE

 Since 1995, we Jiangyin Spark Electronic become one

 of the chinese TOP 5 leading manufacture, we

 produce a wide range of high quality Rogowski

 coils ,Split-core Current Transformers (0.333V ,1A and

 5A output),hall sensor, and so on.we have CE,UL,ETL

 certifications, and UL2808





ANHUI NINGGUO HANTAI NEW MATERIALS CO.,LTD

FIRE SLEEVE

HANTAI High Temperature Firesleeve is made of braided e-grade glass fiber sleeve with silicone rubber coating,which designed as a kind of heavy duty jacket to protect different kinds of houes,wires and cables from the hazards of high heat and occasional flame,sheds molten metal splash in steel plants,glass plants,foundries,cutting and welding shops.Good thermal insulation and fire proof performance make HANTAI Firesleeve reduce heat energy losses and protect employees from burning effectively.



(Booth No:3L48)

WISSON TECHNOLOGY (SHENZHEN) LIMITED

THE SUBSTATION DUAL-ARM INSPECTION ROBOT

The substation dual-arm inspection robot has a anthropomorphic bionic half-length structure, multichannel high-definition surveillance cameras, bionic dual-mechanical arms, etc., which can inspect and repair facilities such as cabinets in the substation through remote real-time control.



HENAN LANGSHUO POWER TECHNOLOGY CO.,

(Booth No:3H31)

(Booth No:3S25)

LS-966 SF6 PORTABLE EVACUATION UNIT

LTD

LS-966 portable vacuum device, the original imported vacuum pump, suitable for GIS electrical equipment, gas storage devices and other vacuum and vacuum degree real-time monitoring, so that the SF6 switch itself quickly reaches the standard required vacuum state.



Note: # Energy Storage Related Technologies/Products, * Energy Storage Supporting Products. Data collection as of September 8, 2023.



FRABO ELECTRICAL (ZHEJIANG) CO., LTD

(Booth No:3T33)

PLASTIC-COATED METAL HOSE, DOUBLE-BUCKLE PLASTIC-COATED METAL HOSE, FLAT PLASTIC-

COATED METAL HOSE, METAL HOSE JOINT, FLAME RETARDANT NYLON HOSE, DOUB

Plastic-coated metal hose, metal hose joint, flat plastic-coated metal hose, double-button plasticcoated metal hose, low-pressure halogen-free plasticcoated metal hose, stainless steel double-button hose, flame retardant nylon hose, double-layer open hose, plastic hose waterproof joint, metal cable sealing joint, stainless steel glen head, cable tie, stainless steel tie, American throat hoop, etc.



SHANGHAI CO FLY ELECTRIC TECHNOLOGY CO., LTD

(Booth No:3S31)

M12 CONNECTOR

The products have passed CE / LVD CE / EMC IP67 certification, the company has passed iso9001:2015 quality system certification, and the company has passed TS16949 automotive industry quality system certification. M12 connectors are divided into: field self wiring type and prefabricated cable integrated type (labor-saving and convenient, only the specific cable length needs to be determined). The outer diameter of the cable is generally about 6mm, which can be between 2-10mm. The number of cores of M12 connector includes: 3 cores, 4 cores, 5 cores, 6 cores, 8 cores, 12 cores and 17 cores. M12 prefabricated cable integrated connector has straight head elbow.





JIANGXI ZHIYUAN FIRE TECHNOLOGY CO., LTD * (Booth No:3K74) AEROSOL FIRE SUPPRESSION SYSTEM ZHIYUAN electrical units for fixed systems are 热气溶胶自动灭火装置 ⊘ electrically operated. They range in size from units 厂家直销 售后无忧 品质保障 消防认证 containing 30 grams (covering up to 0.3 m3) up to 3000 grams (covering up to 30 m3). These units are typically tied to a conventional fire detection system and a releasing panel.ZHIYUAN is an advanced technology offering peerless firefighting on a weight basis over gas or dry chemical agent. Our product line 160-180⁷ 外秋代日 日本.大文 代筆版初 488 2.5.8 241 98 also offers a choice of operation, thermal, or electrically operated using popular detection and 常用场所: 此电枢、机电 普质:检验报告,正规大厂品质 元毒 元腐蚀 不导电 安装方便 天火放半商 control systems.



SHANGHAI HANXIN INDUSTRIAL TECHNOLO	OGY (Booth No:3L47
SPECIAL ADHESIVES FOR POWER ENGINEERING AND PRODUCTS	
Shanghai Hanxin Industrial Technology Co., Lt	-
(Adhesive manufacturer) d. through years of	
efforts, we can provide a wide range of special	1-1
adhesive products for power products:	ELAM [®]
applied to composite insulator products: Elam-803	905
umbrella skirt bonding) Elam-905 (umbrella skirt and	
epoxy core rod) Adhesives for vacuum arc	
extinguishing products:HXD-8211 and HXD-8210	
sheath and core rod gap filling \square Adhesives used in	
ransformer products: elam-803 (sheath bonding)	
Elam-905 (sheath and epoxy) 🛛 It is used in fully	
nsulated cabinet, distribution network control cabinet,	
erminal box of GGD incoming and outgoing line	
witch cabinet, ring network cabinet, 10kV outdoor	
witching station, cable branch box, box type	
ransformer cabinet, xl-21 power cabinet, outdoor	
0kV High and low voltage switch cabinet, wind power	
ox transformer, common box type ring network	
abinet, circuit breaker cabinet, photovoltaic box	
ransformer, PLC control box, high speed railway box	
ransformer Sealing sealant for hole plugging and	
able threading in water pump control box and other	
electrical equipment: HXD-8200 Coatings	
pplied to insulators: single component RTV and	
PRTV super long term insulator anti pollution flashover	
oatings: HXD-900TL andHXD-901TL □	
Environmental friendly adhesive treatment	
gent for liquid silica gel injection molding: Elam-120	
Elam121 Special sealant for liquid silica gel	

injection molding mold: Elam-700 & Elam701



SHENZHEN TOPRIE ELECTRONICS CO.,LTD (Booth No:3J55) INTELLIGENT POWER INSTRUMENT Test more than 30 power parameters such as voltage, current, power frequency, optional temperature, harmonic payment rate, zero sequence current switching value, etc RS485, 4G WiFi, Lora and other communication modes, modubs 645, mqtt and other communication protocols have both AC220 and DC24 power supply

FUJIAN MEGO ELECTRIC POWER CO., LTD INTEGRATED POWER GRID SECURITY SERVICES

Fujian Mego Electric Power Co., Ltd., established in September 2007 with a registered capital of RMB 60.08 million and headquartered in Fuzhou Software Park, is a high-tech enterprise specializing in the R & D and application of smart grid security technology, providing grid security operation detection and monitoring equipment, grid security protection products, grid security facility construction and grid security test and maintenance services. It mainly provides comprehensive solutions for power grid security, operation security and environmental security for State Grid, China Southern Power Grid and major power generation enterprises. It is a comprehensive service platform for smart grid security, a provider of smart grid security solutions and a smart grid security brand operator

(Booth No:3E38)



SICHUAN DISIYUAN TECHNOLOGY CO., LTD.

INTELLIGENT EXPLOSION-PROOF BOX FOR CABLE MIDDLE CONNECTOR

(Booth No:3J06)

(Booth No:3K33)

Disiyuan cable intermediate joint intelligent explosionproof box adopts the domestic technology leading new composite material after forging molding, the material has instantaneous resistance to 3000°C high temperature, arc resistance, high flame retardant, low water absorption, strong impact resistance and other characteristics. It not only has the advantages of traditional products, but also can monitor the temperature change and operating environment of the cable connector in the middle of the cable. The central controller automatically uploads the health information of the cable connector through the NB-iot network.



JULU COUNTRY XIANGFAN SEALS FACTORY

PVC EIECTRICAL TAPE

XF-13 PVC Electrical tape is made of high quality plasticized PVC film, coated with high performance pressure sensitive adhesie, with excellent insulation, voltage resistance, coid resistance and softness.





DR. TECHN. JOSEF ZELISKO, FABRIK FÜR ELEKTROTECHNIK UND MASCHINENBAU GESELLSCHAFT M.B.H.

ZELISKO VOLTAGE SENSORS

Zelisko voltage and current sensors, which can be used for measuring parameters, supervising the grid, detecting short-circuit or earth faults and determining the direction of faults, have the advantages of high measurement accuracy, high reliability, long life, antiinterference, compact size, easy installation, no need for field calibration and fast upgrade of old switchgear, etc. They are world-leading sensors that comply with IEC standards and relevant Chinese standards and can be widely used in network substations in urban, rural and industrial areas.

CHINA ELECTRONIC COWAN SCIENCE & TECHNOLOGY CO.,LTD.

TSM SERIES MEASURING SWITCH

TSM series intelligent measuring switch combines high-precision data acquisition, Internet of things, edge computing, big data platform and other technologies. It is a digital molded case circuit breaker integrating communication, metering, protection, control and edge computing. It can be widely used in the digital construction of the power distribution station area of the power grid, as well as in the user side power distribution facilities and energy consumption monitoring scenarios such as buildings, parks, factories, hospitals, enterprises and institutions.



(Booth No:1B41)

(Booth No:3K36)





NINGBO HONGSHENG INTELLIGENT TECHNOLOGY CO., LTD

WIRE AUTOMATIC INTELLIGENT HARNESS LINE

Optional innovative crimping module the same station does not need to replace the vibration disk to achieve the same type of multi-standard terminal crimping. The terminal uses a robot to automatically select different terminals, automatic materials feeding according to the order of the terminals in the table file. The same terminal machine can be used with multiple sets of vibration disk, or match different crimping station for changing terminals quickly. The servo terminal crimping station automatically adjust the crimping force according to the size of the wire, improving production efficiency greatly.Advanced production selftesting function, realize self-detection of missing line, self-detection of missing number tube, self-detection of overload of wire-feeding motor. And can be selected terminal crimping pressure management device, terminal visual inspection system, etc, easily operation, guaranteed quality.

(Booth No:2B41)



SHENZHEN COTRAN NEW MATERIAL CO., LTD

(Booth No:1S11)

FIRE-PROOFING TAPE

 Excellent fire and arc resistance - Good selfadhesion - 54,(≥45) Oxygen Index 54, much higher than GB requests (≥45) - Non-toxic, odorless and pollution-free - No effect on current-carrying capacity Usage - Fire-proofing for high and low-voltage supply lines - Fire-proofing for power cables of substations, subways, tunnels, chemical or mining industry, buildings etc. - Other situations requiring fire-proofing





TMR/AMR MAGNETIC SENSOR

MULTIDIMENSION TECHNOLOGY CO., LTD.

MultiDimensional Technology (MDT) magnetic sensor chips are nano-film technology and semiconductor manufacturing process based TMR/AMR magnetic field sensing devices. Including switch, angle, linear, gear tooth and magnetic scale sensor, these magnetic sensor chips provide accurate measurement of physical parameters such as current, position, direction, rotation, and angle by detecting magnetic field information. Our magnetic sensor chip can meet the harsh requirements for the precision, accuracy and stability of the magnetic sensor in industrial control, consumer electronics, and automotive applications.



LABEL & MARK INDUSTRIES COMPANY

LK6100 AUTOMATIC THREADING MACHINE

In the existing process, we can also single end crimping. When wiring, cut off the extra wires on the other side, strip the wire head, thread the terminal, crimp and connect. LK6200 full-automatic number threading single end crimping machine can integrate the processes of number marking, offline, pipe threading and single end crimping into one process. Through Excel data import, it can complete efficient and rapid automatic processing, zero errors, save consumables and labor. In the secondary wiring processing of power distribution and electric control, threading number pipe is the most time-consuming and laborious process in the secondary wiring processing steps, It must be operated by experienced old employees to ensure efficiency and accuracy.





SHANGHAI COMPLEE INSTRUMENT CO., LTD.

(Booth No:1S31)

ELECTRICAL MEASURING INSTRUMENTS

Complee electrical measuring instruments and transformers are widely used in the low voltage complete sets of equipment, construction equipment, machinery and other industries of all kinds of ac/dc power transmission and distribution system, electric control panel and device. Digital instruments, transmitters, and sensors are suitable for power systems and automation control systems.


SHAANXI PUBLIC INTELLIGENT TECHNOLOGY CO., LTD.

(Booth No:2E11)

PARTIAL DISCHARGE OF HIGH-VOLTAGE CABLES AND COMPREHENSIVE ONLINE MONITORING

SYSTEM

The system realizes accurate monitoring of cable partial discharge conditions through high-sensitivity partial discharge sensors and intelligent collection terminals, with an effective rate of over 80%. At the same time, the system can comprehensively monitor the cable operating status and environmental conditions such as grounding circulating current, joint temperature and vibration, multiple gases, water level, manhole cover displacement, and video. The system can choose AC/DC, solar energy, CT power, battery power supply and other power supply methodsindustrial bus, Ethernet, optical fiber, VPN private network, 4G and other communication methodssupport ModBus-RTU, TCP/IP, Data transmission protocols such as UDP and MQTT.



SECURE RAIL TRANSIT TECHNOLOGY(SHANGHAI) CO., LTD.

(Booth No:2F68)

INSTALLATION TOOLING AND EQUIPMENT

Tooling and Equipment for crimping electrical connectors and preparing conductors.



EMS SERIES MONITORING HOST

XIAMEN SUNWE TECHNOLOGY CO., LTD.

(Booth No:1T22)

The EMS series monitoring host is mainly used to collect and process data. It can comprehensively monitor the environment, running load, equipment temperature rise, partial discharge working condition, security, video, fire fighting, intelligent equipment, etc.. In practical applications, the system is connected to different types of sensors. The wiring is simple, the operation is easy.

MURGE ELECTRIC CO., LTD.

MGA

MGA series are a new type of eco-friendly gas insulated switchgear, in-house developed by Murge. It is manufactured and tested according to IEC62271-200, accredited by national high voltage electrical test center. Product features: Eco-friendly (optional: N2 or dry air) Reliable performance Ensure personnel safety Compact design & small footprint Maintenance-free Long service life Well-adapted



(Booth No:1C41)





SHAANXI LONGXIANG ELECTRICAL CO., LTD

ZN63A(VS1)-12 SERIES OF INDOOR VACUUM CIRCUIT BREAKER

ZN63A(VS1)-12 series of vacuum circuit breaker (VCB) is used for indoor 12kV switchgear in power system. It is suitable for control and protect transmission and distribution system such as electric network and industrial &mining factory equipment as their protection and control unit. The VCB can be matched with KYN28(GZS1), XGN, GG-1A series of switchgears. The product meets standard of GB1984-2003. Rated voltage: 12KV Rated current: 630~4000A Rated short circuit breaking current: 20~50KA



(Booth No:2H48)

(Booth No:1K01)

BRITE-LINE (SHANGHAI) TECHNOLOGY COMPANY LIMITED

SELF-ADHESIVE INSULATION TAPE

BLJ series self-adhesive insulation tape is ethylene propylene rubber-based insulation tape with good flexibility and self-fusion. It has special release liner which will not stick on the tape when unfolding. Vulcanizing is not required for BLJ series tape. This tape has good and stable insulation, which is applicable for low voltage insulation and voltage insulation up to 69kV. It could be used for all kinds of solid medium insulation layer power cables.

<image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><image><section-header><section-header><section-header><section-header><section-header>



WUHAN NANR ELECTRIC CO., LTD

HIGH VOLTAGE DIVDER

The FRC series high voltage divider is a high-voltage measuring device using potential shielding, which is mainly used for AC and DC high voltage measurement. It is the fourth-generation patented product developed by our company (patent number: ZL2012 2 0355014.1). Compared with similar products of other companies, our company uses imported dry filling materials and a variety of patented shielding technologies to make the product have a longer use Longevity and higher stability. Customers can choose different products according to different voltage accuracy requirements. The highest accuracy of this series of products is: AC: 0.5%/DC: 0.5%. If you need higher accuracy, such as 0.05%, 0.1%, you can choose our company's NRPD series DC Standard voltage divider or NRPA series AC standard voltage divider



VERTICAL (BEIJING) TECHNOLOGY & SERVICE LTD.

ACT SAFE POWER ASCENDER

Act Safe Power Ascender To help you to do :Inspection/Maintenance/Cleaning in Powerplant/Powergrid/Hydropower /Windpower.Revolutionize the way you work at height !



(Booth No:2F03)



HIGH VOLTAGE INC.

(Booth No:2C08)

DC HIPOT TEST SETS, AC HIPOT, VLF WITHSTAND -VLF-TD, VLF-PD, CABLE FAULT LOCATORS, OIL DIELECTRIC TESTING

High Voltage, Inc. is the worldwide standard for excellence for the design and manufacture of high voltage test equipment and for its total dedication to customer care in all matters. High Voltage, Inc. specializes in the design and manufacture of high voltage test equipment used worldwide by utilities, testing service companies, electrical contractors, large industrials, and electrical apparatus OEMs. HVI produces the most technically advanced, most portable, and easiest to use products for high voltage proof, diagnostic evaluation, and preventive maintenance testing of electrical substation apparatus, aerial lifts, power cable, and other products designed to operate under medium or high voltage conditions. HVI manufactures products including DC Hipot test sets, AC Hipot, VLF withstand -VLF-TD, VLF-PD, cable fault locators, oil dielectric testing, etc. Acerta Shanghai Co., Ltd is the Liaison Office & exclusive distributor of HVI in China mainland from 2015.





DILO ARMATUREN UND ANLAGEN GMBH

DILO ARMATUREN UND ANLAGEN GMBH

(Booth No:1H05)

(Booth No:1K99)

(Booth No:1B51)

For 70 years, DILO has been the epitome of professional reconditioning, mixing and recovery of gases. As technology leader DILO offers everything for successful gas handling in the fields of SF6 gas, Alternative Gases, equipment for industrial gases and high pressure tube unions. 80 global agents, 30 service points worldwide and 3 service centres in Babenhausen, USA and Singapore ensure that DILO system solutions are in use all around the world.



P0PP ELECTRIC CO., LTD

MLS8 RESIDUAL CURRENT CIRCUIT BREAKER

RCCBs incorporate the same housing and installation features as the MCBs.With a range that includes pulse current sensitive and super immune devices,there's a unit for every application.



SCHNEIDER ELECTRIC(CHINA) CO., LTD.

SCHNEIDER ELECTRIC LAUNCHED THE NEW GENERATION OF GREEN AND INTELLIGENT SWITCHGEAR SOLUTIONS

Our SF6-free medium voltage switchgear innovatively uses pure air insulation, combined with new shunt vacuum interruption (SWI) technology and digital solutions, reducing greenhouse gas emission while maintain cost-effectiveness, and final driving the sustainable development of the whole society.





CHANGSHU SWITCHGEAR MANUFACTURING CO., LTD.(FORMER CHANGSHU SWITCHGEAR PLANT)

CW6 SERIES INTELLIGENT UNIVERSAL CIRCUIT BREAKER

High performance, miniaturization, digitalization,Ubiquitously interconnected smart products.It has completely independent intellectual property rights and has applied for 91 patents. The product series are complete, high performance, high measurement accuracy, to achieve simplified energy efficiency management, innovative health management, edge computing, and also meet the requirements of the ubiquitous Internet of Things, realize local and remote intelligent interconnection, and many innovative functions lead the industry to enter the new era.

(Booth No:1E21)

(Booth No:2F01)

ZHEJIANG ZHONGAO ELECTIRC CO.,LTD.

LOW-VOLTAGE CONTROL AND AUTOMATION PRODUCT

Our low-voltage control and automation series products can provide can provide you with motor direct start, reversible start and star delta start protection scheme. It is suitable for controlling all kinds of threephase asynchronous motors. During the operation of construction machinery, some low-voltage components such as AON series MCB, AC contactors and AOV series motor circuit breaker can be used together. MCCB and MCB are used for open circuit and overload protection of main circuit. AC Contactor and thermal relay are used to control and protect the safe operation of motor, while transformer is used to provide voltage stability for secondary circuit.





NINGBO JINTIAN COPPER (GROUP) CO.,LTD. COPPER STRIPS

The company's main products include high-precision tin phosphor bronze strips, pure copper strips, brass strips and nickel silver strips. The products are in line with EU ROHS directive requirements. The products are widely used in electronics, power generation, communications, mechanical hardware, construction and home appliance industries. The products are sold in all provinces and cities in China and are exported to South Korea, Japan, Hong Kong, Southeast Asia and other countries and regions. The company has established good cooperative relationships with many well-known enterprises such as Bull Group, Midea Group and Opple Lighting.

JINTIAN™ 金田铜业

IMEGA ELECTRIC CO., LTD

EV9 SERIES INTELLIGENT IOT CIRCUIT BREAKER

Ev9 series intelligent Internet of things circuit breaker is small in size and powerful in function. The width of single pole product is only 18mm, the rated current is 63A, the breaking capacity is 10kA, and the mechanical life is more than 20000 times. It has the function of remote control and electric parameter measurement, the accuracy is up to level 1, and a variety of communication modes can be selected. (Booth No:3L07)

(Booth No:1F11)





FUJIAN QUANYUAN ELECTRIC EQUIPMENT CO.,LTD.

BUTT-FUSION-TYPE MOLDED STRAIGHT JOINT

The cable structure restoration technology is adopted in butt-fusion-type molded straight joint, we use equal diameter molecular welding technology in conductor, and the same materials as cable body are used for each functional layers, the functions of each layer of cable are restored layer by layer by melting technology, and a section of "regenerated cable" is fabricated on site to make structure and electrical properties consistent with the original cable body, which fundamentally solve the problem of active interface generated by traditional technologies such as cold shrinkage when "simulating and restoring" the cable structure. The change rate of DC resistance ratio of conductor before and after welding is close to zero and can withstand repeated high current surge. This product solves the technical defects of the traditional cable joint, such as conductor heating, moisture absorption and water inflow, uneven electric field distribution and so on, so it is more safe and reliable.

(Booth No:1K61)



SHANGHAI ROVAL ZINC RICH PAINT CORPORATION

(Booth No:2S08)

ROVAL COLD GALVANIZING COMPOUND/ZINC RICH PAINT/ANTI-RUST PAINT/ANTI-CORROSION PAINT

ROVAL Cold Galvanizing Compound contains 96% pure zinc powder in its dry film. It has equivalent anticorrosion performance to hot-dip galvanizing. As its prepackaged in single packs, it doesnt require mixing, or the additional use of a primer or top coat. Its easy to use and can be applied directly to steel and galvanized surfaces.





SHENZHEN HI-NET TECHNOLOGY CO.,LTD SWITCH

(Booth No:3J09)

henzhen Haina Times Electronics Co., LTD., founded in 2010 in Hong Kong, is a high-tech enterprise that began with network switches. After 10 years of rapid development, the product line of the Hainer era now includes: Power over Ethernet products, industrial grade network products, commercial switch products, power products and HDMI to Ethernet fiber products and so on. As a professional network products company, we are committed to providing the best network equipment to customers around the world. Shenzhen Haina Times Electronics Co., Ltd. adheres to the core concept of "science and technology connect the future, service create value", and provides customers with high-quality products and good service in OEM and ODM. At present, we have obtained ISO9001:2015 quality system certification and China High-tech enterprise certification. At the same time, most of our products have passed "CE", "FCC", RoHS", and some of them have also obtained UL, GS, KC,PSE, EAC, NOM, CCC, CUL and other certifications. So far, we have obtained more than 20 patents in outdoor PoE solutions. We invest 15% of our annual sales in research and development each year, ensuring that the company launches more than five new products per quarter based on market demand.

SHANGHAI LANRUI ELECTRIC CO., LTD

(Booth No:3G32)

POWER QUALITY COMPREHENSIVE TREATMENT DEVICE

The comprehensive power quality control device includes active power filter, static reactive power generator, three-phase current imbalance adjustment device, and has 2-50 odd harmonic control, inductive reactive power compensation, capacitive reactive power compensation, current imbalance adjustment and other functions. It realizes the integration of multiple functions. Aiming at the comprehensive treatment of on-site problems, it realizes the online monitoring and control of power quality, effectively reduces the harmonic distortion rate The increase of power factor and the decrease of N-line current.





JIANGSU YUNFENG SCIENCE AND TECH CO

(Booth No:3G53)

SERIES INDOOR AC HV VACUUM LOAD SWITCH AND LOAD SWITCHFUSE COMBINATION UNIT 10KV

YFS2-12 series indoor AC HV vacuum load switch and load switchfuse combination unit ("series vacuum load switch)" is the product researched and developed independently by our company. Its performance shall meet requirements of the national standards GB 3804-2004 High-voltage alternatingcurrent switches for rated voltage above 3.6kV and less than 40.5kV and GB 16926-2009 High-voltage alternating current switch-fuse combinations and international standard IEC 420. It has advantages of small volume, safe and reliable breaking, long electrical endurance, availability for frequent operation, breaking transfer current, large short-circuit current, obvious isolating fracture, manual and electric functions, availability for achieving the remote control and conformity to the requirements of smart power grid, etc. Miniaturization: which may realize the switchgear width of 500mm;When the disconnector is in the state of open, the distance between isolating knife to earthing is still more than





MAX(SHANGHAI)CO.,LTD

MAX(SHANGHAI)CO.,LTD

Every company needs signs and labels. MAX has a safety sign and label maker featuring "All-In-One" capability. The advantages are obvious. Print custom signs on demand and in-house. MAXs Bepop machine is a cost and time efficient label printer. Our printer is used in manufacturing, chemical plants, education and health care facilities and many more. Make exactly the label you want, when you want it. The unique plotter cutter on the machine allows one to create custom signs of any shape and size. Using MAX Sign & Marking Solutions facilitates time and cost savings and improves your work processes.

(Booth No:2S28)



PLANSEE (SHANGHAI) HIGH PERFORMANCE MATERIAL LTD.

(Booth No:2S02)

COPPER-CHROMIUM SWITCHING CONTACTS Copper-chromium switching contacts for medium voltage Vacuum circuit breakers in a voltage range of 1 KV to 245 KV are used in millions of applications with our copper-chromium contacts to interrupt and close circuits for industrial companies and households alike.



SKE INDUSTRIAL POWER RESISTORS

SHANGHAI KRAH ELECTRONICS CO., LTD.

Shanghai KrahElectronics Co., Ltd.(SKE) is established in 1999. SKE specializes in the design, development, manufacturing and marketing of various wire wound resistors. With the combination of the strengths of both of its shareholders, SKE has introduced from Germany the most advanced technology, testing equipment and management philosophy. The main products are: Pre-charge power resistor for EV system Speed module for HVAC Engine cooler blower resistor HVAC blower resistor Suppressor resistorwire wound power resistor type heaterAluminum housing wire wound power resistorLiquid cool resistorPower resistor box assembly.



GUANGZHOU AIPU ELECTRON TECHNOLOGY CO.,LTD *

RS485-XXHSA / TRANSCEIVER MOUDLE

(Booth No:3B15)

The isolation transceiver module is an interface isolation transceiver module that integrates transceiver chip, isolation chip, and DC/DC isolated power source. It has higher integration and reliability, can effectively help users improve the protection level of bus communication, and can completely replace the traditional optocoupler isolation scheme. The entire isolated transceiver solution, which used to require transceiver chip + isolation chip/optocoupler /+ isolated power supply, can now be easily realized by using only one isolated transceiver module, greatly simplifying the customer's design.





ZHEJIANG JINGHONG ELECTRIC CO.,LTD WATERPROOF CONNECTOR

JINH electirc co., Ltd was founded in 1997 and specialized in the manufacturing of Terminal Block , Waterproof Connector and Industrial Socket, moreover, thousand kinds of electrical accessories.JINH products are widely used in lighting, building and electric power system. Jinghong CNP waterproof connectors are independently developed by our company. We have two type, screw connection type and plug in connection type. The plug-in design is more convenient and quicker. The product is suitable for 0.5-2.5MM2 cable, and the waterproof level reaches IP68. It can be used in wire connections within ten meters under water and in humid environments that can ensure good conductivity and waterproofness. Make the wiring process more convenient, faster and safer.

NINGBO OUKERUI CONNECTOR CO.,LTD.COPYRIGHT RECORD

HCD-006-M/F

Six core 40A anti open circuit 690V



(Booth No:2K12)

(Booth No:3B05)






HANGZHOU BEIHE POWER TECHNOLOGY CO., LTD.

(Booth No:3J23)

CABLE DISTRIBUTED PARTIAL DISCHARGE DETECTION SYSTEM, OSCILLATING WAVE PARTIAL DISCHARGE DETECTION SYSTEM

The cable distributed partial discharge detection system adopts 4G, optical fiber, stand-alone and other networking methods, supports resonant current synchronization, voltage synchronization, and optical network synchronization; supports three-phase cable simultaneous measurement; supports multi-dimensional comprehensive partial discharge analysis, and discharge type research and judgment , The position of the defect is accurately located. The oscillating wave partial discharge detection system calibration platform was developed according to "DL_T1932-2018 6kV35kV Cable Oscillating Wave Partial Discharge Measurement System Verification Method" to realize the full range of high-voltage generator, partial discharge measurement and partial discharge positioning in the oscillating wave partial discharge measurement system Verification.





SHANGHAI HONGHAN INSTRUMENT CORPORATION LIMITED

ELVIS HLN-TW100 SERIES

The German Elvis Nighthawk series of handheld night vision forensics devices is aimed at investigators' practical needs for day and night investigations, detailed evidence collection, carry-on, mobility and flexibility. It adopts KPL laser night vision technology, ultra-high-definition digital imaging technology, largecapacity storage and Advanced technologies such as long-distance transmission are highly integrated and designed as a whole. The product is beautiful and tough, light and easy to carry, convenient to operate, clear day and night imaging, strong anti-interference light ability; it can realize hidden squatting, mobile detection, fast lock, secret shooting, clear day and night forensics, efficient and safe case handling.

(Booth No:2K87)



SHANGHAI KSTONE S&T DEVELOPMENT CO.,LTD

(Booth No:2K21B)

SF6 QUANTITATIVE LEAK DETECTOR

SF6 Lf-1d quantitative leak detector The detector . is simple in design, uses building block design and easy to maintain. .Has Patent technology, 100% successful starting without any difficulty. .uses vacuum pump developed collectively over years and is low in sound, small in volume, light in weight and low in power compared with other similar products in the industry. .has better adaptability to environment and temperature and humidity. Measuring prescision 10 check density 0.01ppm SF6 Measuring range 0.01ppm-10000ppm Response time No longer than 1 second, 10 , i.e. 100ppm air Indication method Detector LCD indication: the bigger the leak density, the bigger the change of number, and the bigger in buzzer sound frequency change Vacuum hose 4 meters(drag length 6 meters) Power input cable 2 meters(drag length 6 meters) Input power 220V 430*275*425mm packaging 22V 50Hz 2Hz Exterior dimensions Foam paper carton Continuous working duration Normally no longer than 8 hours, 24 hours



GUANDONG ZHIHUA ELECTRIC CO., LTD

STATION TRANSFORMER, DRY TYPE TRANSFORMER, ISOLATION TRANSFORMER

The transformer has the advantages of small volume, compact structure, reasonable and beautiful appearance, energy saving and environmental protection; Low loss, low temperature rise, low noise, small amount of partial discharge, good thermal stability, anti overload ability, high reliability, no pollution, maintenance free and other excellent performance, is the ideal matching original parts of miniaturized transformer products.



GUANGDONG EAGLOTEST TECHNOLOGY CO.,LTD

(Booth No:1S71)

(Booth No:1S61)

REMOTE WIRELESS KILOVOLTMETER The S310B Remote Wireless Kilovoltmeter is designed for measuring voltage or conduct voltage tests (inductance tester) for both low-voltage or high voltage cables in environments where it is hard to reach. The instrument makes measurement by detecting the electric field; for cables below 65kV, using the contact method of the instrument, regardless if it is a neutral wire, live wire, ground wire, highvoltage transmission line, a metal conductor, or just some current leakage caused by some insulation damage, as long as there is an electric field, this instrument can detect the signal. Once the transmitter detects the electromagnetic field, it will emit a "beepbeep-beep-" buzzer sound. For cables above 65kV, although it cannot be used to measure the voltage, it can be used as an inductance tester to detect live wires and voltage.





DONGGUAN SLB SILICONE TECHNOLOGY CO., LTD CO., LTD

(Booth No:1L03)

LSR POWER ACCESSORY COLOR PASTE LSR Power Accessory Color Paste Product Overview: Using silicone oil dispersant synthesis technology Functional: 1. Passed the electrical performance test 2. No sulfur mark at the gate and no sulfur resistance 3. High temperature resistance above 300 degrees 4. Passed the solvent resistance test of acid rain chlorine water 5. Data color management system 6. Functional color solutions for antibacterial and mildew prevention

DONGGUAN YUTIAN SILICONE RUBBER TECHNOLOGY CO., LTD

COLD-SHRINKABLE ELECTRIC SILICONE TUBE Dongguan Yutian Silicone rubber Technology Co., Ltd. was established in 2012. Our factory covers an area of more than 6000 square meters, there are more than 100 production staffs, 12 silicone tube extrusion line. "Yutian" brand has three factories with more than 20 years of development, set silicone rubber raw materials, silicone rubber accessories, silicone rubber products as one, to provide customers with quality products and services. Our products are mainly used in: food, medical, photoelectric, electric power, electrical appliances, automobiles, new energy, machinery, aviation, aerospace, military and other fields. Main products: food grade silicone tube, medical silicone tube, silicone braided tube, foamed silicone tube, power communication cold shrink silicone tube, silicone sleeve, flame retardant silicone seal strip, foam sponge, high temperature resistant silicone seal ring, etc.



(Booth No:1K26)





CYLON ELECTRIC INDUSTRY GROUP CO., LTD BUSWAY

Cylon Electric Industry Group Co., Ltd. is one of the top ten bus duct brands in China. Founded in 1999, it is a global bus duct solution provider and a modern high-tech enterprise specializing in bus duct design, research and development, production, sales, and service. We have successively passed the ISO9000 series international quality system and 3C certification, and have been awarded honors such as China's famous brand, high-tech product, quality, service, integrity AAA enterprise, and safety production standardization first-class enterprise. Focusing on the fields of photovoltaics, batteries, automotive companies, heavy industry, and new energy, we strive to become an excellent brand of global Busway



(Booth No:3F61)



ENGINE POWERED WINCH

YANGZHOU YUTONG ELECTRIC TOOLS CO.,LTD.

(Booth No:2K41B)

Mechanical winch mill is a kind of traction machinery for traction and lifting operation in field construction site, which is mainly used for setting up poles and towers, collecting and releasing wires, laying cables, and pulling or lifting heavy objects in line construction. There are 3T, 5T, 8T models to choose from.



QITE ELECTRIC JIANGSU CO., LTD

(Booth No:2K110)

DUAL POWER AUTOMATIC TRANSFER SWITCH. CONTROL PROTECTION SWITCHES. MOLDED CASE CIRCUIT BREAKERS. FRAME CIRCUIT BREAKERS. SURGE PROTECTORS. MULTIFUNCTI

Qite Electric Jiangsu Co., Ltd. is a professional production of double power automatic switch. Control protection switches. Molded case circuit breakers. The framework



YUEQING FEI LEI CABINET LOCK CO., LTD.

(Booth No:1T61)





SHANGHAI TANSHI AUTOMATION EQUIPMENT (Booth No:1K89) CO.LTD INDUSTRIAL AUTOMATIC FEEDER

Function description: The equipment has automatic feeding mechanism, automatic clamping mechanism, automatic feeding mechanism. Through PLC control of the whole set of equipment operation, to achieve the product safety, accurate, rapid molding.



GOOQAI

CIRCUIT BREAKER OPERATING MECHANISM

The Spring Operating Mechanism of Hxgn15-12 highvoltage Ring Network cabinet is a complete set of 12kv AC metal enclosed switch with rated voltage. The mechanism adopts the PLANAR Scroll Spring to control the action of light opening under load, the ground operation is controlled by compression spring over-center energy storage. This series of products has five anti-interlock function, small size, convenient installation and strong adaptability and so on. (Booth No:2H09)





SHANGHAI SIGEA ELECTRIC CO.,LTD SA SERIES FAN FILTER OF SIGEA ELECTRIC

The main material of SA filter produced by SIGEA Electric is made of new flame retardant imported environmental protection raw materials from LG of South Korea, with special anti-ultraviolet components, which can effectively prolong the outdoor aging time and prolong the life. The surfaces of the filter cascading shutter, effectively prevent rain water from entering the cabinet put oneself in another's position, behind the stomach with filter can effectively filter cotton dust and prevent mosquitoes from entering the cabinet put oneself in another's position, affecting the normal work of the electronic components, the filter sealing can meet the needs of the outdoor cabinet put oneself in another's position to IP54 protection grade, the filter is widely used in offshore wind and outdoor industry charging pile.



NICORE ELECTRICAL MANUFACTORY CO.LTD. *

E-CORE HSD-CORE

Material:High-quality CRGO steels with characteristics of low iron-loss and high permeability in thickness of 0.05mm, 0.08mm, 0.1mm, 0.23mm, 0.27mm, 0.3mm, and 0.35mm. Characteristic: A closed flux path with an open structure can be formed by combining the two halves together. The bobbin and core can be produced separately and then place the core in the bobbin, which can effectively reduce production time. Application: E-core comes in various specifications and is widely used in 50Hz and 400Hz three-phase transformers, reactors, chokes, and other magnetic components of electronic equipment.



(Booth No:2K71)

(Booth No:2K60)



ROONSH

(Booth No:2S64)

(Booth No:1K72)

RNSH-9S HIGH-SPEED DUAL POWER TRANSFER SWITCH

RNSH-9S high-speed dual power transfer switch, using DSP high-speed sampling technology and fast transfer technology, has the mechanical ATSE structure to achieve the switching speed of STS static switch and meanwhile maintain excellent electrical performance of mechanical switch. It can not only ensure the continuous power supply of important loads, but also bear the impact of motor start current.



SHANGHAI XIANGKAI ELECTRIC CO., LTD. XK2 POWER DISTRIBUTION BLOCKS

XK2 series is designed for a wide variety of electrical systems. It is a perfect upgrade for busbars, traditional power distribution blocks and strip connections. The unique socket design provides customers safe and reliable installation. * Provides hundreds of input/output combination with internal and external parallel connection methods, giving wiring professionals remarkable flexibility. * Low-cost and reliable contact point design * supports 10mm2~300mm2 gauge in and 1mm2 ~ 50mm2 gauge out. * Insert and click to connect cable, No need to loose screw. * Can be mounted on TH 35 DIN rail or on base-plate. * Passed UL 94 V-0 flammability test * IEC 60529 IP20 rated safety protection * IEC standard color code (blue, red, yellow, green, and yellow-green) * Fit for IEC60947-7-1.

Note: # Energy Storage Related Technologies/Products, * Energy Storage Supporting Products. Data collection as of September 8, 2023.



SHAANXI QILIDA ELECTRONIC TECHNOLOGY CO.,LTD.

QLD-301 INTELLIGENT CABLE FAULT RANGE FINDER

The QLD-301 intelligent cable fault range finder can be used to detect all kinds of faults of cables of different voltage levels, different sections, different media and various materials, including measuring the distance of low resistance, high resistance, short circuit, open circuit, leakage fault and flashover fault of the cable. The full length of the cable and the fault distance of the cable can be quickly detected, and the wave speed of the cable can be calibrated. There are some cable fault location methods such as low voltage pulse method, pulse current method and arc reflection method. Using large screen color LCD display, 6 waveforms on the same screen superposition comparison, no need to analyze waveform, automatic ranging and display on the operating screen.



(Booth No:4K45)



SMARTGEN(ZHENGZHOU) TECHNOLOGY CO., (Booth No:4J23) LTD.# BMS HBMU200 battery management module is an important part of the BMS. It monitors the working status (voltage, temperature, etc.) of the battery pack SmartGen while it is being charged and discharged, performs MU200 real-time detection and reports to the BCU in order to provide alarms for undervoltage, overvoltage, undertemperature, overtemperature, etc. This module is suitable for independent energy storage, wind-solar energy storage and hybrid energy systems, as well as the test platform for lithium iron phosphate battery packs, ternary lithium battery packs, lithium manganese acid battery packs and lithium titanate battery packs.

Note: # Energy Storage Related Technologies/Products, * Energy Storage Supporting Products. Data collection as of September 8, 2023.



HUBEI TIANRUI ELECTRONIC CO., LTD. ZERO MAGNETIC FLUX CURRENT SENSOR

Zero Magnetic Flux Current Sensor On-line monitoring of high voltage bushing insulation;On-line monitoring of zinc oxide arrester insulation;Current /voltage transformers and capacitors are monitored online;Special waterproof and rust-proof metal casing for long-term outdoor work.

(Booth No:2F15)



SHANGHAI ZHIYOU ELECTRIC MANUFACTURING CO., LTD

DRY-TYPE AIR-CORE CURRENT-LIMITING REACTOR

(Booth No:1K112)

XKGKL series currentlimiting reactors are connected in series with the system circuit to strengthen the system impedance.Reduce the shortcircuit current in case of malfunction with the system, which will lower the fault current to the allowable value. Shanghai Zhiyou Electric Manufacturing Co., Ltd. Established in 2007, produces air-core reactors and iron core reactors, which are widely used in power transmission and distribution, various power stations, and so on. The company is located in the international metropolis of Shanghai, with a standardized factory building and production workshop . The company has passed ISO 9001 quality management system certification and ISO 14001 environmental management system certification, and its products have been tested and certified by national authoritative institutions and obtained type test certificates.





ZHEJIANGJUNLANG ELECTRIC AUTOMATION CO.,LTD

(Booth No:4G55)

INTELLIGENT COLUMN CIRCUIT BREAKER AUTOMATIC PRODUCTION SYSTEM

The automatic production system of intelligent column circuit breaker is mainly composed of: RGV conveying system, standard station assembly system, KBK feeding system, mechanical characteristics, voltampere characteristics, loop resistance test system, mechanical running-in system, withstand voltage test system, partial discharge test system and MES visualization system. Under the unified coordination of the automatic control system, the mechanical parts assembly, volt-ampere characteristic test, electric running-in, mechanical characteristic test, loop resistance test, water inspection test, withstand voltage test and other processes of the online column circuit breaker are orderly, and the production data is visualized and uploaded in real time to improve product quality consistency.





SHAOXING SWELD TECHNOLOGY CO., LTD EXOTHERMIC WELDING PRODUCTS

Exothermic welding is a kind of welding technology which uses the oxidation-reduction reaction of metal oxide and reducing metal to produce high-temperature liquid metal copper, which is used to melt the base metal and finally solidify into the required connection form in the customized mold. Compared with the traditional metal connection process (welding connection, hardware connection), the process has stronger corrosion resistance, overload capacity and thermal stability, and it does not need external energy and equipment during operation, which is convenient and reliable. Exothermic welding shall comply with ul467, cecs427:2016 and DL / t1315-2013 standards




(Booth No:3L46)



NINGBO TONGGUAN ELECTRIC AUTOMATION EQUIPMENT CO.,LTD.

AIR VENT PLUG

Waterproof and breathable products are a breathable solution that integrates pressure balancing, battery hydrogen permeability, and sound transmission. They can economically and effectively solve problems such as water vapor condensation, pressure changes, and exposure to harsh environmental influences during equipment use. Waterproof and breathable products effectively block dust and dirt for equipment, while also ensuring that the equipment maintains good breathability under constantly changing environmental conditions, thereby avoiding pressure rise caused by gas accumulation inside the equipment, causing damage to the sealing strip of the shell and the invasion of sensitive electronic components by water and dust.



SHANGHAI TANSHI AUTOMATION EQUIPMENT CO.LTD

(Booth No:3K04)

(Booth No:4J25)

NETWORK CABINETS

Made of cold-rolled steel plate, bearing up to 1000kg, the appearance of high adhesion electrostatic powder spraying, impact resistance, not easy to corrosion, the front door glass using 5mm tempered glass, strong and durable, with wind pressure resistance, heat resistance, impact. Network cabinet is used to combine the panel, plug-in, plug-in box, electronic components and other equipment components installed in the computer, can make it a whole installation box.





XI'AN PHILINK ELECTRIC CO.,

SWITCH CABINET CONTROL DEVICE AND INTELLIGENT DEHUMIDIFICATION DEVICE

Switch cabinet control device is suitable for 3-35kV indoor middle cabinet, hand cabinet, ring network cabinet and other switch cabinets. With a simulation diagram, electric display, separate brake state indication, grounding switch indication, energy storage indication, hand car position indication, voice error warning, temperature and humidity control, RS485 communication and other functions. Intelligent dehumidification device is the use of semiconductor refrigeration dehumidification way, the moist air in the confined space under the action of the fan is inhaled dehumidification duct, the water vapor in the air is condensed into water after the semiconductor refrigeration mechanism, and then discharged through the aqueduct cabinet, can achieve good dehumidification effect.



(Booth No:1T45)



YANGZHOU SENYUAN POWER TECHNOLOGY CO., LTD.	(Booth No:5G52)
SHIELDED DETACHABLE CABLE CONNECTOR	
Shielded detachable cable connector, multi-layer	
composite, injection molding process production,	
product structure and size composite DIN47636/en	
50181 standard, product surface can be charged	~~~~ L
touch and flood immersion, reliable and safe	The second se
performance.	

ROTAREX FIRETEC

FIREDETEC ELECTRICAL CABINET PROTECTION SYSTEM

The Rotarex FireDETEC® system uses a patented continuous linear FireDetec tube that uses pneumatic technology to reliably detect and control the release of extinguishing agents. Compared with mechanical or electronic systems, it is more flexible, more space efficient, and has a higher cost performance. The flexible FireDetec tube can be directly installed inside the electrical cabinet, on the wires and circuits that may cause a fire. The pre-charged 16bar nitrogen makes the FireDetec tube more sensitive to flames. The instantaneous loss of pressure will activate the valve and immediately spray the extinguishing agent to eliminate the fire in its budding state, minimizing damage and downtime.

(Booth No:2J05)



CLEAR COBALT SERIES

SHENZHEN ABSEN OPTOELECTRONIC CO., LTD.

(Booth No:3A06)

Clear Cobalt Series Inspiring color Redefined reality Prouct features: *Black coating technology *Support HDR10 *Wide color gamut * Full flip chip technology *High reliability Black Coating Technology:With full black coating technology and Absen's black calibration technology, the Clear Cobalt has not only gained a non-reflective surface, but also produces vivid colors for true to nature images. Stunning Visual:Clear Cobalt utilizes Absen's custom HDR image algorithm technology, to render optimum peak brightness and contrast for every frame image, to display true-to-life imagery High Reliability: Use the full flip chip and chip on board technology , the product has high reliability. Easy Installation:Transform spaces with the latest trend in LED displays and allow customers to have luxury experience. The Clear Cobalt, a monumental screen with optional edges and wallmounted frames, provides an ultra-high quality installation which submerges into the surrounding environment.





XIAMEN VACTEC EQUIPMENT CO., LTD. XIAMEN VACTEC EQUIPMENT CO., LTD.

(Booth No:2L03)

Xiamen Vactec Equipment Co., Ltd. focus on the production of various types of epoxy resin vacuum mixing and casting equipment, ancillary services. It is widely used in MV/HV switchgear insulators, HV cable joint accessories, dry-type transformers, Insulating bushings, insulating rods, reactors, CT/PTs, motors, dry capacitors, MRI coils、 Wind power blades, car ignition coils, etc. The company has more than 10 years' experience on the equipment designing, manufacturing and service. Company has many patents, such as online vacuum degassing continuous mixing, servo metering pump synchronization monitoring, APG synchronous precision injection, continuous casting flexible production line, intelligent Digital management system, etc. The equipments are designed accordant to German industrial standard, and made with newest and advanced technology, high quality components are imported from Europe or Japan. There are many sets of high quality equipments exported to Korea, Japan, Turkey, Vietnam, India, Malaysia, Taiwan etc. The company is located in the northern industrial zone of Jimei, Xiamen, about 15 km from the airport, about 5 km from the high-speed railway station or high-speed port, convenient transportation and supporting services.





BEIJING DARF SAFETY TECHNOLOGY CO., LTD. *

AUTOMATIC FIRE EXTINGUISHING EQUIPMENT POWER FACILITIES

This product is externally installed type, large volume, beautiful shape and large capacity The company's main products are wireless automatic fire extinguishing devices for perfluorohexanone power facilities It has the advantages of high efficiency, intelligence and small size It can be applied to energy storage power stations, energy storage packs, high and low voltage distribution cabinets, data cabinets, etc Application scenarios include tower indoor/outdoor base stations, public facilities such as hospitals, schools, libraries, ships, ships, water conservancy pumping stations, modern agriculture, industry, etc The company and R & D, production and integration, undertake customized orders, can be designed and produced according to requirements, sincerely recruit national partners

LILING ROYAL INSULATORS AND POWER PRODUCTS CO., LTD.

(Booth No:1K07)

(Booth No:1S65)

POST INSULATOR

35-330kV porcelain/ceramic post Insulators designed and manufactured according to ANSI/GB/GOST/IEC

standards and can also be customized according to customer requirements.



NINGBO DEYIBAO PACKAGING MACHINERY CO.,LTD.

AUTOMATIC PACKAGING MACHINE

1. The outer sealing paper is controlled by stepping motor, with stable bag length and accurate positioning; 2. PID is used to adjust the temperature controller, which makes the temperature control more accurate; 3. PLC is used to control the action of the whole machine, and the man-machine interface is displayed, which is convenient to operate; 4. All accessible materials are made of SUS304 stainless steel to ensure the hygiene and reliability of products; 5. Some working cylinders are imported to ensure their accuracy and stability; 6. The additional device of this machine can complete the functions of flat cutting, date printing, easy tearing and so on.

FIREFLY DIMENSION, INC. *

(Booth No:4T22)

(Booth No:3K61)

THE WORLD LARGEST FIELD OF VIEW MIXED REALITY HEADSET FOR STATE GRID


Firefly Dimension builds the largest field-of-view enterprise mixed reality headsets with proprietary optics technology and unlocks unprecedented productivity with immersive solutions in collaboration, technical support, training, and more



HIGH END INTELLIGENT EQUIPMENT(NANJING) CO., LTD.

INSULATOR STRING DETECTION ROBOT

The insulator string detection robot independently developed by the company can realize the resistance and video detection of insulator strings of live 110kv-1000kv voltage transmission lines.



(Booth No:4J58)



SHEN ZHEN JIUFANG NEW ENERGY TECHNOLOGY CO.,LTD

PORTABLE AC/DC POWER SUPPLY

Shenzhen Jiufang New Energy Technology Co. , Ltd. was founded in 2015. The company is headquartered in Guangming District, Shenzhen City. It is a high-tech enterprise engaged in the research, development, production and sales of new energy products, the company's main products include: Portable AC and DC power supply, 220V outdoor power supply, inverter power supply, uninterruptible power supply, rackmounted communication power supply, EPS emergency power supply, medical power supply, high and low temperature lithium battery pack, high and low frequency sine wave inverter, mPPT Charge controller, mobile lighting system, solar energy storage system.



CFRIEND ELECTRIC (KUNSHAN) CO., LTD.

SOLAR PV FUSE

Solar PV fuse: Size:10x38mm / 14x51mm /PVNH Rated Voltage: 1000Vdc Current:1-20A/15-32A /32-160A Pure silver fuse element 95% ceramic tube and quartz sand

(Booth No:4K41)

(Booth No:3L04)





ANHUI JUANKUANG ELECTRIC CO., LTD CAPACITOR

Mainly produces series of CBB polypropylene film capacitors, high voltage capacitors which are widely used in white household appliance, solar photovoltaic technology and wind power generation technology, rail transportation, low voltage power products and others.



DALIAN CTC INSULATOR COMPANY LIMITED.

COMPOSITE HOLLOW INSULATOR

(Booth No:4F34)

(Booth No:3C15)

Used for high voltage electrical equipment such as CT, CVT, Transformers, Capacitors, Surge Arresters, Switchgears, Cable Terminals, and Voltage Regulators. System Voltage (kV): Up to 800kV. Specified Cantilever Load (SCL): 4-35 kN. Applicable Standard: IEC, ANSI, or Customers requirement, environment temperature from -50°C to +50°C, altitude from 0 ~ 4000 meters above sea level, and medium and heavy pollution areas, especially heavy earthquake areas. Material: Composite.





TESTO INSTRUMENTS INTERNATIONAL TRADING (SHANGHAI) CO., LTD.

(Booth No:2K112)

TESTO 883 - THERMAL IMAGER (320 X 240 PIXELS, MANUAL FOCUS, APP, 2 LENSES SELECTABLE)

The testo 883 thermal imager is a reliable partner when carrying out your thermal measuring tasks. Its outstanding thermal image quality and useful features will enable you to save time and ensure perfect work results. (1) Measuring range: -30 to +650°C; (2) Accuracy: $\pm 2^{\circ}$ C, ± 2 % of m.v. (greater value applies); (3) IR resolution of 320 x 240 pixels (with SuperResolution 640 x 480 pixels); (4) Useful features: testo SiteRecognition intelligent image management and testo Thermography APP; (5) Extensive analysis and documentation: With the intuitive professional software testo IRSoft; (6) Full control: Manual focus and interchangeable lenses



ZHEJIANG LIRONG ELECTRIC GROUP CO., LTD

(Booth No:4T31)

HIGH VOLTAGE ZINC OXIDE LIGHTNING ARRESTER Zinc oxide lightning arrester is a lightning arrester with good protective performance. Utilizing the excellent nonlinear volt-ampere characteristics of zinc oxide, the current flowing through the lightning arrester at normal operating voltage is extremely small (microampere or milliampere level); When overvoltage occurs, the resistance drops sharply, releasing the energy of overvoltage to achieve protection. The difference between this type of lightning arrester and traditional lightning arresters is that it does not have a discharge gap and utilizes the nonlinear characteristics of zinc oxide to discharge and break.





SHAANXI FUAN ELECTRIC TECHNOLOGY CO., LTD.

(Booth No:2L02)

(Booth No:3S37)

HADLOCK NUT

Hadlock Nut World-recognized self-locking ability Passed the U.S. NAS (National Aerospace Standard) aviation standard Make torque and axial force mutually control Control the axial force and appropriate torque, no matter where it is used, it can achieve a high selflocking effect reusable All metals are free from wear and maintain an efficient self-locking effect. Removable and useable Simple installation method Can be installed and disassembled with conventional fastening tools Considerable cost savings By reducing maintenance costs, labor costs, etc., the total cost is greatly reduced

哈德洛克螺母 Hadlock Nut 全球公认自锁螺母

ANHUI TSINGLINK INFORMATION TECHNOLOGY CO., LTD.

5G/4G INTELLIGENT EMERGENCY PTZ CAMERA (MODEL-D)

5G/4G Intelligent Emergency PTZ Camera (Model-D) is a portable terminal built for wireless ultra-highdefinition monitoring needs, which supports 5G/4G/ Ad hoc network transmission, remote video, intercom, positioning, intelligent analysis and other functions. The product supports intelligent applications such as face recognition, license plate recognition, safety helmet recognition, smoking detection, uniform detection, insulating gloves detection, insulating boots detection, etc., and assists users in daily visual inspection, mobile law enforcement monitoring, emergency command and dispatch, intelligent application of safe production and other business management.





SHENZHEN SQUARE SILICONE CO., LTD (Booth No:4L35A) CABLE ACCESSORIES INSULATED LSR---HIGH VOLTAGE LIM1558-40A/B Each material is developed to professional standards to achieve excellent performance. Two parts and platinum curable, using a mixing ratio of 1:1. The product is molded by injection with patented process, and has excellent hydrophobicity and high tracking resistance. Light material that easy to transport and install. Image: Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"Colspan="2

SHANGHAI BOTELI MACHINERY CO., LTD.

MECHANICAL CARBON BRUSH TYPE SINGLE/THREE-PHASE AUTOMATIC COMPENSATED AC POWER SUPPLY

SCR/TCR series products are regulated power supplies designed by BTL to stabilize AC voltage in combination with the situation of China's power grid, which can automatically maintain the stability of output voltage when the voltage of external power supply network fluctuates. With the functions of overvoltage/overcurrent/phase loss/phase sequence protection and mechanical fault automatic protection, it has large capacity, high efficiency, balanced voltage regulation, wide range of applicable loads, while no wave distortion. It can withstand instantaneous overload, work continuously for a long time, and be switched manually/automatically at will. It also has the advantages of small size, light weight, convenient installation/use, and reliable Operation.



(Booth No:4T11)



NINGBO OUBSO TECHNOLOGY GO., LTD.

ACTIVE ELECTRONIC LOCK

(Booth No:4L38)

Material: zinc alloy base,handle stainless steel bolt, plastic electronic box Surface treatment: spray-painted black base, handle,electrolytic steel bolt Structure description: Active electronic lock Rated voltage: DC12V Rated current:≤0.25A Power consumption:≤3.6W Note: The default single-sided marble lock cylinder. This product is suitable for indoor use. Please read the instruction manual carefully before use, and operate according to the instructions. Performance parameter Pull load value of handle:≤600N Torque value of handle:≤30N.m Working environment Temperature:-40~+65°C Temperature:5~90% Altitude:-60m~4000m

SHENZHEN LITTELFUSE NEW POWER TECHNOLOGY CO., LTD

AVC-DVR DYNAMIC VOLTAGE REGULATOR

The AVC-DVR Dynamic Voltage Regulator is an advanced power conditioning device designed to quickly stabilize voltage output. It combines the advantages of dynamic voltage regulation technology and thyristor-controlled non-contact regulators to achieve fast response, high accuracy and reliability of voltage regulation. The AVC-DVR Dynamic Voltage Regulator uses an advanced feedback control algorithm that detects voltage changes in milliseconds and makes real-time adjustments to stabilize the output voltage. Compared with traditional voltage regulators, it has higher voltage stabilization speed and lower voltage stabilization error, and can better adapt to power load changes and grid fluctuations

(Booth No:4L11)





NINGBO HAPPY ELECTRICAL CO., LTD. SMART WIFI BOX TIMER SWITCH

Box Timer Switch is a universal, electronic time switch purpose general for designed residential and commercial applications. The robust 40A time control antomatically detects the input voltage without the use of the DIP switch or selector pins. The timer switch automatically selects any voltage between 120VAC and 277VAC. Features *Heavy-duty 40A contact rang *Automa cally adjusts voltages between 120-277 VAC *24-Hours/7-days exible scheduling *Power and status LED indicators *14 set point programs *Manual override with load status indica on *Self-recharging ba ery with back up protec on up to 2500hours (ba ery type) *To-the-minute accuracy Applicants *Ligh ng Control *Access Control * Commerical Refrigera on *General Electrical Circuits * Pump Control * Motor Control *Fan Control



(Booth No:4L41)

NINGBO OURSOLID COMPOSITE MATERIAL CO.,LTD

Temperature Resistance: > 150°C, 180°C and 220°C ;Main Materials: Epoxy resin plus alkali-free glass fiber∆Color: Natural light green, other others can be customized \triangle Voltage Resistance: 10-1,000KV∆Internal Diameter Range: > 6mm∆Length Range: > 1mm∆Thickness: >0.3mm;Mechanical Strength: High (adjust ac...







WEN'AN COUNTY QIHANG ELECTRIC CO., LTD INSULATING BOARD

(Booth No:4L48)

Epoxy resin board, also known as insulation board, epoxy board, or 3240 epoxy board Epoxy resin refers to organic polymer compounds with two or more epoxy groups in their molecules, and their relative molecular weight is not high, except for a few. The molecular structure of epoxy resin is characterized by the active epoxy group in the molecular chain. The epoxy group can be located at the end, middle or in a ring structure of the molecular chain. Because the molecular structure contains active epoxy groups, they can cross link with various types of curing agents to form insoluble, non fusible polymers with three-dimensional network structure.

HUNAN XIANGBO ELECTRIC CO., LTD

SWITCHGEAR TEST TERMINAL

(Booth No:4S01A)

I. Product Description: Switch cabinet test terminal, suitable for 10kV ~ 35kV grade bushing, is mainly used for the installation of switchgear test terminal and casing to achieve the overall voltage resistance performance detection of the inflatable ring network cabinet or box variable and to achieve the synchronized detection to transformer (switch cabinet), cable and cable accessories, installation-easy, safe and reliable. The product interface conforms to the standard EN50181&EN50180 in various types of bushings (A, B, C, D, E, F). II. Product Features: As a product being fully insulated, sealed and shielded, the pressing device ensures the its reliability. Compared with other configurations, the structure size is more compact, power frequency withstand voltage performance: 42kV/60S, 72kV/60S, 117kV/60S. Product Model: SYZD-10/250 SYZD-15/600 SYZD-10/630 SYZD-35/800E SYZD-24/630 SYZD-35/800 SYZD-35/800C SYZD-35/800F





YIJIAHE TECHNOLOGY CO., LTD.

(Booth No:3B21)

N100 NEW ENERGY SMART SHARED CHARGING SYSTEM

In view of the current situation of the charging facilities, in order to better meet the charging needs of new energy vehicle owners, Yijiahe has, in the spirit of innovation, developed a track-type smart shared charging system. Using a robot dispatching system, the product controls the movement of charging piles on the track. It separates the "moving" mechanism and the "charging" mechanism, separating the otherwise one-to-one paired charging piles and parking spaces to provide charging service at all parking spaces in the parking lot.



MAKITA(CHINA)CO.,LTD

XGT

XGT® is a new 40V 80V max system of cordless equipment and tools. XGT outpowers, outsmarts, and outlasts the rest. Through Makitas innovative engineering, the technology within XGT will lead to creating the equipment and tools of the future

(Booth No:2H41)





BAODING TONGLI ELECTRIC EQUIPMENT CO LTD	., (Booth No:4M57)
FIBERGLASS TELESCOPIC LINK STICK	
High Voltage Fiberglass Telescopic Link Stick The	
fiberglass telescopic link stick is designed for opening	TTT.
and closing disconnect switches. It is made from	
epoxy resin, with the properties of super light, high	
strength and high insulation. The hook is detachable,	.
you can adjust the angle according to your needs.	
There are lot s of models and sizes for your selection.	
Customization is acceptable.	

MONOLITH ELECTRIC (CHANGZHOU) CO., LTD

DIGITAL WEIGHING CABINET

The product is based on the IoT-type precise weighing principle, and adopts the IoT-based, large-scale multipoint weighing platform, which can sense and measure the weight data of each cargo lane. Combined with the algorithm, the changes in the quantity of materials in the cargo lane can be monitored in real time, and the digitization and information management of materials can be realized. It can be divided into compartments and partitions to accurately monitor the quantity and stock of materials in the container, so as to achieve automatic identification and automatic inventory.



(Booth No:4J52)



YUHUAN WINS ELECTRIC CO., LTD.

TRANSFORMER SUBSTATION

(Booth No:5G36)

(Booth No:5G53)

t is widely used in urban power grid transformation, residential quarters, high-rise buildings, industrial and mining, hotels, shopping malls, airports, railways, oil fields, docks, expressways and temporary electricity facilities, etc. indoor and outdoor places.

HEBEI CHAODA SEAL PRODUCTS CO., LTD. SUPER STRONG RUBBERIZED WATERPROOF TAPE

Product Description Chaoda Strong Rubberized Waterproof Tape is a super strong, rubberized, waterproof tape that can patch, bond, seal and repair virtually everything. Strong Rubberized Waterproof Tape is specially formulated with a thick, flexible, rubberized backing that conforms to any shape or object. Strong Rubberized Waterproof Tape can be applied hot or cold, wet or dry, even underwater. Strong Rubberized Waterproof Tape instantly seals out water, air and moisture to create a super strong, flexible, watertight barrier. Strong Rubberized Waterproof Tape is extra wide to quickly cover large cracks, gaps and holes. Strong Rubberized Waterproof Tape is UV resistant, environmentally friendly, VOC-free and has a wide temperature range so it can be used in extreme weather conditions. PATCH large holes, cracks, gaps and tears. BOND together almost any objects. SEAL out water, air and moisture. REPAIR virtually everything.





SCAPA (SHANGHAI) INTERNATIONAL TRADING CO LTD.

SCAPA

Scapa has provided cable wrapping tapes to the industry for over 100 years and is a market leader in the cable components field. Our putties, resins, tapes and impregnated papers are used across the world for the splicing, termination and repair of LV and MV power cables as well as many other telecommunication applications. Many of our products have been developed in partnership with key market leaders, and our solutions offer reliability, ease of use and long term protection for a broad range of installations and repairs. Customers all over the world choose Scapa components and tapes to be included in their splicing kits because they are uniquely developed to suit any field application.Established global partnerships at Top 5 Primary applications: Medium / High Voltage, Submarine,Umbilical,Fibre Optic,Fire Survival Applied at high speeds under tension with no breakage

SHANGHAI CHENGXING ELECTRICAL TECHNOLOGY CO., LTD.

(Booth No:3E61)

(Booth No:4L47)

IMPROVED GCK SWITCHGEAR AND IMPROVED GCS SWITCHGEAR

Improved GCK Switchgear Features of hand pull mechanism: Beautiful design, easy installation and affordable, the unit height of the drawer in this type can be 150mm, 160mm,200mm,300mm, 400mm, 600mm, which can be 24 loops at most. Improved GCS Switchgear Features of CXJG-8 hand cranked mechanism: With dual turbo structure, it is made of high strength wea ar-resistant plastic. It is adaptable for a high-current large drawer unit with large operating torque, and it is easy and flexible to use by multi-lap labor-saving hand cranking, smooth in cranking in and d rawing out the drawer. Made of a strong thick steel plate, It is also reliable to make a strong thick steel plate in operation.





HUNAN LILING YUGO PORCELAIN INSU INDUSTRY CO., LTD	LATOR (Booth No:2C18)
THREAD BUSHING (ANSI)	
The Munsell gray glazed transformer thread bushing is well received by the customer"s favorite from dozens of countries all over the world.	

FUZHOU CHUANG 'AN HENGYE INFORMATION TECHNOLOGY CO., LTD.

(Booth No:5H15)

INTELLIGENT AUXILIARY MONITORING SYSTEM FOR SUBSTATION

Using ARM G52 CPU architecture, industrial-grade 4core 64-bit embedded microcontroller, embedded Linux operating system, integrated AI accelerator RKNN NPU, supporting custom development AI intelligent detection; Support for B/S and C/S architecture; support for cloud transmission; implement non-downtime; support for local, cloud and other alarm methods; support for 470-510 mhz band Lora Wireless Acquisition Gateway; Support for power, environment, security, fire and other centralized monitoring management; support IEC61850 and IEC104 protocol docking, support private protocol docking development.





WORK CLOTHES

GUANGZHOU JINFENG CLOTHING CO., LTD.

(Booth No:5G82)

The characteristics of the industry determine that safety management must be done at all times to prevent static electricity, and cotton clothing has a good anti-static function, and the burning process is not coking, not attached to the human body, can effectively protect the personal safety of employees. In order to ensure the quality of clothing, especially the genuine cotton fabric, we meticulously and strictly check the garment fabric piece by piece inspection and determination, successfully put the safety management measures into practice. In addition, the new work clothes to ensure safety, practical premise, but also fully considered the comfort and beauty, has absorbed a lot of fashion, the staff dress after sassy heroic, energetic times.



YANCHENG DONCO MACHINERY TECHNOLOGY CO.,LTD

(Booth No:4M47)

DOUBLE EFFECT ENERGY-SAVING AIR CONDITIONER

The system has three layers of filtration, which can effectively solve the problem of reducing the refrigeration efficiency due to the dust blockage of traditional air conditioners. Quick removal of double layer filter screen and wet curtain combined filtering system overcomes anxiety of indoor unit blockage of workshop air conditioner; The Max.air supply length of the system is 100 meters and the volume is 20000cubic meters. The temperautre of the whole space is uniform and there is no dead angle. Fixed point air outlets can be set according to special points or work posts, with high efficiency and no waste





SHANGHAI SANSHU INDUSTRIAL CO., LTD. METAL BIPOLAR PLATE LASER WELDING EQUIPMENT

The equipment adopts imported lasers, and the whole machine movement adopts full servo mechanism to ensure repeatability. The double-head double-station design improves welding efficiency, realizes real-time quality monitoring of the welding process, and discriminates the quality of the welding process to ensure the welding yield and improve the welding quality. efficiency. Features: 1. The laser adopts singlemode/multi-mode imported lasers to ensure stable laser output power. 2. Single-head/double-head double-station design can be customized according to customer needs. 3. The welding process is equipped with quality monitoring and discrimination system 4. Welding tooling The fixture supports quick change and compatible design 5. The welding process does not require manual intervention



(Booth No:4J18)



ANXIANG POWER EQUIPMENT CO.,

(Booth No:5G71)

(Booth No:4S26)

(Booth No:5H26)

MUSHROOM TYPE BOX SUBSTATION

The mushroom type box type substation has a small external size and is equipped with a high-efficiency, aging and corrosion resistant new type of insulation titanium aluminum alloy polyimide composite plate. It adopts a two-layer structure of the box, with one layer being a non epoxy dry type transformer and the other layer being a cylindrical transformer. This product has high and low voltage power supply and high and low voltage metering functions. At the same time, due to its circular design, it has the function of beautifying the environment and has obtained multiple national invention patents. The product has energy-saving, environmental protection, intelligent functions, noise control within 48Db, and a service life of over 30 years.

CHENGDU GWATT TECHNOLOGY CO., LTD.

MULTIFUNCTIONAL LINEAR ADJUSTABLE DC POWER SUPPLY

product feature: 1 adjustable output 5 fixed outputs Clock output Multiple communication interfaces Low ripple noise LCD HD screen



ZHEJIANG KAILANG LOCK CO., LTD

DOOR LOCKS

This is a zinc alloy lock, which is a very popular distribution cabinet lock in Asia and around the world.





ZHEJIANG DINGBEN ELECTRIC APPLIAN LTD.	CE CO.,	(Booth No:5G55)			
OPEN CLOSE CURRENT TRANSFORMER					
The open close current transformer is improved from the traditional one. It can be installed anddisassembled quickly without power cut and continuous wiring, and it is easy to operate. This series ofproducts have wide measurement range, rated primary current range: 5 630A, rated secondary currentrange: 0 ~ 5a, current ratio range up to 500:1 ~ 10000:1, orderly production process, to ensure itsaccuracy level, reliability and other technical requirements. This product conforms to GB / t20840.1.2standard.					



ZHANGJIAGANG JIALONG VACUUM IMMERSION EQUIPMENT FACTORY

(Booth No:5H37)

VACUUM PRESSURE IMPREGNATION EQUIPMENT

Vacuum pressure impregnation equipment is mainly used for insulation treatment of electrical products. For example, high-voltage motors, traction motors, wind turbines, water conservancy generators, explosionproof motors, coal mine specialized transformers, Hgrade insulated dry-type transformers, power capacitors, and insulation material impregnation of cables. Products such as motors or transformer coils can be dehydrated and degassed during the vacuum stage by vacuum pressure impregnation, reducing the impact of impurities such as water and gas on insulation; During the pressure impregnation stage, the insulation paint can penetrate deeply into the interior of the insulation structure under pressure, strengthening the overall insulation, thereby improving the insulation level and improving the electrical performance of the product.





WENZHOU WISCON INDUSTRY CO., LTD LOW-VOLTAGE POWER CAPACITOR

Efficiency: Improve power factor, reduce energy loss, and minimize energy waste. Stability: Capacitance decay rate of less than 1% per year, design lifespan exceeding 100,000 hours, providing long-lasting power compensation effects. Energy-saving and materialreducing: Single-unit design with large capacity, reducing the number of devices and installation space required, reducing investment costs.

GUANGDONG YEXING TECHNOLOGY CO., LTD. PCS (POWER CONVERSION SYSTEM)

PCS and their optional accessories are the link between the power grid and energy storage devices. It realizes the mutual conversion of AC and DC energy, and monitors the voltage, current, and power temperature data of the AC and DC terminals of the energy storage converter. Shouldering the role of charging and energy feedback, it is one of the key equipment in the energy storage system, providing a prerequisite for the strong development of renewable energy supporting energy storage and independent/shared energy storage power stations. At the same time, PCS can also serve as a controllable energy storage power source in the microgrid, solving the contradiction between the large grid and distributed power sources. This enables the microgrid to operate in conjunction with the large grid, or to operate separately when the grid malfunctions or needs to be disconnected from the main grid, greatly improving the safety, stability, and economy of the power system.



(Booth No:5G56)





SHANDONG RUITAI GLASS INSULATOR CO., LTDD

GLASS INSULATOR

Shandong Ruitai Glass Insulator Co., Ltd founds in 2006 and specializes in manufacturing toughened glass insulator for high voltage and ultra high voltage electric transmission power line, high voltage glass support insulator for transmission power station, and DC glass insulator for electrified railway, etc Our cap and pin type suspension glass insulator, high voltage glass support insulator, DC glass insulator are the key items of The National 8th Five Year Plan. Their insulation and safety have achieved the worlds advanced level. The grade of high voltage transmission line ranges from 10 to 1100KV.Their specifications range from 40 to 840KN. There are AC type, DC type, standard type and antipollution type. It is an ideal choice for the construction of transmission power line in our country and updating your products. Our suspension glass insulator, high voltage glass support insulator, DC glass insulator have the following advantages: fatigue-resistant property, lightening resistant

ZHEJIANG ZHENGXING ELECTRICAL. CO., LTD.

(Booth No:4L09)

(Booth No:4F34)

 35KV INDOOR VACUUM CIRCUIT BREAKER (HANDCART TYPE)

 Model ZN85-40.5 handcart type indoor high voltage

 vacuum circuit breaker, suitable for three-phase AC

 50Hz, rated voltage 40.5 kv power system, for


 industrial and mining enterprises, power plants and

 substations as divided load current, overload current.

 The use of fault current.







SHANGHAI WECHEER SENSOR CO; LTD

(Booth No:4S27)





THERMAL OVERLOAD DETECTOR

SHENZHEN CHAZHI TECHNOLOGY CO., LTD.

(Booth No:4J05)

(Booth No:5N28)

The thermal overload detector is a series of products independently developed and produced by Shenzhen Chazhi Technology Co., Ltd., with independent patents and intellectual property rights. A very early safety detection device that can collect air samples through an air sampling tube and analyze the concentration of thermally released ions in the air samples. It can provide alarms based on the set value. It can detect thermal overload 180 to 9000 seconds in advance and issue an alarm, without false alarms for non combustible particles, and dust and haze will not affect the detection effect. We have bought valuable time for investigating material thermal overload, especially electrical thermal overload.



HEFEI DESHENG ELECTRIC APPLIANCE CO., LTD

RDSAPF ACTIVE POWER FILTER DEVICE

The RDSAPF active power filter device developed and produced by our company adopts the fifth-generation Infineon IGBT and Xilinx FPGA chip, real-time data acquisition technology and dynamic real-time tracking compensation method to eliminate harmonics in the power grid, and realizes the effective filtering of 2-50 harmonics. The instantaneous compensation time is less than 50us, and the full corresponding time is less than 5ms. Life is greater than 100,000 hours, noise is less than 65 dB, excellent thermal stability, is an excellent performance of the power filter.

Note: # Energy Storage Related Technologies/Products, * Energy Storage Supporting Products. Data collection as of September 8, 2023.



SHENYANG LONGDY ELECTRICAL EQUIPMENT CO., LTD

(Booth No:4L01)

(Booth No:4K15)

HIGH VOLTAGE, MEDIUM VOLTAGE, - AUXILIARY SWITCH

Our auxiliary switch series is configured in highvoltage or medium-voltage circuit breakers, isolating switches and other electrical equipment. It is small and exquisite, flexible in angle control, special on-off switch, meets the high-current demand of the highvoltage switch industry, and has a significantly longer service life. , Reliable performance, wider application space. Our FA, FK.FB products have been widely used in high-voltage customers at home and abroad. They are suitable for controlling the closing, opening, interlocking, and signal circuits of various high-voltage switch operating mechanisms, and can also be used as transfer or combination switches.



ZHEJIANG PUTAI HIGH VOLTAGE ELECTRICITY CO., LTD.

SOLID SEALING POLE

The vacuum interrupter and the conductive parts related to the circuit breaker are embedded in the solid insulating material such as epoxy resin, which is easy to cure, to form the pole, so that the whole pole of the circuit breaker becomes an integral part.





PVDF

SUZHOU LECANG PRECISION TECHNOLOGY CO.

(Booth No:4S25)

Polyvinylidene fluoride (PVDF) is a highly crystalline fluorinated compound known for its excellent toughness, outstanding corrosion resistance, high hardness, and remarkable stability. Even at temperatures reaching 300 degrees Fahrenheit, it can withstand strong chemical corrosion. This product meets UL94V-0 flammability standards, boasts exceptional purity, and has become the ideal material for industries such as semiconductor manufacturing equipment processing.PVDF exhibits remarkable toughness and maintains stable electronic properties even under variable frequency and high-temperature conditions, making it suitable for the manufacturing of electrical transmission components. This product comes in two specifications, both of which have simple production processes and a variety of shapes, including pipes, rods, and discs.



XIYA ELECTRIC EQUIPMENT CO., LTD.

DROP OUT FUSE

It mainly manufacture power transmission line equipment from 11kv to 220kv, covering many product series as Fuse cutout, Surge arrester, Composite insulator, vacuum circuit breaker, Wallbushing, Disconnecting switch & Air break swicth Onload, hardware fitting of overhead line and Heat & coldshrinkable power cable accessorieselectric components and whole set cabinet.



(Booth No:4S03)



ZHEJIANG ZIGUANG ELECTRICAL EQUIPMENT (Booth No:3E25) CO., LTD. ZW7-40.5 OUTDOOR HIGH-VOLTAGE VACUUM CIRCUIT-BREAKER

This circuit breaker adopts porcelain pole structure, spring operation device and it can undertake tasks like opening operation and closing operation nearby or remotely. It also has the advantages such as excellent interruption performance, short arcing time, long electrical endurance, simple structure and convenience to be installed and maintained. Moreover, it can be used to open or close load current, overload current and short-circuit current. It was applicable at transformer substations, power plants, rural power distribution automation grids and occasions where frequent operations are needed.



ZHEJIANG QITE ELECTRIC CO., LTD

(Booth No:4G03)

SF6V(C)-12KV/SERIES INFLATABLE CABINET SWITCH/MECHANISM

The SF6-V(C)-12KV/630A series is designed for indoor AC high-voltage gas-insulated metal-enclosed switchgear equipment (referred to as "SF6 inflatable cabinet"). The switch utilizes a spring-operated mechanism in conjunction with a vacuum tube for arc extinguishing or a load switch for arc extinguishing, combined with an insulated compartment using sulfur hexafluoride gas. This design is both compact and expandable, making it suitable for distribution automation. The inflatable cabinet features a compact structure, flexible operation, and reliable interlocking, providing satisfactory technical solutions for various applications, especially in challenging environmental conditions and meeting diverse user requirements.










2023.11.15-17 中国 • 上海新国际博览中心 Shanghai New International Expo Centre, PR China



(2023.09.12)

2023 展商名单 EXHIBITOR LIST

PAVILION / GROUP PARTICIPATION 展团

海外展团 Overseas pavilions:

- ▶ 美国展团 U.S. Pavilion
- ▶ 德国展团 German Group Pavilion

地方展团 Local pavilions:

 ▶ 保定展团 Baoding Pavilion
 ■ 保定市电力装备行业协会 Baoding Electric Power Equipment Industry Association
 ● 华北电力大学校友企业联合会 North China Electric Power University Entrepreneurial Advancement Association
 ▶ 乐清展团 Yueqing Pavilion
 ■ 乐清市输配电行业协会 Yueqingshi Power Transmission & Distribution Industry Association

INDIVIDUAL COMPANIES 独立参展公司

<u>展台号 展商名称</u>

BoothNo Name of Exhibitor

- 1A01 厦门海普锐科技股份有限公司 XIAMEN HIPRECISE TECHNOLOGY CO., LTD
- 1A41 长园科技集团股份有限公司 CHANGYUAN TECHNOLOGY GROUP LTD.
- 1B01 库瓦格(上海)电力装备有限公司
- 1B02 正泰电气股份有限公司 CHINT ELECTRIC CO., LTD
- 1B21 安科瑞电气股份有限公司 ACREL CO., LTD. #

1B41 中电科安科技股份有限公司 CHINA ELECTRONIC COWAN SCIENCE & TECHNOLOGY CO., LTD.

- 1B51 施耐德电气(中国)有限公司 SCHNEIDER ELECTRIC(CHINA) CO., LTD.
- 1C01 航大电气有限公司
- 1C05 南洋电气集团有限公司 NANTANG ELECTRIC GROUP CO., LTD.
- 1C11 江苏安靠智能输电工程科技股份有限公司
- 1C21 江苏洛凯机电股份有限公司 JIANGSU LUOKAI MECHANICAL & ELECTRICAL CO., LTD.
- 1C41 默飓电气有限公司 MURGE ELECTRIC CO., LTD.
- 1D41 厦门明翰电气股份有限公司 XIAMEN MINGHAN ELECTRIC CO., LTD. #
- 1D51 深圳市中电电力技术股份有限公司 CET ELECTRIC TECHNOLOGY INC.
- 1D61 恒一电气集团有限公司 HENGYI ELECTRICAL CO., LTD
- 1D71 江苏爱斯凯电气有限公司 JIANGSU AISIKAI ELECTRIC CO.,LTD









- 1E01 温州威姆企业管理咨询有限公司 WENZHOU UNITED ELECTRIC INNOVATIVE MANUFACTURE
- 1E21 常熟开关制造有限公司(原常熟开关厂) CHANGSHU SWITCHGEAR MANUFACTURING CO., LTD.(FORMER CHANGSHU SWITCHGEAR PLANT)

1E26 天津加美特电气股份有限公司 TIANJIN JMT ELECTRIC CO.,LTD #

- 1E41 江苏雷特电机股份有限公司 JIANGSU LTEC ELECTRIC CO., LTD.
- 1E61 福建中电合创电力科技有限公司 FUJIAN CECC POWER TECHNOLOGY CO., LTD.
- 1F01 烟台孚信达双金属股份有限公司 YANTAI FISEND BIMETAL CO.,LTD
- 1F05 江苏莱提电气股份有限公司 JIANGSU LAFAELT ELECTRIC CO., LTD
- 1F06 信承瑞技术有限公司 CENTURAY
- 1F11 宁波金田铜业(集团)股份有限公司 NINGBO JINTIAN COPPER (GROUP) CO.,LTD. *
- 1F21 北京清畅电力技术股份有限公司 BEIJING QINGCHANG POWER TECHNOLOGY CO., LTD
- 1F41 大全集团有限公司 DAQO GROUP CO,LTD.
- 1F61 合兴集团有限公司 CWB GROUP CO.,LTD.
- 1F63 盛中意电力科技有限公司 SHENGZHONGYI POWER TECHNOLOGY CO., LTD
- 1F66 上海纳宇电气有限公司 SHANGHAI NARUN ELECTRIC CO.,LTD
- 1G01 威卡中国 WIKA CHINA
- 1G05 科伲可(上海)电子测量仪器贸易有限公司 KNICK (SHANGHAI) ELECTRONIC MEASUREMENT TRADING CO., LTD
- 1G07 斯泰必鲁斯(江苏)有限公司 STABILUS JIANGSU LTD.
- 1G08 北京德亚特应用科技有限公司 BEIJING DAT-TECH APPLIED TECHNOLOGY CO.,LTD #
- 1G09 海格电气管理(上海)有限公司 HAGER ELECTRIC MANAGEMENT (SHANGHAI) LTD. *
- 1G12 德国莱茵 TUV TUV RHEINLAND (SHANGHAI) CO LTD.*
- 1G13 醴陵华鑫电瓷科技股份有限公司 HUAXIN PORCELAIN INSULATOR&ELECTRIC APPARATUS CO.,LTD.
- 1G15 上海乐研电气有限公司 SHANGHAI ROYE ELECTRIC CO LTD
- 1G16 玉环欧莱诺电气股份有限公司
- 1G21 厦门兴厦控电气有限公司 XIAMEN XEC ELECTRICAL CO., LTD
- 1G26 无锡凯丰电气科技有限公司
- 1G31 福州博峰智能电器有限公司
- 1G61A 浙江麦法隆电力技术有限公司
- 1G61B 浙江益豪电气有限公司
- 1G63 上海雷博司电气股份有限公司 SHANGHAI ROX ELECTRIC CO.,LTD
- 1G68 浙江新安化工集团股份有限公司 WYNCA TINYO SILICONE CO., LTD
- 1H01 上海伯格莱恩科技有限公司 BROGLINE (SHANGHAI) TECHNOLOGY CO., LTD
- 1H03 德凯亚太区 DEKRA ASIA PACIFIC*
- 1H05 DILO ARMATUREN UND ANLAGEN GMBH
- 1H11 上海思创电器设备有限公司 SHANGHAI SICHUANG ELECTRICAL EQUIPMENT CO., LTD









- 1H12 阿科法电气有限公司 AKEFA ELECTRIC CO., LTD.
- 1H21 人民电器集团有限公司 #
- 1H22 江西伊发电力科技股份有限公司 JIANGXI YIFA ELECTRIC POWER TECHNOLOGY SHARES CO., LTD #
- 1H45 史陶比尔(杭州)精密机械电子有限公司 STAUBLI (HANGZHOU) MECHATRONIC CO., LTD.*
- 1H52 陕西卓越电力设备有限公司 ETIC ELECTRIC EQUIPMENT COMPANY LTD
- 1H56 兴机电器集团有限公司
- 1H58 约克仪器 YORK INSTRUMENTS LTD
- 1H61 裕丰电气有限公司 YUFENG ELECTRIC CO.,LTD
- 1H62 肯劲集团有限公司
- 1H66 上海雷格国际贸易有限公司 SHANGHAI RAYGE INTERNATIONAL TRADING CO., LTD.
- 1H68 山东爱电智造装备有限公司
- 1J01 湖北大二互科技股份有限公司
- 1J11 上海巴佩开关设备有限公司
- 1J21A 苏州工业园区苏容电气有限公司 SUZHOU INDUSTRIAL PARK SURONG ELECTRIC CO.,LTD *
- 1J21B 鑫缆电气有限公司 XINLAN ELECTRIC CO., LTD.
- 1J40 浙江悦和科技有限公司 ZHEJIANG JOHAR TECHNOLOGY CO, LTD. *
- 1J52 江苏曼威德电气有限公司 JIANGSU MAWITE ELECTRICT CO., LTD.
- 1J61 浙江聚弘凯电气有限公司 ZHEJIANG JUHONKIA ELECTRIC CO., LTD.
- 1K01 亮线(上海)新材料科技有限公司 BRITE-LINE (SHANGHAI) TECHNOLOGY COMPANY LIMITED
- 1K05 江苏广识电气有限公司 JIANGSU GUANGSHI ELECTRIC CO., LTD.
- 1K06 广州疆海科技有限公司 GUANGZHOU RIMSEA TECHNOLOGY CO., LTD #
- 1K07 醴陵皇家电瓷电器有限公司 LILING ROYAL INSULATORS AND POWER PRODUCTS CO., LTD.
- 1K08 中科电力装备集团有限公司 ZHONGKE ELECTRIC POWER EQUIPMENT GROUP CO.,LTD.
- 1K09 凤凰电力有限公司 PHOENIX ELECTRIC POWER CO., LTD.
- 1K10 上海其高电子科技有限公司 SHANGHAI KEYGO TECHNOLOGIES CO.,LTD
- 1K101 四川智慧连电气系统有限责任公司 SICHUAN ZHIHUILIAN ELECTRICAL SYSTEM CO., LTD.
- 1K102 浙江臻光电气有限公司
- 1K103 杭州熙力康新材料有限责任公司 *
- 1K104 山东国泰科技有限公司
- 1K107 明电舍 MEIDEN
- 1K109 武汉朗德电气有限公司 WUHAN LANDPOWER CO., LTD.
- 1K11 腾峰自动化 WENZHOU TENGFENG AUTOMATION TECHNOLOGY CO., LTD.
- 1K111 苏州法思特新材料有限公司 SUZHOU FARST NEW MATERIAL CO.,LTD. *
- 1K112 上海志友电气制造有限公司 SHANGHAI ZHIYOU ELECTRIC MANUFACTURING CO., LTD *
- 1K12 石家庄数英仪器有限公司 SHIJIAZHUANG SUIN INSTRUMENT CO.,LTD
- 1K21A 浙江正火电气股份有限公司









- 1K21B 海坦机电科技有限公司
- 1K25 湖北国能优泰电力有限公司 HUBEI GUONENG YOUTAI POWER TECH CO., LTD.
- 1K26 东莞市裕天硅橡胶科技有限公司 DONGGUAN YUTIAN SILICONE RUBBER TECHNOLOGY CO., LTD
- 1K27 东莞市钢固五金制品有限公司 DONGGUAN GANGGU HARDWARE PRODUCT CO.,LTD
- 1K28 上海芯载智能科技有限公司
- 1K29 上海锐测电子科技有限公司 SHANGHAI LNFRATEST ELECTRONICS CO., LTD.
- 1K30 北京霍远科技有限公司
- 1K31 广东意杰科技有限公司 GUANGDONG EBG ELECTRONICS CO., LTD
- 1K32 上海洪砚电气有限公司 SHANGHAI HONG YAN ELECTRIC CO., LTD.
- 1K41 成都盛帮双核科技有限公司 CHENGDU SHENGBANG SHUANGHE TECHNOLOGY CO., LTD.
- 1K42 上海罗德凯耘工程技术有限公司 SHANGHAI RODE CAYUN ENGINEERING TECHNOLOGY CO.,LTD
- 1K43 上海津致智能控制系统有限公司
- 1K45 浙江永久电缆有限公司 ZHEJIANG PERMANENT CABLE CO., LTD
- 1K46 浙江天电电气科技有限公司
- 1K47 费籁电气(上海)有限公司 FRELAI ELECTRIC (SHANGHAI) CO., LTD
- 1K48 青岛共享智能制造有限公司 QINGDAO SHARING INTELLIGENT MANUFACTURING CO., LTD.
- 1K49 杭州兆华电子股份有限公司 HANGZHOU CRYSOUND ELECTRONICS CO., LTD.
- 1K51 北京朗酷翻译有限公司 BEIJING LONGCOL TRANSLATION CO., LTD.
- 1K61 福建泉源电气设备有限公司 FUJIAN QUANYUAN ELECTRIC EQUIPMENT CO., LTD.
- 1K65 陕西秦屿电器有限公司 SHAANXI QINYU ELECTRIC CO., LTD.
- 1K66 合肥合美电子技术有限公司 HEFEI HEMEI ELECTRONIC TECHNOLOGY CO., LTD
- 1K71 加西亚电子电器股份有限公司 GACIA ELECTRICAL APPLIANCE CO.,LTD
- 1K72 上海向开电气有限公司 SHANGHAI XIANGKAI ELECTRIC CO., LTD.
- 1K73 利百加电气集团有限公司 LBAJI ELECTRIC GROUP CO., LTD
- 1K74 沈阳国联电缆附件制造有限公司 SHENYANG GUOLIAN CABLE ACCESSORIES MANUFACTURE CO.,LTD.
- 1K85 向秦计算机软件(上海)有限公司
- 1K86 浙江旭瑞电子有限公司 ZHEJIANG XURUI ELECTRONIC CO., LTD.
- 1K87 上海巨哥科技股份有限公司 SHANGHAI MAGNITY TECHNOLOGIES CO., LTD.
- 1K88 珠海爱墨科技有限公司
- 1K89 上海坦石自动化设备有限公司 SHANGHAI TANSHI AUTOMATION EQUIPMENT CO.LTD
- 1K91 长春中科应化特种材料股份有限公司 CHANGCHUN CAS APPLIED CHEMISTRY MATERIALS CO,LTD.
- 1K92 常熟市研拓自动化科技有限公司 *
- 1K93 台州市凌峰电器有限公司 TAI ZHOU LING FENG ELECTRICAL APPLIANCE CO.LTD









- 1K98 江苏恒变电力设备有限公司
- 1K99 波普电气有限公司 P0PP ELECTRIC CO., LTD
- 1L01 温州耀旭电器有限公司 WENZHOU DERREK ELECTRIC CO., LTD
- 1L02 苏州凯艾帝电气有限公司 SUZHOU KIANDE ELECTRIC CO.,LTD
- 1L03 东莞市圣力堡有机硅科技有限公司 DONGGUAN SLB SILICONE TECHNOLOGY CO., LTD CO., LTD
- 1L03 东莞市慕森有机硅科技有限公司 DONGGUAN MOSEN SILICONE TECHNOLOGY CO., LTD
- 1L05 山东浑天/山东星冉信息科技有限公司
- 1L06 廊坊中瑞防火材料有限公司
- 1L41 维萨拉(北京)测量技术有限公司 VAISALA CHINA LTD.
- 1L45 深圳市新国都腾云软件有限公司

1L46 浙江亚明电器有限公司 *

- 1L49 温州干翔电气科技有限公司 WENZHOU QIANXIANG ELECTRIC TECHNOLOGY CO.,LTD
- 1L51 上海骏材磁性材料有限公司 AIC MAGNETICS LTD.(SHANGHAI)
- 1L53 深圳市欧力隆科技有限公司 ORIZONE SCIENCE AND TECHNOLOGY(SHENZHNE)CO,LTD
- 1S01 河北中开明泰电气设备有限公司 HE BEI ZHONG KAI MING TAI EIECTRIC CO., LTD.
- 1S11 深圳科创新源新材料股份有限公司 SHENZHEN COTRAN NEW MATERIAL CO., LTD
- 1S15 中变集团上海变压器有限公司
- 1S21 浙江泰欣电器有限公司 ZHEJIANG TAXN ELECTRICAL CO., LTD.
- 1S25 瑞熙恩电气(珠海)有限公司 RUIXIEN ELECTRIC (ZHUHAI) CO., LTD.
- 1S31 上海康比利仪表有限公司 SHANGHAI COMPLEE INSTRUMENT CO., LTD.
- 1S41 黎德(上海)电气有限公司 LEONHARD (SHANGHAI) ELECRICITY CO., LTD.
- 1S43 常州意恒电气科技有限公司 CHANGZHOU YIHENG ELECTRIC TECHNOLOGY CO., LTD.
- 1S46 江苏福恩电气设备有限公司 JIANGSU FUEN ELECTRIC EQUIPMENT CO., LTD.
- 1S61 广东智华电气有限公司 GUANDONG ZHIHUA ELECTRIC CO.,LTD
- 1S63 长春汇成应化新材料有限公司 CHANGCHUN HUICHENG APPLIED CHEMISTRY NEW MATERIALS CO.,LTD.
- 1S65 北京达氟安全科技有限公司 BEIJING DARF SAFETY TECHNOLOGY CO., LTD. *
- 1S71 广东鹰测技术有限公司 GUANGDONG EAGLOTEST TECHNOLOGY CO.,LTD
- 1T01A 美尔森电气保护系统(上海)有限公司 MERSEN SHANGHAI CO., LTD.
- 1T01B 上海雷迅防雷技术有限公司
- 1T01C 美尔森电气系统(浙江)有限公司 MERSEN ZHEJIANG CO., LTD. *
- 1T11 温州一卡锁具科技有限公司 WENZHOU YEEKA LOCK TECHNOLOGY CO., LTD.
- 1T15 深圳市利群榕兴科技有限公司 SHENZHEN LISTEN TECHNOLOGY CO., LTD
- 1T21 优利德科技(中国)股份有限公司 UNI-TREND TECHNOLOGY (CHINA) CO., LTD.
- 1T22 厦门尚为科技股份有限公司 XIAMEN SUNWE TECHNOLOGY CO., LTD.
- 1T25 陕西维柯瑞电气有限责任公司 SHAANXI VICTORY ELECTRIC CO., LTD.









2023.11.15-17 中国 • 上海新国际博览中心

- 1T31 中蓝晨光化工研究设计院有限公司 CHINA BLUESTAR CHENGRAND CO., LTD.
- 1T41 浙江意兰可电力电子科技有限公司 ZHEJIANG INDUCTEK POWER ELECTRONIC TECHNOLOGY LTD
- 1T43 武汉南偌电气有限公司 WUHAN NANR ELECTRIC CO., LTD
- 1T45 西安菲凌科电气有限公司 XI'AN PHILINK ELECTRIC CO.,
- 1T46 上海正保仪表厂台州分厂
- 1T55 安心智能技术股份有限公司
- 1T61 乐清飞雷柜锁有限公司 YUEQING FEI LEI CABINET LOCK CO., LTD.
- 1T63 厦门市三友和机械有限公司
- 1T65 咸亨国际(杭州)电气制造有限公司 XIANHENG INTERNATIONAL(HANGZHOU) ELECTRIC MANUFACTURING CO., LTD.
- 1T67 温州赣耐电气有限公司 GANNAIDIANQI
- 1T69 中群电气有限公司
- 2A01 山东力建数控设备有限公司 SHANDONG LIJIAN CNC EQUIPMENT CO., LTD
- 2A41 厦门标领智能装备有限公司
- 2B01 上海斯普威尔电气有限公司
- 2B03 大连第一互感器有限责任公司 DALIAN NO.1 INSTRUMENT TRANSFORMER CO., LTD.
- 2B15 西门子(中国)有限公司 SIEMENS CHINA. LTD.
- 2B41 宁波宏晟智能科技有限公司 NINGBO HONGSHENG INTELLIGENT TECHNOLOGY CO., LTD
- 2B61 ABB(中国)有限公司 ABB (CHINA) LTD. #
- 2C01 美利肯企业管理(上海)有限公司 MILLIKEN ENTERPRISE MANAGEMENT
- 2C03 郑州科辰电子科技有限公司 ZHENGZHOU KECHEN ELEC&TECH CO. LTD
- 2C05 奥地利保尔公司 BAUR GMBH
- 2C07 安徽皖仪科技股份有限公司 ANHUI WANYI SCIENCE AND TECHNOLOGY CO., LTD.
- 2C08 美国美高测公司 HIGH VOLTAGE INC.
- 2C13 富兰克林电网解决方案 FRANKLIN ELECTRIC GRID SOLUTIONS *
- 2C13 富兰克林油站通用设备(北京)有限公司 FRANKLIN FUELING STATION GENERAL EQUIPMENT BEIJING CO., LTD *
- 2C15 嘉吉投资(中国)有限公司 CARGILL INVESTMENT (CHINA) CO., LTD
- 2C16 上海英同电气有限公司
- 2C16 科大数字(上海)能源科技有限公司
- 2C17 INTERTEK 天祥集团 INTERTEK
- 2C18 湖南省醴陵市玉果电瓷有限公司 HUNAN LILING YUGO PORCELAIN INSULATOR INDUSTRY CO., LTD
- 2C21 上海一德电气科技有限公司 SHANGHAI YIDE ELECTRIC TECHNOLOGY CO., LTD.
- 2C23 北京爱博精电科技有限公司 ACCUENERGY TECHNOLOGY CO., LTD *







- 2C25 3M 中国有限公司 3M CHINA LIMITED
- 2C31 杭州巨骐信息科技股份有限公司 HANGZHOU JUQI INFORMATION TECHNOLOGY CO., LTD.
- 2C32 宁波欧路电子有限公司 NINGBO ULO ELECTRONICS CO., LTD
- 2C41 宁波高松技术有限公司 DEGSON TECHNOLOGY CO., LTD.
- 2C51 广州创研智能科技有限公司 GUANGZHOU CREATE INTELLIGENT TECHNOLOGY CO., LTD
- 2C53 黄华集团有限公司 HUANGHUA GROUP CO., LTD.
- 2C55 上海品研测控技术有限公司 ROGOWSKI TECHNOLOGY (SHANGHAI) CO., LTD.
- 2C56 湖北汉光科技股份有限公司 HUBEI HANGUANG TECHNOLOGY CO., LTD
- 2C67 真兰电气(上海)有限公司
- 2C68 凯码(上海)技术咨询有限公司 KEMA (SHANGHAI) TECHNOLOGY CONSULTING COMPANY LIMITED *
- 2D31 艾默生精密工具技术(上海)有限公司 EMERSON PROFESSIONAL TOOLS (SHANGHAI) CO., LTD.
- 2D41 台州巨力工具股份有限公司 TAIZHOU JULI TOOLS CO., LTD.
- 2D51 深圳曼顿科技有限公司
- 2D61 钛能科技股份有限公司
- 2D66 一元电气科技有限公司 YIYEN ELECTRIC TECHNOLOGY CO., LTD #
- 2E01 江苏多维科技有限公司 MULTIDIMENSION TECHNOLOGY CO., LTD.
- 2E05 史蒂夫(江苏)电力电气有限公司 SHIDIFU (JIANGSU) ELECTRICAL CO.,LTD.
- 2E11 陕西公众智能科技有限公司 SHAANXI PUBLIC INTELLIGENT TECHNOLOGY CO., LTD.
- 2E15 上海乐兹科技发展有限公司
- 2E21 北京力码科信息技术有限公司 LABEL & MARK INDUSTRIES COMPANY
- 2E31A 西美雷电气(北京)有限公司
- 2E31B 武汉武圣电气有限责任公司 WUHAN WUSHENG ELECTRIC. CO., LTD.
- 2E31C 扬州爱彼电力建设有限公司 AB POWER BUILDING CO., LTD OF YANGZHOU
- 2E32 史丹利五金工具(上海)有限公司 THE STANLEYWORKS (SHANGHAI) CO., LTD.
- 2E41 美高电气科技有限公司 MAXGE ELECTRIC TECHNOLOGY CO., LTD. #
- 2E61 杭州贝特设备制造有限公司 HANGZHOU BETA EQUIPMENT MANUFACTURE CO., LTD.
- 2E66 浙江联格电气科技有限公司
- 2E71 ITE 株式会社 ITE CO.,LTD.
- 2E76 统一通信(苏州)有限公司 UNIFIED COMMUNICATIONS (SUZHOU) CO., LTD.
- 2E80 北京第欧丽标科技有限公司 BEIJING STEELLABEL TECH. CO., LTD
- 2E83 浙江贝立电力科技有限公司 ZHEJIANG BEILI ELECTRIC POWER TECHNOLOGY CO.,LTD.
- 2E87 梅凯电力仪器(上海)有限公司 MEGGER CHINA CO., LTD
- 2F01 浙江中奥电气有限公司 ZHEJIANG ZHONGAO ELECTIRC CO., LTD.
- 2F03 沃迪克(北京)工业技术有限公司 VERTICAL (BEIJING) TECHNOLOGY & SERVICE LTD.







- 2F10 深圳市创银科技股份有限公司 SHENZHEN CHUANGYIN CO.,LTD.
- 2F11 无锡环宇电气有限责任公司 WUXI HUANYU ELECTRIC CO., LTD. #
- 2F15 湖北天瑞电子股份有限公司 HUBEI TIANRUI ELECTRONIC CO., LTD.
- 2F21 江特绝缘材料有限公司 JIANGTE INSULATION COMPOSITE CO., LTD
- 2F23 浙江亿志电气有限公司 ZHEJIANG YIZHI ELECTRIC CO., LTD.
- 2F25 三实电器有限公司 SANSHI ELECTRIC CO.,LTD.
- 2F31D 浙江天美文化传播有限公司
- 2F31E 盟电新能源有限公司 AEP NEW ENERGY CO., LTD. #
- 2F31F 上海聚仁电力科技有限公司 SHANGHAI JUREN POWER TECHNOLOGY CO.,LTD #
- 2F31G 联自电气有限公司
- 2F31L 浙江高歌物联网科技有限公司
- 2F32 杭州三创有机硅有限公司 HANGZHOU SICN ORGANOSILICONE CO., LTD
- 2F33 上海四量电子科技有限公司 SHANGHAI SILIANG ELECTRONIC TECHNOLOGY CO., LTD.
- 2F41 山东博诚电气有限公司 SHANDONG BOCHENG ELECTRIC CO., LTD
- 2F50 河北天亚橡塑制品有限公司
- 2F65 慈溪市瑞精电子科技有限公司 CIXI RUIJING ELECTRONICS CO., LTD
- 2F68 赛科轨道交通科技(上海)有限公司 SECURE RAIL TRANSIT TECHNOLOGY(SHANGHAI) CO., LTD.
- 2F71 尤提乐电气有限公司 SHANGHAI UTILITY ELECTRICAL CO., LTD
- 2F77 陕西四方华能电气设备有限公司 SHAANXI SEFON ELECTRICAL EQUIPMENT CO., LTD.
- 2G31 倍恩智能设备(山东)有限公司 BEIENE INTELLIGENT EQUIPMENT (SHANDONG) CO., LTD
- 2G51 杭州休普电子技术有限公司 HANGZHOU SUPER ELECTRONIC TECHNOLOGY CO., LTD
- 2G61 莱姆电子(中国)有限公司 LEM ELECTRONICS (CHINA) CO LTD *
- 2G65 淄博同越电子有限公司 ZIBO TONGYUE ELECTRONIC CO., LTD
- 2G66 天水长城开关厂集团有限公司 CHINA TIANSHUI CHANGCHENG SWITCHGEAR GROUP CO., LTD
- 2G71 巴测电气(上海)有限公司 BARTSU ELECTRIC (SHANGHAI)LTD
- 2G75 北京铱贝达科技有限公司
- 2H01 常州亚盾测控技术有限公司 CHANGZHOU ARDON MEASURE AND CONTROL TECHNOLOGY CO.,LTD.
- 2H02 浙江司坦电气有限公司 ZHEJIANG SITAN ELECTRIC CO., LTD.
- 2H03 浙江强力电力金具有限公司 ZHEJIANG QLG ELECTRIC POWER FITTING CO., LTD
- 2H06A 深圳市本航本技术有限公司 SHENZHEN BENHANGBEN TECHNOLOGY CO., LTD
- 2H06B 深圳市西子能源有限公司 SHENZHEN XIZI ENERGY CO., LTD.
- 2H09 古桥电力科技有限公司 GOOQAI
- 2H10 西安科湃电气有限公司 COEPOWER
- 2H12 浙江伟信电气有限公司 *
- 2H13 合肥志友电气有限公司
- 2H15 上海置恒电气有限公司 SHANGHAI EVER CHEERFUL ELECTRIC CO., LTD.









- 2H17 耐勒电气有限公司 CHNAILE
- 2H19 上海宇煌电气有限公司 SHANGHAI YUHUANG ELECTRIC CO., LTD
- 2H21 上海正尔智能科技股份有限公司
- 2H31 零壹智芯电气股份有限公司 SHAANXI YOUYI INTELLIGENT TECHNOLOGY CO., LTD
- 2H33 华荣照明有限公司 WAROM LIGHTING CO., LTD.
- 2H34 浙江洛克电力科技有限公司 ZHEJIANG LUOKE POWER TECHNOLOGY CO;LTD.
- 2H34 上海上器集团母线桥架有限公司
- 2H35 北京恒源利通电力技术有限公司 BEIJING HYLITON POWER TECHNOLOGY CO.LTD.
- 2H37 浙江雅博自动化设备有限公司 YABO AUTOMATION *
- 2H39 穆泰电气集团有限公司 MUTAI ELECTRIC GROUP CO., LTD
- 2H40 昕锐至成(北京)光电技术有限公司 RXIRY (BEIJING) OPTOELECTRONIC TECHNOLOGY CO., LTD.
- 2H41 牧田(中国)有限公司 MAKITA(CHINA)CO.,LTD
- 2H42 宁波九龙电讯电机有限公司 NINGBO JIULONG TELECOMMUNICATION AND ELECTRICAL MACHINERY CO.LTDA
- 2H43 浙江正昌锻造股份有限公司 ZHEJIANG ZHENGCHANG FORGING CO., LTD
- 2H44 张家港市汇琨电子制造有限公司
- 2H45 上海干谷电力科技有限公司
- 2H48 陕西龙翔电器有限公司 SHAANXI LONGXIANG ELECTRICAL CO., LTD
- 2H49 希卡姆电力设备(南通)有限公司 SICAME ELECTRICAL EQUIPMENT (NANTONG) CO., LTD.
- 2H61 硕方科技(北京)有限公司 SUPVAN
- 2H65 广州金升阳科技有限公司
- 2H71A 上海亿测电子设备有限公司 SHANGHAI YICE ELECTRONIC EQUIPMENT CO., LTD
- 2H71A 克列茨国际贸易(上海)有限公司 KRETZ INTERNATIONAL TRADE (SHANGHAI) CO., LTD
- 2H71B 克列茨国际贸易(上海)有限公司 KYORITSU
- 2H75 常州市盈能电气有限公司 CHANGZHOU YNEN ELECTRICAL APPLIANCE CO., LTD.
- 2J01A 乐清市吉祥连接器有限公司 YUEQING JIXIANG CONNECTOR CO., LTD.
- 2J01B 超博自动化科技有限公司 CHAOBO AUTOMATION TECHNOLOGY CO., LTD.
- 2J05 罗达莱克斯消防 ROTAREX FIRETEC
- 2J11A 元皓电气有限公司 YUANHAO ELECTRIC CO.,LTD.
- 2J11B 七七七电气科技有限公司
- 2J21 宏秀电气有限公司 HONGXIU ELECTRICAL CO., LTD.
- 2J31 南京法丁电力科技有限公司 NANJING FDDING ELECTRIC POWER TECHNOLOGY CO., LTD
- 2J32 仟佰实业有限公司(总公司)/东莞仟佰电机有限公司(工厂) THOUSAND HUNDRED INDUSTRIAL CO., LTD(HEAD OFFICE)/ THOUSAND INDUSTRIAL CO.,LTD.(MANUFACTURER)
- 2J41 北京微能汇通电力技术有限公司 BEIJING MICROPOWER TECHNOLOGY CO., LTD.
- 2J51 西安前进电器实业有限公司









- 2J61 株洲中车机电科技有限公司
- 2K04 上海灵天电气有限公司 SHANGHAI LINSKY ELECTRICAL CO.,LTD
- 2K05 浙江埃芬电气有限公司 ZHEJIANG EFENCN ELECTRICAL CO., LTD
- 2K06 上海睦霸新能源科技有限公司
- 2K06 上海威而金电子有限公司
- 2K07 武汉市豪迈电力自动化技术有限责任公司 WUHAN HUMANE ELECTRIC POWER AUTOMATION CO., LTD
- 2K08 北京荣达创新科技有限公司 BEIJING RONGDA SCIENCE & TECHNOLOGY CO.,LTD
- 2K09 沧州源信电气设备有限公司
- 2K10 厚纳华电气(上海)有限公司
- 2K101 广东安诺新材料科技有限公司 GUANGDONG ANNUO NEW MATERIAL TECHNOLOGY CO., LTD.
- 2K102 厦门森光电气科技有限公司 XIAMEN SENGUANG ELECTRIC TECHNOLOGY CO LTD
- 2K105 乐清市伊宏自动化设备有限公司 YUEQING YIHONG AUTOMATION EQUIPMENT CO. LTD
- 2K106 浙江南鹏电气有限公司
- 2K107 保定和为电力科技有限公司 BAODING HEWEI POWER TECHNOLOGY CO., LTD.
- 2K108 北京国电天元电气设备有限公司 BEIJING PRIMASKY ELECTRIC CO., LTD.
- 2K11 玉环通力电气股份有限公司 YUHUAN TONGLI ELECTRIC CO.,LTD
- 2K110 启特电气江苏有限公司 QITE ELECTRIC JIANGSU CO., LTD
- 2K111 浙江九康电气有限公司 ZHEJIANG JIUKANG ELECTRIC COL., LTD
- 2K112 德图仪器国际贸易(上海)有限公司 TESTO INSTRUMENTS INTERNATIONAL TRADING (SHANGHAI) CO., LTD.
- 2K12 宁波欧科瑞连接器有限公司 NINGBO OUKERUI CONNECTOR CO., LTD. COPYRIGHT RECORD
- 2K13 扬中金世立电气有限公司 SE ELECTRIC.,LTD.
- 2K14 温州逸之尔电气有限公司 WENZHOU YIZER ELECTRIC CO., LTD
- 2K15 北京江海汇泽科技发展有限公司 BEIJING JIANGHAI HUIZE SCIENCE AND TECHNOLOGY DEVELOPMENT CO., LTD.
- 2K21A 上海上芃电气有限公司 SHANGHAI SHANGPENG ELECTRIC CO., LTD.
- 2K21B 上海科石科技发展有限公司 SHANGHAI KSTONE S&T DEVELOPMENT CO., LTD
- 2K25 山东拓艺达电力科技有限公司 SHANDONG TUOYIDA POWER TECHNOLOGY CO., LTD
- 2K26 上海朋禾智能科技有限公司 SHANGHAI PENGHE EDGE INTELLIGENCE TECHNOLOGY CO., LTD
- 2K27 景德镇景光精盛电器有限公司 JINGDEZHEN JINGGUANG GINSON ELECTRIC CO., LTD.
- 2K27 江苏省埃迪机电设备实业有限公司
- 2K28 厦门英瑟雷特电气科技有限公司 XIAMEN INSULATION ELECTRICAL TECHNOLOGY CO.,LTD
- 2K29 河南星创科技发展有限公司
- 2K30 南通大力锻压机床有限公司 NANTONG DALI FORGE EQUIPMENT CO., LTD
- 2K31 北京智源新能电气科技有限公司 #







	Shanghai New International Expo Centre, Pf
2K32	北京万用鸿池科技有限公司 MULTI MEASURING INSTRUMENTS CO., LTD.
2K41A	北京西岭工贸有限公司 BEIJING XILING INDUSTRY AND TRADE CO., LTD
2K41B	扬州宇通电力工具有限公司 YANGZHOU YUTONG ELECTRIC TOOLS CO.,LTD.
2K46	合肥艺光高分子材料科技有限公司 COMPANY INTRODUCTION
2K47	镇江丹高电力科技有限公司 ZHENJIANG DANGAO POWER TECHNOLOGY CO.,LTD
2K49	温州市恒力仪表有限公司 WENZHOU HONLY INSTRUMENT CO.,LTD
2K50	浙江京本电气有限公司 ZHEJIANG JINGBEN ELECTRIC CO.,LTD
2K51	霍克普(山东)光电技术有限公司 HAWKEEP(SHANDONG) PHOTOELECTRICITY
	TECHNOLOGY CO., LTD.
2K52	浙江义友电气有限公司 ZHEJIANG YIYOU ELECTRIC CO., LTD.
2K60	佛山市南海硅钢铁芯制造有限公司 NICORE ELECTRICAL MANUFACTORY CO.LTD. ▲
2K62	浙江弘越电气有限公司 #
2K63	浙江德尔克斯电气有限公司
2K66	温州石奥电气科技有限公司
2K68	上海毅榕电力技术服务有限公司 SHANGHAI YIRONG DIAGNOSTIC SOLUTIONS CO.,LTD
2K70	保定德优电气设备制造有限公司
2K71	上海赛极电气有限公司 SHANGHAI SIGEA ELECTRIC CO.,LTD *
2K72	丹东奥龙射线仪器集团有限公司 DANDONG AOLONG RADIATIVE INSTRUMENT GROUP CO.,
	LTD.
2K83	浙江拓肯科技有限公司 ZHEJIANG TOKEN TECHNOLOGY CO.,LTD
2K85	淄博威特电气有限公司
2K86	浙江精驰自动化设备有限公司
2K87	上海泓涵光电仪器设备有限公司 SHANGHAI HONGHAN INSTRUMENT CORPORATION LIMITED
2K88	醴陵西电电瓷电器制造有限责任公司
2K89	苏州市天迅机具科技有限公司 SUZHOU TIANXUN MACHINERY TECHNOLOGY CO., LTD.
2K90	北玻电力复合材料有限公司
2K91	一佳工控电器有限公司
2K92	深圳市联益康电子有限公司 SHENZHEN LEYCONN ELECTRONICS CO.,LTD
2K93	昊达电力设备有限公司
2L01	河南沃达丰数码科技有限公司 HENAN VODAFONE DIGITAL TECHNOLOGY CO.,LTD
2L02	陕西伏安电气科技有限公司 SHAANXI FUAN ELECTRIC TECHNOLOGY CO., LTD.
2L03	厦门维克机械设备有限公司 XIAMEN VACTEC EQUIPMENT CO., LTD.
2L04	浙江兆晟科技股份有限公司 ZHEJIANG ZHAOSHENG TECHNOLOGY CO., LTD
2L05	珠海众锐科技有限公司 ZHUHAI CORU TECHNOLOGY CO., LTD. *
2L07	盛雷城精密电阻(江西)有限公司 THUNDER PRECISION RESISTOR CO.,LTD *
2L08	民赛电气集团有限公司 MINSAI ELECTRIC GROUP CO., LTD
2L43	杭州高电科技有限公司 HANGZHOU HIGH VOLTAGE TECHNOLOGY CO., LTD









- 2L45 宁波立新电气有限公司
- 2L47 浙江领跃电气有限公司 ZHEJIANG LINGYUE ELECTRIC CO., LTD.
- 2L49 浙江中铜电气科技有限公司 ZHEJIANG ZHONGTONG ELECTRIC TECHNOLOGY CO., LTD.
- 2L50 仪埃电力科技(上海)有限公司 EA TECHNOLOGY
- 2L51 广州征能电子科技有限公司 GUANG ZHOU ZHENGNENG ELECTRONIC TECHNOLOGY CO., LTD.
- 2L53 安徽麦特电子股份有限公司 ANHUI MASCOTOP ELECTRONIC CO.,LTD

2S01 无锡江南奕帆电力传动科技股份有限公司 JIANGNAN YIFAN MOTOR CO., LTD *

- 2S02 攀时(上海)高性能材料有限公司 PLANSEE (SHANGHAI) HIGH PERFORMANCE MATERIAL LTD.
- 2S05 洛瓦托电气 LOVATO ELECTRIC
- 2S06 浙江淇尊电气科技有限公司
- 2S07 美国派力肯产品有限公司 PELICAN PRODUCTS, INC
- 2S08 上海罗巴鲁富锌涂料有限公司 SHANGHAI ROVAL ZINC RICH PAINT CORPORATION

2S21 昆山诺泰普复合新材料有限公司 KUNSHAN NUOTAPE CO., LTD. *

- 2S22 陕西天诚电气设备有限公司 TEAMCHAIN ELECTRICAL EQUIPMENT CO., LTD.
- 2S23 南阳金牛电气有限公司 NANYANG JINNIU ELECTRIC CO., LTD
- 2S25 烟台久环电子科技有限公司 YANTAI EVERLINK ELECTRONIC TECHNOLOGY CO LTD
- 2S26 温州立高智能科技有限公司
- 2S28 迈库司(上海)商贸有限公司 MAX(SHANGHAI)CO.,LTD
- 2S31 温州加仑电气有限公司
- 2S32 温州上恩电气有限公司 *
- 2S33 北京柏艾斯科技有限公司 BEIJING PASSION TECHNOLOGY CO., LTD
- 2S35 新乡市仪盛电子科技有限公司 XINXIANG YISHENG ELECTRONIC TECHNOLOGY CO., LTD
- 2S36 上海京峰实业有限公司
- 2S38 上海创德光电科技有限公司
- 2S61 国源电气有限公司 GUOYUAN ELECTRIC CO., LTD.
- 2S64 容磁电气(杭州)有限公司 ROONSH
- 2S65 乐清市轩康电气有限公司 YUEQING XUANKANG ELECTRIC CO., LTD.
- 2S66 深圳市新泰盈电子材料有限公司 SHENZHEN XIN TAI YING ELECTRONIC MATERIALS CO., LTD
- 2T01 玉环市东南塑胶机电有限公司
- 2T05 苏州库博电力科技有限公司 SUZHOU KUBO ELECTRIC POWER TECHNOLOGY CO., LTD.
- 2T08 上海杰智电工科技有限公司 SHANGHAI DIELEC ELECTROTECHNICS CO.,LTD.
- 2T15 宁波东烁新材料科技有限公司 NINGBO TONYLUM NEW MATERIALS TECHNOLOGY CO.,LTD
- 2T21 西安西驰电气股份有限公司 XI'AN XICHI ELECTRIC CO.,LTD.
- 2T23 HT 测试仪器.中国 HT ITALIA S.R.L CHINA OFFICE *
- 2T25 上海本宏电子科技有限公司 SHANGHAI BENHONG ELECTRONIC TECHNOLOGY CO., LTD *









- 2T26 广州安电测控技术有限公司
- 2T28 河南柏科沃电子科技有限公司 PQM OF HENAN ELECTRONIC TECHNOLOGY CO., LTD
- 2T41A 浙江中泰熔断器股份有限公司
- 2T41B 浙江东华电器股份有限公司
- 2T43 上海宜链物联网有限公司 SHANGHAI ILIAN IOT CO., LTD.
- 2T45 济南恒丰电力设备有限公司 JINAN HENGFENG ELECTRIC POWER EQUIPMENT CO. LTD
- 2T50 天津兴达电气科技有限公司 TIANJIN XINGDA ELECTRIC TECHNOLOGY CO., LTD
- 2T53 清河县恒诚塑胶科技有限公司 QINGHE HENGCHENG RUBBER AND PLASTIC TECHNICAL CO.,LTD
- 2T55 山东博鸿电气股份有限公司
- 2T63 浙江大展电器有限公司 ZHEJIANG DAZHAN ELECTRICAL CO., LTD
- 2T65 郑州联睿电子科技有限公司
- 2T67 上海闵玠数码科技有限公司 SHANGHAI MINYU DIGITAL TECHNOLOGY CO., LTD
- 2T68 泰芯智能科技(昆山)有限公司 TYSIN TECHNOLOGY(KUNSHAN)CO.,LTD
- 2T69 河南地特力电气有限公司
- 2T70 浙江集弘电气有限公司
- 3A01 科华数据股份有限公司 #
- 3A06 深圳市艾比森光电股份有限公司 SHENZHEN ABSEN OPTOELECTRONIC CO.,LTD.
- 3B05 浙江京红电器有限公司 ZHEJIANG JINGHONG ELECTRIC CO., LTD
- 3B15 广州市爱浦电子科技有限公司 GUANGZHOU AIPU ELECTRON TECHNOLOGY CO.,LTD *
- 3B21 亿嘉和科技股份有限公司 YIJIAHE TECHNOLOGY CO., LTD.
- 3C01 厦门四信智慧电力科技有限公司 FOUR-FAITH SMART POWER TECHNOLOGY CO.,LTD.
- 3C03 浙江胜基美电力科技有限公司 ZHEJIANG SEKEMET POWER TECHNOLOGY CO.,LTD
- 3C06 康锑斯(上海)电容电器有限公司 CONDIS (SHANGHAI) CO., LTD
- 3C10 朗铎科技(北京)有限公司 LONGDUO SCIENTIFICBEIJINGCO., LTD
- 3C15 安徽源光电器有限公司 ANHUI JUANKUANG ELECTRIC CO.,LTD
- 3C18 上海融钦电气集团有限公司 SHANGHAI RONGQIN ELECTRIC GROUP CO., LTD *
- 3C21 特变电工股份有限公司 TBEA CO., LTD. #
- 3C35 厦门华数电力科技有限公司 XIAMEN HASO ELECTIRC POWER TECHNOLOGY CO.,LTD.
- 3C36 高新兴科技集团股份有限公司 #
- 3C41 青海城海物联网技术有限公司
- 3D01 江苏博润电气科技有限公司 JIANGSU BORUN ELECTRICAL TECHNOLOGY CO., LTD.
- 3D05 上海苏顿电气有限公司 SHANGHAI SUDUN ELECTRIC CO., LTD.
- 3D15 江西清华实业有限公司 JIANGXI TSINGHUA INDUSTRIAL CO., LTD #
- 3D21 保定焯辉电气设备制造有限公司 BAODING ZHUOHUI ELECTRICAL EQUIPMENT MANUFACTURING CO., LTD.
- 3D25 杭州数元电力科技有限公司 HANGZHOU SHUYUAN POWER TECHNOLOGY CO., LTD.









2023.11.15-17 中国•上海新国际博览中心 Shanghai New International Expo Centre, PR China

上海克拉电子有限公司 SHANGHAI KRAH ELECTRONICS CO., LTD. * 3D31 上海上纳电工器材有限公司 * 3D31 3D31 上海吉泰新电气有限公司 SHANGHAI GINO TELEMA NEW ELECTRIC CO., LTD.* 3D35 成都拓利科技股份有限公司 CHENGDU TALY TECHNOLOGY CO., LTD.* 上海新远仪表厂有限公司 SHANGHAI XINYUAN INSTRUMENT FACTORY 3E01 高美测仪(天津)科技有限公司 GMC-INSTRUMENTS(TIANJIN) CO., LTD. 3E03 3E05 上海文依电气股份有限公司 SHANGHAI WEYER ELECTRIC CO.,LTD.* 3E06 道明光学股份有限公司 DAOMING OPTICS&CHEMICAL CO., LTD. 海信电子科技有限公司 HAI XIN ELECTRONIC TECHNOLOGY CO., LTD 3E11 3E15 浙江尚进电力科技股份有限公司 珠海粤清特环保科技有限公司 3E21 3E25 浙江紫光电器有限公司 ZHEJIANG ZIGUANG ELECTRICAL EQUIPMENT CO., LTD. 3E31 建华建材集团 3E33 广东冠能电力科技发展有限公司 3E35 浙浙临坤科技有限公司 福建闽高电力股份有限公司 FUJIAN MEGO ELECTRIC POWER CO., LTD 3E38 3E43 珠海博威智能电网有限公司 ZHUHAI GOPOWER SMART GRID CO.. LTD 3E45 东莞市美康航硅橡胶科技有限公司 3E45 深圳市润仕达润滑材料有限公司 3E47 山东创威消防设备有限公司 3E61 上海呈星电气科技有限公司 SHANGHAI CHENGXING ELECTRICAL TECHNOLOGY CO., LTD. 3E65 河南省日立信股份有限公司 3F11 乐清市博特紧固件有限公司 3F15 上海雅麦柯自动化科技有限公司 * 3F16 上海希熙信息科技有限公司 3F18 缤谷电力科技(上海)有限公司 3F21 浙江佑朗电气有限公司 3F31 河南力安测控科技有限公司 宁红电气科技有限公司 3F51 3F61 西朗电气工业集团有限公司 CYLON ELECTRIC INDUSTRY GROUP CO.,LTD 3F63 杭州应敏科技有限公司 HANGZHOU YINGMIN TECHNOLOGY CO.LTD 3F65 杭州云深处科技有限公司 HANGZHOU YUNSHENCHU TECHNOLOGY CO., LTD. 江西宝安实业有限公司 JIANGXI BAO'AN INDUSTRIAL CO., LTD * 3G01 3G05 胜业电气股份有限公司 SHENG YE ELECTRIC CO., LTD. 3G06 深圳市泰昂能源科技股份有限公司 SHENZHEN TIEON ENERGY TECHNOLOGY CO., LTD # 3G08 瑞斯康达科技发展股份有限公司 RAISECOM TECHNOLOGY CO., LTD. 云蜂数智物联网有限公司 3G11









2023.11.15-17 中国•上海新国际博览中心 Shanghai New International Expo Centre, PR China

- 3G15 天津纤测道客科技发展有限公司
- 3G16 江苏斯威格电能控制技术有限公司
- 3G17 上海英众信息科技有限公司
- 3G18 福建杭润科技有限公司

3G19 南京畅洋科技有限公司 NCYT *

- 3G20 南京五采智电电力科技有限公司
- 3G22 广州市雷斯盾电气科技发展有限公司 GUANGZHOU LEISIDUN ELECTRICAL TECHNOLOGY DEVELOPMENT CO.,LTD
- 3G23 杭州杭途科技有限公司 HANGZHOU HANGTU TECHNOLOGY CO., LTD
- 3G24 江苏国电格朗电气科技有限公司
- 3G25 武汉高德智感科技有限公司 *
- 3G27 湖南安民科技有限责任公司 *
- 3G28 南京艾泰克物联网科技有限公司
- 3G31 上海南月电气自动化有限公司 SHANGHAI NANYUE ELECTRIC AUTOMATION CO., LTD.
- 3G32 上海蓝瑞电气有限公司 SHANGHAI LANRUI ELECTRIC CO., LTD
- 3G41 深圳市江波龙电子股份有限公司 SHENZHEN LONGSYS ELECTRONICS CO., LTD.
- 3G43 成都万创科技股份有限公司 CHENGDU VANTRON TECHNOLOGY CO., LTD. *
- 3G45 浙江八邦电气科技有限公司
- 3G48 江苏英创电力科技有限公司 JIANGSU YINGCHUANG POWER TECHNOLOGY CO., LTD
- 3G51 宝雨控股有限公司 BAOYU HOLDINGS CO., LTD.*
- 3G53 江苏云峰科技股份有限公司 JIANGSU YUNFENG SCIENCE AND TECH CO
- 3G55 山东雷纳新材料科技有限公司 SHANDONG REINA NEW MATERIAL TECHNOLOGY CO., LTD. *
- 3G56 深圳市共济科技股份有限公司 SHENZHEN XBROTHER TECHNOLOGY CO., LTD.
- 3G57 江苏天华变压器有限公司 JIANGSU TIANHUA TRANSFORMER CO., LTD.
- 3G58 上海楚瑜电子科技有限公司 SHANGHAI TRUGEM TECHNOLOGY CO., LTD
- 3G61 江苏现代电力科技股份有限公司 JIANGSU MODERN ELECTRIC TECHNOLOGY CO., LTD.
- 3G63 河北迈尔电力设备科技有限公司 HEBEI MAIER POWER EQUIPMENT TECHNOLOGY CO., LTD.
- 3G65 北京易艾斯德科技有限公司 BEIJING ESD POWER COMMUNICATIONS CO., LTD.
- 3G66 上海利英斯特科技集团有限公司 SHANGHAI LIYINGSTE TECHNOLOGY GROUP CO., LTD.
- 3G67 湖北远传消防设备有限公司 HUBEI YUANCHUAN FIRE FIGHTING EQUIPMENT CO., LTD. *
- 3G68 江门意玛克户外动力设备有限公司 JIANGMEN EMAK OUTDOOR POWER EQUIPMENT CO., LTD.
- 3G69 浙江良匠柜锁有限公司 ZHEJIANG LIANGJIANG CABINET LOCK CO., LTD
- 3H31 河南省朗硕电力科技有限公司 HENAN LANGSHUO POWER TECHNOLOGY CO., LTD
- 3H33 青岛顺程隆工程技术有限公司 #
- 3H38 水母(上海)科技发展有限公司 JELLYFISH (SHANGHAI) TECHNOLOGY DEVELOPMENT CO., LTD.
- 3J01 沈阳金万码高科技发展有限公司 JWM HI-TECH DEVELOPMENT CO., LTD









2023.11.15-17 中国•上海新国际博览中心 Shanghai New International Expo Centre, PR China

- 3J03 江苏快乐电源(涟水)有限公司 JIANGSU KUAILE BATTERY(LIANSHUI)SUPPLY CO.LTD. #
- 3J05 江西鸿安安全科技有限公司 #
- 3J05 江西维肯科技股份有限公司 #
- 3J06 四川迪思源科技有限公司 SICHUAN DISIYUAN TECHNOLOGY CO., LTD.
- 3J09 深圳海纳时代电子有限公司 SHENZHEN HI-NET TECHNOLOGY CO.,LTD
- 3J10 江苏三口井信息科技有限公司 THINKDREAM
- 3J12 深圳市普贴科技有限公司
- 3J13 邯郸市耘农智慧农业科技有限公司 HANDAN YUNNONG INTELLIGENT AGRICULTURAL TECHNOLOGY CO., LTD.
- 3J15 河南省中欧智能电网研究院有限公司
- 3J17 凯铭诺(深圳)科技有限公司 KAMINO(SHENZHEN)TECHNOLOGY CO.,LTD
- 3J19 河北维特电气有限公司
- 3J21 无锡欧瑞杰电子科技有限公司 WUXI OU RUI JIE
- 3J23 杭州北赫电力科技有限公司 HANGZHOU BEIHE POWER TECHNOLOGY CO., LTD.
- 3J31 上海宝开电气有限公司 SHANGHAI BAOKAI ELECTRIC CO., LTD #
- 3J35 苏州未来电器股份有限公司 SUZHOU FUTURE ELECTRICAL APPARATUS CO., LTD.
- 3J41 西安西电开关电气有限公司
- 3J45 安第斯(浙江)能源科技有限公司 ANDES(ZHEJIANG)ENERGY TECHNOLOGY CO.,LTD
- 3J51 上海贤业电气科技有限公司
- 3J55 深圳市拓普瑞电子有限公司 SHENZHEN TOPRIE ELECTRONICS CO.,LTD
- 3J57 华驰动能(北京)科技有限公司 HUACHI KINETIC ENERGY(BEIJING)TECHNOLOGY CO.,LTD #
- 3J61 北京飞利信信息安全技术有限公司
- 3J65 福迪威西特传感工业控制(天津)有限公司 QUALITROL COMPANY LLC
- 3J67 浙江国星电力科技有限公司 ZHEJIANG GUOXING POWER TECHNOLOGY CO., LTD
- 3K01 上海华通机电集团工业自动化有限公司 SHANGHAI HUATONG ELECTROMECHANICAL GROUP INDUSTRIAL AUTOMATION CO., LTD
- 3K02 东营南科电气有限责任公司
- 3K03 江苏汇淼标识技术有限公司 JIANGSU HUIMIAO IDENTIFICATION TECHNOLOGY CO., LTD
- 3K04 上海坦石自动化设备有限公司 SHANGHAI TANSHI AUTOMATION EQUIPMENT CO.LTD
- 3K05 上海苏慧电气有限公司 SHANGHAI SUHUI ELECTRIC CO., LTD.
- 3K06 威海能联信息技术有限公司 WEIHAI NENGLIAN INFORMATION TECHNOLOGY CO., LTD.
- 3K11 江阴市星火电子科技有限公司 JIANGYIN SPARK ELECTRONIC TECHNOLOGY CO.LTD #
- 3K12 浙江诚通艾洛益新材料有限公司 APPLIED COMPOSITE MATERIAL CO.,LTD.
- 3K13 泰州市永信端子有限公司
- 3K14 绍兴远胜电力设备有限公司
- 3K15 徐州克瑞艾特电子科技有限公司 XUZHOU CREATE ELECTRONIC TECHNOLOGY CO.LTD.







- 3K16 桐乡市永成线缆有限公司 TONGXIANG YONGCHENG CABLE CO., LTD.
- 3K21 江苏新亚高电压测试设备有限公司 JIANGSU XINYA HIGH VOLTAGE TESTING EQUIPMENT CO.,LTD
- 3K22 深圳市晶光华电子有限公司
- 3K23 南京歌阳数字技术有限公司 NANJING GEYANG DIGI-TECH CO.LTD
- 3K26 广州多乐信电器有限公司 DOROSIN
- 3K31 江苏爱森思电气有限公司 JIANGSU ESSENCE ELECTRICAL CO.,LTD
- 3K32 盛天智能机器人 (广东) 有限责任公司
- 3K33 巨鹿县向帆密封件制造厂 JULU COUNTRY XIANGFAN SEALS FACTORY
- 3K36 奥地利赛力斯高机电有限公司 DR. TECHN. JOSEF ZELISKO, FABRIK FÜR ELEKTROTECHNIK UND MASCHINENBAU GESELLSCHAFT M.B.H.
- 3K37 浙江健彩设备科技有限公司 ZHEJIANG JIANCAI EQUIPMENT TECHNOLOGY CO,LTD.
- 3K41 杭州拓深科技有限公司 HANGZHOU TPSON TECHNOLOGY CO., LTD #
- 3K45 北京新创椿树整流器件有限公司 BEIJING XINCHUANG CHUNSHU RECTIFIER CO., LTD.*
- 3K46 浙江迪克森电器有限公司 ZHEJIANG DIXSEN ELECTRICAL CO., LTD
- 3K51 上海罗湖斯自动化技术有限公司 #
- 3K52 上海棁姿安全技术有限公司
- 3K53 苏州诺能电力科技有限公司 SUZHOU NUONENG ELECTRIC TECHNOLOGY CO, LTD
- 3K55 昆山易方达精密仪器有限公司 *
- 3K57 沧州科诺机械制造有限公司 CANGZHOU KENUO MACHIINERY MANUFACTURING CO., LTD
- 3K61 海恩德智能装备(南京)有限公司 HIGH END INTELLIGENT EQUIPMENT(NANJING) CO., LTD.
- 3K62 吴竹电子(上海)有限公司 KURETAKE ELECTRONICS (SHANGHAI) CO.,LTD.
- 3K65 浙江满昌电气有限公司 ZHEJIANG MANCHANG ELECTRIC CO., LTD
- 3K66 乐清市中村电子科技有限公司 YUEQING ZHONGCUN ELECTRONICS TECHNOLOGY CO., LTD.
- 3K67 保定雷丁电气有限公司
- 3K68 万坤电气有限公司
- 3K71 上海西大电力科技有限公司
- 3K71 上海西大电力科技有限公司
- 3K72 宁波启新电气科技有限公司 NINGBO QIXIN ELECTRICAL TECHNOLOGY.CO., LTD.
- 3K73 南京科仁电力科技有限公司 KEREN MAX
- 3K74 江西致远消防科技有限公司 JIANGXI ZHIYUAN FIRE TECHNOLOGY CO.,LTD *
- 3K75 杭州科洛生物技术有限公司 HANGZHOU CROR BIOTECHNOLOGY CO., LTD.
- 3K76 广州冷弯机电设备有限公司 GUANGZHOU COLD ROLL-FORMING MECHANICAL&ELECTRICAL EQUIPMENT CO.,LTD
- 3L01 安徽旭峰电容器有限公司 ANHUI SUREPHON CAPACITOR CO., LTD.
- 3L02 河南焦锐电气有限公司
- 3L03 深圳硅递科技股份有限公司 SEEED TECHNOLOGY CO., LTD









- 3L04 深圳市九方新能源科技有限公司 SHEN ZHEN JIUFANG NEW ENERGY TECHNOLOGY CO.,LTD #
- 3L05 嘉兴格蕾特智能制造有限公司 JIAXING GREAT INTELLIGENT MANUFACTURING CO., LTD
- 3L06 欧佳智能科技(常州)有限公司 CHANGZHOU OPLUS SMART TECHNOLOGY CO.,LTD
- 3L07 浙江美卡智能电气有限公司 IMEGA ELECTRIC CO., LTD
- 3L08 河北宇安电力科技有限公司
- 3L41 温州市瑞基科技有限公司
- 3L43 天津谊和科技有限公司 TIANJIN YIHERO ELECTRONICS CO.,LTD.
- 3L44 苏州道简精密科技有限公司
- 3L45 江苏清科电气有限公司
- 3L46 绍兴十目科技有限公司 SHAOXING SWELD TECHNOLOGY CO.,LTD
- 3L47 上海汉昕工业科技有限公司 SHANGHAI HANXIN INDUSTRIAL TECHNOLOGY CO.,LTD
- 3L48 安徽宁国汉泰新型新型材料有限公司 ANHUI NINGGUO HANTAI NEW MATERIALS CO., LTD
- 3S01 深圳市恩玖科技有限公司 #
- 3S03 邢台增强密封件有限公司 XINGTAI ENHANCED SEALS CO., LTD.
- 3S04 腾厚(上海)实业有限公司 TENGHOU (SHANGHAI) INDUSTRIAL CO., LTD.
- 3S05 湖南五凌电力科技有限公司
- 3S06 南京思能电气有限公司 NANJING SINENG ELECTRIC CO., LTD
- 3S07 福建力禾电子科技有限公司 FUJIAN LIHE ELECTRONIC TECHNOLOGY CO., LTD.
- 3S08 宏科晖邺测控技术(大连)有限公司 HOCO-HUIE MONITORING TECHNOIOGY(DALIAN) CO., LTD.
- 3S11 河北微探科技有限公司 HEBEI WEITAN TECHNOLOGY CO., LTD.
- 3S13 上海双瀛航空科技有限公司
- 3S19 大通激光(深圳)有限公司
- 3S21 南京广能电瓷电器有限公司 NANJING EVER-POWER ELECTRIC PORCELAIN AND APPARATUS LTD.
- 3S23 常州明景物联传感有限公司
- 3S24 浙江双视红外科技股份有限公司 THERCAM INC
- 3S25 万勋科技(深圳)有限公司 WISSON TECHNOLOGY (SHENZHEN) LIMITED
- 3S26 三河市布莱斯科通用机械设备制造有限公司
- 3S27 辽宁成飞伟业电力设备工程有限公司
- 3S31 上海科迎法电气科技有限公司 SHANGHAI CO FLY ELECTRIC TECHNOLOGY CO., LTD
- 3S33 上海盛善电气有限公司 SHANGHAI SUNSHY ELECTRIC CO.,LTD
- 3S34 杭州宸丰领创科技有限责任公司
- 3S35 任丘市神华标牌有限公司 RENQIU SHENHUA S CO.LTD
- 3S36 山东港越信息技术有限公司 SHANDONG GANGYUE INFORMATION TECHNOLOGY CO.,LTD
- 3S37 安徽清新互联信息科技有限公司 ANHUI TSINGLINK INFORMATION TECHNOLOGY CO., LTD.







- 3S41 常州优达电子科技有限公司 CHANGZHOU UTA ELECTRONIC TECHNOLOGY CO., LTD
- 3S42 天津恩泰智能装备有限公司
- 3S43 上海隽梦智能科技有限公司 ZOOMSMART SHANGHAI
- 3S44 新乡市新未来电气有限公司 NEW FUTURE ELECTRIC CO.,LTD.
- 3S45 上海润时检测设备有限公司 SHANGHAI RUNSHI TESTING EQUIPMENT CO., LTD.
- 3S46 东莞市鑫达旺智能装备有限公司
- 3S47 深圳市华夏盛科技有限公司 SHENZHEN SINOSUN TECHNOLOGY CO., LTD.
- 3T01 南京悦源电力研究院有限公司 NANJING YUEYUAN ELECTRIC POWER RESEARCH INSTITUTE CO.,LTD #
- 3T02 宁波东洲电力通信器材有限公司 NINGBO DONGZHOU ELECTRIC POWER COMMUNICATION EQUIPMENT CO., LTD.
- 3T03 东莞市长河电子有限公司 DONGGUAN CHANGHE ELECTRIC CO., LTD.
- 3T05 广东世纪智电安全技术有限公司 GUANGDONG SHIJI ZHIDIAN SAFETY TECHNOLOGY CO., LTD.
- 3T08 南京安贝旭电力科技有限公司
- 3T21 深圳优立全息科技有限公司
- 3T26 中光红外科技(大连)有限公司 #
- 3T29 上海纽皇防腐油漆涂料有限公司 SHANGHAI NH ANTICORROSION PAINT&COATING CO.,LTD
- 3T31 致顺消防设备制造有限公司 *
- 3T32 河北统快激光科技有限公司 HEBEI TONKWI LASER TECHNOLOGY CO., LTD
- 3T33 弗莱博电气(浙江)有限公司 FRABO ELECTRICAL (ZHEJIANG) CO., LTD
- 3T35 国际铜业协会(中国) INTERNATIONAL COPPER ASSOCIATION
- 3T36 徐州克林斯曼安防科技有限公司 XUZHOU KLSM FIRE SAFETY TECHNOLOGY CO.,LTD. *
- 3T41 深圳市米阳科技有限公司 SHENZHEN PECRON TECHNOLOGY CO., LTD #
- 3T43 福尔盾消防科技有限公司 FURD FIRE TECHNOLOGYCO.,LTD. *
- 3T44 河北鼎汇电气科技有限公司
- 3T45 烟台艾睿光电科技有限公司 IRAY TECHNOLOGY CO., LTD.
- 3T46 江西五联消防科技有限公司 JIANGXI WULIAN FIRE FIGHTING TECHANOLOGY CO.,LTD *
- 4A21 浙江容合电气有限公司
- 4A31 吉徽电气集团有限公司 #
- 4B06A 青岛大东自动化科技有限公司
- 4B06B 青岛大东智能装备科技有限公司
- 4B21 珠海康晋电气股份有限公司 ZHUHAI COMKING ELECTRIC CO., LTD. #
- 4C11 广东维能电气有限公司 #
- 4C11 广东烨兴科技有限公司 GUANGDONG YEXING TECHNOLOGY CO., LTD. #
- 4C25 荣盛盟固利新能源科技股份有限公司 #
- 4C35 深圳市沃尔核材股份有限公司









2023.11.15-17 中国•上海新国际博览中心 Shanghai New International Expo Centre, PR China

- 4C41 德锐电气有限公司 DERUI ELECTRIC CO., LTD
- 4C45 广州汉光电气股份有限公司 GUANGZHOU HOKO ELECTRIC CO.,LTD
- 4C47 珠海东帆科技有限公司
- 4C51 深圳市众望森源电气设备有限公司

4D05 合肥博微田村电气有限公司 *

- 4D31 南京菲尼克斯电气有限公司 PHOENIX CONTACT CHINA
- 4D35 浙江省开化七一电力器材有限责任公司 ZHEJIANG KAIHUA 71 ELECTRICAL APPLIANCES CO., LTD
- 4D39 北京天泽电力集团有限公司
- 4E15 东莞市正安有机硅科技有限公司 DONGGUAN GENVAN SILICONE TECHNOLOGY CO., LTD.
- 4E31 联合飞机集团 UNITED AIRCRAFT GROUP
- 4E42 浙江朗悦电力科技有限公司 ZHEJIANG LANGYUE POWER TECHNOLOGY CO., LTD.
- 4E42 浙江国邦电气有限公司
- 4E51 安徽拓美威铜业集团有限公司 ANHUI TUOMEWO COPPER GROUP CO., LTD.
- 4F01 济南大智电力科技有限公司 JINAN DAZHI ELECTRIC POWER TECHNOLOGY CO., LTD.
- 4F05 山东朗进科技股份有限公司 SHANDONG LONGERTEK TECHNOLOGY CO., LTD #
- 4F11 深圳市慧能互联科技有限公司 *
- 4F21 苏文电能科技股份有限公司 #
- 4F31 台州市华宇高压电器股份有限公司
- 4F34 大连森垚绝缘子股份有限公司 DALIAN CTC INSULATOR COMPANY LIMITED.
- 4F34 山东瑞泰玻璃绝缘子有限公司 SHANDONG RUITAI GLASS INSULATOR CO., LTDD
- 4F36 上海合测电子科技有限公司
- 4F38 温州锐亚科技有限公司
- 4G01 北京智碳三零六零科技有限公司 BEIJING ZHITAN 3060 TECHNOLOGY CO., LTD.
- 4G03 浙江齐特电气有限公司
- 4G09 梅威斯电气技术(上海)有限公司 #
- 4G25 纬景储能科技有限公司 #
- 4G31 云瑞科技(天津)有限公司
- 4G33 上海名略企业管理咨询有限公司 SHANGHAI MINGLVE MANAGEMENT CONSULTING CO., LTD.
- 4G41 江山智安消防设备有限公司 *
- 4G42 福建华能电气有限公司
- 4G43 宁波安芯物联科技有限公司
- 4G44 浙江元龙复合材料有限公司 ZHEJIANG YUANLONG COMPOSITES CO.,LTD
- 4G45 上海升泰电气科技有限公司 SHANGHAI SHENGTAI ELECTRIC TECHNOLOGY CO.,LTD.
- 4G46 上海华坤电器有限公司 SHANGHAI HUAKUN ELECTRICAL CO LTD
- 4G47 合肥明科电气技术有限公司
- 4G50 南京赛弗提电气有限公司 NANJING SAFETY ELECTRIC CO.,LTD *









2023.11.15-17 中国•上海新国际博览中心

- 4G53 北京四方中瑞电气有限公司 SFZORI
- 4G55 浙江俊朗电气自动化股份有限公司 ZHEJIANGJUNLANG ELECTRIC AUTOMATION CO., LTD
- 4G56 武汉长飞智慧网络技术有限公司 WUHAN CHANGFEI INTELLIGENT NETWORK TECHNOLOGY CO., LTD.
- 4G58 上图电气有限公司 STMCCB
- 4H01 浙江大汽新能源有限公司 ZHEJIANG DAQI NEW ENERGY CO., LTD. #
- 4H31 浙江巨瑞电气科技有限公司
- 4H35 浙江慧通电气有限公司
- 4H35 浙江库尔智能电气有限公司
- 4H35 乐清市南高电气开关厂
- 4H51 广东弘信电力科技有限公司 GUANGDONG HONGXIN ELECTRIC TECHNOLOGY CO., LTD #
- 4J01 东禾电气有限公司 DOHO ELECTRIC CO., LTD #
- 4J03 深圳市启点新能源科技有限公司 SHENZHEN CHITEK NEW ENERGY TECHNOLOGY CO., LTD
- 4J05 深圳市查知科技有限公司 SHENZHEN CHAZHI TECHNOLOGY CO., LTD.
- 4J07 上海精登电气科技有限公司 *
- 4J11 江西海威电子股份有限公司 JIANGXI HIWAY ELECTRONICS CO., LTD.
- 4J15 猛犸安全科技(山东)有限公司 MAMMOTH SAFETY TECHNOLOGY (SHANDONG) CO., LTD*
- 4J17 捷远储能科技(山东)有限公司 JIEYUAN ENERGY STORAGE TECHNOLOGY (SHANDONG) CO., LTD
- 4J18 上海三束实业有限公司 SHANGHAI SANSHU INDUSTRIAL CO., LTD.*
- 4J19 江苏鹏申高温线缆有限公司 *
- 4J21 浙江华感科技有限公司 ZHEJIANG PIXFRA TECHNOLOGY CO., LTD*
- 4J23 郑州众智科技股份有限公司 SMARTGEN(ZHENGZHOU) TECHNOLOGY CO., LTD. #
- 4J25 宁波通冠电气自动化设备有限公司 NINGBO TONGGUAN ELECTRIC AUTOMATION EQUIPMENT CO.,LTD. *
- 4J27 迪邦仕冷却技术(苏州)有限公司 DBS COOLING TECHNOLOGY (SUZHOU) CO., LTD
- 4J31 深圳永泰数能科技有限公司 YOTAI DIGITAL ENERGY TECHNOLOGY (SHENZHEN) CO., LTD. #
- 4J33 浙江永贵电器股份有限公司 ZHEJIANG YONGGUI ELECTRIC EQUIPMENT CO., LTD
- 4J35 深圳市智莱科技股份有限公司 SHENZHEN ZHILAI SCI. AND TECH. CO., LTD.
- 4J43 帕博电力科技有限公司 ZHEJIANG PABO POWER TECHNOLOGY CO., LTD.
- 4J45 广东省肇庆市协力通金属科技有限公司 XIELITONGJINSHU
- 4J45 肇庆协力通金属科技有限公司 XIELITONGJINSHU
- 4J46 阿斯麦尔控股有限公司
- 4J48 明恪自动化焊接设备(上海)有限公司 MINT AUTOMATION WELDING EQUIPMENT (SHANGHAI)CO .LTD *
- 4J51 上海博联智电科技有限公司
- 4J52 盘石电气(常州)有限公司 MONOLITH ELECTRIC (CHANGZHOU) CO., LTD









- 4J53 古戈尔电气有限公司 GOOGOL ELECTRIC CO., LTD.
- 4J55 广东恒大新材料科技有限公司 GUANGDONG HENGDA NEW MATERIALS TECHNOLOGY CO.,LTD.
- 4J56 江西赛特消防设备有限公司 JIANGXI SAITE FIRE EQUIPMENT CO., LTD
- 4J58 宁波德亦宝包装机械有限公司 NINGBO DEYIBAO PACKAGING MACHINERY CO., LTD.
- 4J58 宁波德亦宝包装机械有限公司 NINGBO DEYIBAO PACKAGING MACHINERY CO., LTD.
- 4J61A 西安益祥仪表有限公司
- 4J61B 河南欧曼电气有限公司
- 4J63 宁波地博电气有限公司 NINGBO DORABO ELECTRIC CO., LTD *
- 4J65 台州安耐杰电力设备有限公司
- 4J66 宁波高云电气有限公司
- 4J67 武汉华导物联网技术有限公司 WUHAN HUADAO INTERNET OF THINGS TECHNOLOGY CO., LTD
- 4J68 江苏欧辉照明灯具有限公司
- 4J69 宁波索力特复合材料有限公司 NINGBO OURSOLID COMPOSITE MATERIAL CO., LTD
- 4K01 深圳前海奥瑞那安全技术有限公司
- 4K05 东晓电气有限公司 DONGXIAO ELECTRIC CO.,LTD #
- 4K08 杭州鑫益好科技有限公司
- 4K11 浙江华赢新能源股份有限公司 *
- 4K13 河北天一电器有限公司 HEBEI TIANYI ELECTRIC APPLIANCE CO., LTD #
- 4K15 浙江浦泰高压电气有限公司
- 4K17 河北晋轩电力科技有限公司
- 4K18 浙江欣力电气有限公司
- 4K19 上海香华实业有限公司 SHANGHAI XIANGHUA INDUSTRIAL CO., LTD.
- 4K21 宁波博威合金材料股份有限公司 NINGBO BOWAY ALLOY MATERIAL CO, LTD
- 4K31 湖南精创电气集团有限公司 HUNAN JINGCHUANG ELECTRIC GROUP CO., LTD
- 4K33 辽宁沈鹏电力科技有限公司 LIAONING SHENPENG ELECTRIC POWER TECHNOLOGY CO., LTD
- 4K35 浙江隆高电气有限公司 LONGGAO ELECTRIC CO., LTD.
- 4K38 江苏瑞仕达电气设备有限公司
- 4K41 友容新源电气(昆山)有限公司 CFRIEND ELECTRIC (KUNSHAN) CO., LTD.
- 4K43 东徽电气有限公司
- 4K43 浙江欧业电气科技有限公司
- 4K45 陕西奇力达电子科技有限公司 SHAANXI QILIDA ELECTRONIC TECHNOLOGY CO.,LTD.
- 4K47 鹰潭市钲旺科技有限公司 YINGTAN ZHENGWANG TECHNOLOGY CO., LTD
- 4K49 石家庄市龙宫橡塑制品有限公司
- 4L01 沈阳隆迪电器设备有限公司 SHENYANG LONGDY ELECTRICAL EQUIPMENT CO., LTD
- 4L06 深圳市德而沃电气有限公司 #







- 4L07 江西伊西电气有限公司
- 4L09 浙江正星电器有限公司 ZHEJIANG ZHENGXING ELECTRICAL. CO., LTD.
- 4L10 沈阳欧通宝科技有限公司 SHENYANG OU TONG BAO TECHNOLOGY CO. LTD.
- 4L11 深圳市利泰新电源科技有限公司 SHENZHEN LITTELFUSE NEW POWER TECHNOLOGY CO., LTD *
- 4L12 乐清市秦川防雷科技电气有限公司 YUE QING QIN CHUAN ELECTRICAL TECHNOLOGY CO., LTD.
- 4L15 深圳市德安泰防护科技有限公司 SHENZHEN TECRON SAFETY CO., LTD.
- 4L17 宁波晨翔电子有限公司 NINGBO CONNFLY ELECTRIC CO., LTD. *
- 4L18 浙江亿惠电气有限公司
- 4L21 河北集亚橡塑制品有限公司 HEBEI JIYA RUBBER AND PLASTIC PRODUCT CO., LTD.
- 4L25 常州中变电气有限公司
- 4L35A 深圳市森日有机硅材料股份有限公司 SHENZHEN SQUARE SILICONE CO., LTD
- 4L35B 安格诺尔(江苏)智能电气有限公司 ANGELOR (JIANGSU)INTELLIGENT ELECTRIC CO., LTD.
- 4L35C 无锡德刚精工机电设备有限公司 WUXI DEGANG PRECISION MECHANICAL AND ELECTRICAL EQUIPMENT CO., LTD.
- 4L38 宁波欧堡科技有限公司 NINGBO OUBSO TECHNOLOGY GO., LTD.
- 4L41 宁波海贝电器有限公司 NINGBO HAPPY ELECTRICAL CO., LTD.
- 4L42 浙江浙友电力科技有限公司
- 4L43 全一电气有限公司 QUANYI ELECTRIC CO., LTD.
- 4L45 深圳市宝鑫达电气有限公司 BAOXINDA ELECTRIC CO., LTD.
- 4L47 思卡帕(上海)国际贸易有限公司 SCAPA (SHANGHAI) INTERNATIONAL TRADING CO LTD.
- 4L47 思卡帕(上海)国际贸易有限公司 SCAPA (SHANGHAI) INTERNATIONAL TRADING CO LTD,
- 4L48 文安县启航电气有限公司 WEN'AN COUNTY QIHANG ELECTRIC CO., LTD
- 4L49 邢台市盛强机械配件有限公司 XINGTAI SHENGQIANG MACHINERY PARTS CO., LTD.
- 4L49 河北永密机械配件有限公司 HEBEI YONGMI MACHINERY PARTS CO., LTD.
- 4L50 上海哈迈信息科技有限公司
- 4L51 法纳通电器(上海)有限公司 FRAATON ELECTRIC(SHANGHAI)CO.,LTD
- 4L55 宝都国际工程技术有限公司 BAODU INETERNATIONAL ENGINEERING TECHNOLOGY CO., LTD
- 4M01 绍兴市京堡防雷器材制造有限公司 SHAOXING JINBO LIGHTING PROTECTION EQUIPMENT MANUFACTURING CO., LTD.
- 4M02 上海洲日电子有限公司
- 4M03 广州算易软件科技有限公司
- 4M05 温州沸鼎智能科技有限公司 WENZHOU RFITRFID TECHNOLOGY CO., LTD.
- 4M06 派普力(北京)管路系统科技有限公司
- 4M08 广州得元电力科技有限公司 GUANGZHOU DEEYUAN POWER TECHNOLOGY CO.,LTD.









- 4M15 湖南永霏特种防护用品有限公司 HUNAN YONGFEI SPECIAL PROTECTIVE EQUIPMENT CO., LTD. *
- 4M21 乐清市大和电气有限公司 YUEQING DAHE ELECTRIC CO., LTD
- 4M23 烟台金润核电材料股份有限公司 YANTAI JINRUN NUCLEAR POWER MATERIAL CO., LTD
- 4M25 温州创佐电气有限公司 WENZHOU CHUANGZUO ELECTRIC CO.,LTD
- 4M26 浙江凡海电气科技有限公司 ZHEJIANG FANHAI ELECTRIC TECHNOLOGY CO., LTD
- 4M27 湖南美松德恒设备有限公司 MASUNG
- 4M29 徐州鹏程电气有限公司 XUZHOU PENGCHENG ELECTRIC CO., LTD.
- 4M30 合肥中科贝伦科技有限公司 *
- 4M33 江苏桥兴智能科技有限公司 JIANGSU QIAOXING INTELLIGENT TECHNOLOGY CO.,LTD.
- 4M35 深圳市贝源达电子科技有限公司 SHENZHEN BACKPOWER TECH. CO., LTD
- 4M41 浙江二广电力科技有限公司
- 4M47 盐城东科机械科技有限公司 YANCHENG DONCO MACHINERY TECHNOLOGY CO., LTD
- 4M51 乐清市安州电子有限公司 ANZHOU ELECTRONICS CO.,LTD
- 4M53 铜陵图顺电力金具有限公司
- 4M55 德力光电科技(天津)有限公司
- 4M56 新沂市五联电气科技有限公司 SMART ELECTRICAL ENGINEERING CO., LTD.
- 4M57 保定通力电器设备有限公司 BAODING TONGLI ELECTRIC EQUIPMENT CO., LTD
- 4M58 常州科瑞特光电科技有限公司 CHANGZHOU KERUITE TECHNOLOGY CO., LTD
- 4S01A 湖南橡博电气有限公司 HUNAN XIANGBO ELECTRIC CO., LTD
- 4S01B 湖南旭日电气设备有限公司
- 4S03 西亚电力设备有限公司 XIYA ELECTRIC EQUIPMENT CO., LTD.
- 4S04 江苏瓦恩新材料科技有限公司 JIANGSU WAEN NEW MATERIAL TECHNOLOGY CO., LTD
- 4S05 爱瑟瓦(上海)商贸有限公司 ESSEVA (SHANGHAI) TRADING CO., LTD.
- 4S09 宁波速普电子有限公司
- 4S11 浙江雷诺尔电气有限公司 ZHEJIANG LEINUOER ELECTRICAL CO, LTD
- 4S13 济南铂晶电子科技股份有限公司
- 4S15 大连林原电子有限公司
- 4S17 东莞市新镁精密五金有限公司 DONGGUAN NEW MAGNESIUM PRECISION HARDWARE CO., LTD
- 4S21 南京荣泰电气自动化有限公司 LEADWING MACHINERY CO., LTD.
- 4S22 广东英业达电子有限公司 GUANGDONG YINGYEDA ELECTRONICS CO.,LTD #
- 4S23 北京屹轩云和数据有限公司 BEI JING YI XUAN YUN HE SHU JU YOU XIAN GONG SI
- 4S24 山东华源电气有限公司
- 4S25 苏州勒仓精密技术有限公司 SUZHOU LECANG PRECISION TECHNOLOGY CO.
- 4S26 成都吉瓦特科技有限公司 CHENGDU GWATT TECHNOLOGY CO.,LTD.









2023.11.15-17 中国•上海新国际博览中心 Shanahai New International Expo Centre, PR China

- 4S27 上海微雀电子科技有限公司 SHANGHAI WECHEER SENSOR CO; LTD
- 4T01 浙江途远电气有限公司
- 4T03 事润电力科技有限公司
- 4T04 巨鹿县宏伟密封电器配件有限公司
- 4T05 湖南醴陵宇建电瓷电器有限公司
- 4T06 青岛大成索具有限公司 QINGDAO DACHENG RIGGING&HARDWARE MANUFACTURING CO., LTD
- 4T07 石家庄旭昊电力设备科技有限公司 SHIJIAZHUANG XUHAO POWER EQUIPMENT TECHNOLOGY CO., LTD.
- 4T08 杭州凯码标识有限公司
- 4T09 泰州市天力铁芯制造有限公司 TAIZHOU TIN LI IRON CORE MANUFACTURING CO., LTD.
- 4T11 上海博特利机械有限公司 SHANGHAI BOTELI MACHINERY CO., LTD.
- 4T12 苏州珂斯达锁具有限公司
- 4T13 浙江巨杰电气有限公司 JUJIE ELECTRIC CO., LTD.
- 4T14 山东沃尔斯铜铝业有限公司 SHANDONG WOERSI COPPER ALUMINUM CO., LTD
- 4T15 上海碧拓电气有限公司
- 4T16 浙江简捷物联科技有限公司 LNXALL EMS #
- 4T17 郑州仁爱电缆桥架有限公司 ZHENGZHOU RENAI CABLE TRAY CO., LTD
- 4T21 万为智控
- 4T22 苏州萤火空间科技有限公司 FIREFLY DIMENSION, INC. *
- 4T23 赤峰市宏辰泰特种塑料有限公司 BEIJING HONGCHENTAI FLUORINE-PLASTIC PRODUCTS CO., LTD.
- 4T24 北京泰利斯达科技有限公司 BEIJING TELESTAR SCIENCE CO., LTD
- 4T27 佑兴电气有限公司 YOUXING ELECTRIC CO., LTD.
- 4T31 浙江立熔电气集团有限公司 ZHEJIANG LIRONG ELECTRIC GROUP CO., LTD
- 4T32 东飞光电科技(上海)有限公司 DONGFEI OPTOELECTRONIC TECHNOLORY (SHANGHAI) CO. LTD
- 4T33 苏州依顿电气有限公司 SUZHOU ETON ELECTRIC CO.,LTD #
- 4T36 浙江硕仕电气科技有限公司 SOSICN
- 4T37 云南宇恬防雷材料有限公司 TIAN YU LIGHTNING PROTECTION
- 4T37 广东宇恬智能科技有限公司
- 4T38 中山市沃通电器科技有限公司 ZHONGSHAN WOSIGN ELECTRICAL TECHNOLOGY CO., LTD.
- 5A08 深圳市盛弘电气股份有限公司 SHENZHEN SINEXCEL ELECTRIC CO., LTD.
- 5B08 泛仕达机电股份有限公司 FANS-TECH ELECTRIC CO., LTD.
- 5C10 衡阳瑞达电源有限公司 RITAR INTERNATIONAL GROUP
- 5D39 深圳市英威腾电源有限公司 INVT POWER SYSTEM (SHENZHEN) CO., LTD.









- 5E30 电管家能源管理(上海)有限公司 SHANGHAI XIAOQING POWER INSTALLATION ENGINEERING CO., LTD.
- 5F07 南京佳力图机房环境技术股份有限公司 NANJING CANATAL DATA-CENTRE ENVIRONMENTAL TECH CO., LTD.
- 5F13 蓝博蔚来(北京)科技有限公司 LANBO
- 5F25 无锡莱多鑫科技有限公司 WUXI LANDKING TECHNOLOGY CO., LTD.
- 5F62 杭州云酷智能科技有限公司 HANGZHOU YUNKU INTELLIGENT TECHNOLOGY CO., LTD.
- 5F77 菲尼克斯智能设备制造(安徽)有限公司 PHOENIX INTELLIGENT EQUIPMENT MANUFACTURING (ANHUI) CO., LTD.
- 5G11 北京士模微电子有限责任公司
- 5G12 深圳市孔明科技有限公司 SHENZHEN COMING TECHNOLOGY CO., LTD
- 5G13 厦门市爱维达电子有限公司 XIAMEN EVADA ELECTRONICS CO., LTD.
- 5G16 北京东山机械技术有限公司 BEIJING TUNG SUN MACHINERY TECHNOLOGY CO.,LTD.
- 5G18 勤广电气有限公司
- 5G28 芜湖鸿鑫智能装备有限公司 *
- 5G29 浙江信远照明有限公司
- 5G32 宁波金熠贸易有限公司
- 5G36 玉环玮斯电气股份有限公司 YUHUAN WINS ELECTRIC CO., LTD.
- 5G36 玮斯(台州)新能源科技有限公司 WINS(TAIZHOU) NEW ENERGY TECHNOLOGY CO.,LTD.
- 5G41 余姚市杰拉线路金具有限公司 YUYAO JERA LINE FITTING CO., LTD
- 5G43 浙江安用电气有限公司
- 5G45 上海开际电力设备有限公司 SHANGHAI KAIJI ELECTRIC POWER EQUIPMENT CO., LTD
- 5G46 乐清市贝奈利柜锁有限公司
- 5G46 乐清市贝奈利柜锁有限公司
- 5G49 深圳市科航兴精密机械设备有限公司 SHENZHEN KEHANG XING PRECISION MACHINERY EQUIPMENT CO., LTD.
- 5G50A 浙江行知电气科技有限公司 ZHEJIANG XINGZHI ELECTRIC TECHNOLOGY CO., LTD.
- 5G50B 江苏赛曼威科技有限公司 JIANGSU SAIMANWEI TECHNOLOGY CO., LTD.
- 5G51 深圳市拓普微科技开发有限公司 SHENZHEN TOPWAY TECHNOLOGY CO., LTD.
- 5G52 扬州森源电力科技有限公司 YANGZHOU SENYUAN POWER TECHNOLOGY CO., LTD.
- 5G53 河北超达密封制品股份有限公司 HEBEI CHAODA SEAL PRODUCTS CO., LTD.
- 5G54 温州航歌新能源设备科技有限公司
- 5G55 浙江丁本电器有限公司 ZHEJIANG DINGBEN ELECTRIC APPLIANCE CO., LTD.
- 5G56 温州威斯康工业有限公司 WENZHOU WISCON INDUSTRY CO., LTD
- 5G57 温州前欧电气有限公司 WENZHOU QIANOU ELECTRIC CO., LTD.
- 5G58 东莞市恒翊电子科技有限公司 DONGGUANSHIWELINK ELECTRONIC TECHNOLOGY CO.,LTD
- 5G60 一仁电力设备有限公司









- 5G61 智联新能电力科技有限公司
- 5G71 安相电力设备有限公司 ANXIANG POWER EQUIPMENT CO.,
- 5G72 广州德海高分子材料科技有限公司 GUANGZHOU DEHAI HIGH POLYMER MATERIAL SCIENCE & TECHNOLOGY CO, LTD
- 5G73 上海顶浙电气有限公司 SHANGHAI DINGZHE ELECTRIC CO., LTD.
- 5G74 广州故事科技有限公司
- 5G80 常州铂威电子科技有限公司 PLATINUM ELECTRONICS TECHNOLOGY CO., LTD.
- 5G81 旭化成塑料(上海)有限公司 ASAHI KASEI PLASTICS (SHANGHAI) CO., LTD.
- 5G82 广州市金锋服饰有限公司 GUANGZHOU JINFENG CLOTHING CO., LTD.
- 5G83 浙江金华中泰科技有限公司 ZHEJIANG CHONT TECHNOLOGY CO.LTD。
- 5G83 浙江沪韧科技有限公司 ZHEJIANG HUREN TECHNOLOGY CO, LTD.
- 5H11 浙江京奥电气有限公司
- 5H11 启航电气科技有限公司
- 5H11 启航电气科技有限公司
- 5H15 福州创安恒业信息技术有限公司 FUZHOU CHUANG 'AN HENGYE INFORMATION TECHNOLOGY CO., LTD.
- 5H18 浙江图维科技股份有限公司 ZHEJIANG TUWEI TECHNOLOGY CO., LTD.
- 5H19 南京瑞铎电气有限公司
- 5H20 浙江华发电气有限公司 ZHEJIANG HUAFA ELECTRICITY CO., LTD
- 5H20 浙江华发电气有限公司 ZHE JIANG HUA FA ELECTRICITY CO., LTD.
- 5H25 江苏津佰电源实业有限公司 JIANGSU KINBO POWER SUPPLY INDUSTRY CO., LTD.
- 5H26 浙江凯朗锁业有限公司 ZHEJIANG KAILANG LOCK CO.,LTD
- 5H27 山东科惠电子科技有限公司
- 5H33 四川加力机电有限公司 SICHUAN JOINER MACHINERY & AUTOMATIC EQUIPMENT CO., LTD.
- 5H34 易尔拓工具(嘉兴)有限公司
- 5H36 诸暨科泰世电子科技有限公司
- 5H37 张家港市佳龙真空浸漆设备制造厂 ZHANGJIAGANG JIALONG VACUUM IMMERSION EQUIPMENT FACTORY
- 5H38 法乐绮电气(上海)有限公司
- 5M02 常熟雅致模块化建筑有限公司 CHANGSHU YAHGEE MODULAR BUILDING CO., LTD.
- 5M19 好利来(厦门)电路保护科技有限公司 HOLLYLAND (XIAMEN) TECHNOLOGY CO., LTD.
- 5N21 上海紫红光电技术有限公司
- 5N26 宁波莱堡智能电气科技有限公司 NINGBO LION-BALL INTELLIGENT ELECTRIC TECHNOLOGY CO.,LTD.
- 5N27 温州鸿茂科技有限公司 WENZHOU HONGMAO TECHNOLOGY CO., LTD
- 5N28 合肥德盛电器有限责任公司 HEFEI DESHENG ELECTRIC APPLIANCE CO., LTD
- 5N33 浙江扬诺电气有限公司 YANUO ELECTRIC CO., LTD.









- 5N35 上海韩施电气自动化设备有限公司 SHANGHAI HANSHI ELECTRICAL AUTOMATION & EQUIPMENT CO., LTD.
- 5N36 北京市金合益科技发展有限公司 BEIJING JINHEYI TECHNOLOGY&DEVELOPMENT CO., LTD.
- 5N45 上海威斯康电器集团有限公司 SHANGHAI WEISIKANG ELECTRIC GROUP CO.,LTD.
- 5N45 乐清市中厦电子有限公司
- 5N46 安徽科恒电力科技有限公司 KEHENG
- 5N47 福建省金传电力科技有限公司 FUJIAN JINCHUAN ELECTRIC POWER TECHNOLOGY CO., LTD.
- 5N47 厦门凯中电气有限公司
- 5N48 上海二开电器有限公司 SHANGHAI ERKAI ELECTRIC APPLIANCE CO.,LTD
- 5N49 保定合力达电缆附件有限公司 BAODING HELIDA ELECTRIC CO., LTD.
- 5N51 扬州中平自动化技术有限公司 YANGZHOU ZHONGPING AUTOMATION CO., LTD.

南京恩瑞杰综合能源服务有限公司

储能世界

- 南京吉瓦科科技有限公司
- 杭州易紧通电子商务有限公司
- 浙江百方网科技有限公司/百方网
- 北京恒盛创新科技发展有限公司(365 电力采购网)
- 电源工业(北京忠诚广告公司)
- 电力设备市场
- 《高电压技术》编辑部
- 温州恒诚文化传媒有限公司
- 北京赛尔风标广告有限公司 / (赛尔资讯)中国设计师网赛尔传媒 / 北京赛尔广告有限公司 / 北京万选 通网络技术有限公司 BEIJING SALEBINFO ADVERITISING CO., LTD / BEIJING SAIER ADVERTISEMENT CO., LTD / BEIJING WANXUANTONG
- 电气时代杂志社 ELECTRIC MAGAZINE AGENCY
- 乐清米点网络科技有限公司
- 长兴太湖能谷科技有限公司
- 浙江一舟电子科技股份有限公司 ZHEJIANG SHIP ELECTRONICS & TECHNOLOGY CO., LTD. 广东申菱环境系统股份有限公司 GUANGDONG SHENLING ENVIRONMENTAL SYSTEMS CO., LTD.

Accommodation



Official Travel Agent Shanghai Pengcheng Exhibition and Display Service Co., Ltd.

Contact person: Ms. Linda Li Tel: 86-1580-0598-969

Booking e-mail: lixiaoyan1119@163.com

Hotel name	Price	Address	Distance
Chateau Star River Hotel Pudong	RMB950 / room / night (included 2 breakfast)	Lane 2588, Jinxiu Road, Pudong New Area	14-mins drive (Free Shuttle Bus)
Royal Century Hotel Shanghai	RMB658 / room / night (included 2 breakfast) 588, Tang'an Road, Pudong New Area		16-mins drive (Free Shuttle Bus)
Holiday Inn Greenland, Pudong, Shanghai	RMB598 / room / night (included 2 breakfast)	1088 Xiuyan Road, Pudong New Area	20-mins drive (Free Shuttle Bus)
Wassim Hotel Shanghai Pudong Kangqiao	RMB568 / room / night (included 2 breakfast) 1668, Xiuyan Road, Pudong New Area	12-mins drive (Free Shuttle Bus)	
Shanghai Shundi Sanheyuan Hotel	RMB558 / room / night (included 2 breakfast)	Lane 2599, Chengshan Road, Pudong New Area	20-mins drive (Free Shuttle Bus)



15-16 November 2023

23 09:00-16:30 23 09:00-15:00

17 November 2023

* The last admission will be half an hour before the exhibition closing

* The exhibition hall is exclusively designed for trade professionals, and admission is completely free of charge *Children are not allowed in exhibition

Venue

Shanghai New International Expo Center, PR China (Hall N1-N5) (2345 Longyang Road, Pudong New Area, Shanghai, PR China)

Transportation

- Taxi : To Entrance Hall 3: Get off at the junction of Hua Mu Road and Luo Shan Road (Gate 7) To Entrance Hall 2: Get off at the junction of Hua Mu Road and Fang Dian Road (Kerry Hotel, Pudong, Shanghai) To Entrance Hall 1: Get off at the junction of Fang Dian Road and Lung Yang Road (Gate 1) Erom Shanghai Pu Dong International Airport: about 35 minutes
 - From Shanghai Pu Dong International Airport: about 35 minutes From Shanghai Hong Qiao Airport: about 35 minutes
- Metro : To Entrance Hall 2: get off at Longyang Road Station or Hua Mu Station (Exit 2 or 5) Walk from Hua Mu Road Station: about 3 minutes
- Train : From Shanghai Railway Station / Shanghai South Railway Station: Take Line 1 to People's Square, interchange Line 2 to get off at Longyang Road Station or interchange Line 7 get off at Hua Mu Station From Shanghai Hongqiao Railway Station: take Line 2 to get off at Longyang Road Station, or interchange Line 7
- Bus : Bus station: Longyang Road Fangdian Road Bus lines include: No.989 / Dongchuan line / Fangchuan line / Bus Da Qiao No.6 / Bus Da Qiao No.6 Inter-zone

